

# WORLD INTELLECTUAL P. OPERTY ORGANIZANI



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7:		(11) International Publication Number: WO 00/66731
C12N 15/12, 15/62, 5/10, C07K 14/78, A61K 38/39, A61P 3/10, 9/00, 17/02, A61L 29/00, 31/00		(43) International Publication Date: 9 November 2000 (09.11.00)
	S00/114	(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG.

(30) Priority Data: 60/131,720 60/149,738

60/155,945

(22) International Filing Date:

30 April 1999 (30.04.99) US 21 August 1999 (21.08.99) US 24 September 1999 (24.09.99) US

28 April 2000 (28.04.00)

(71) Applicant (for all designated States except US): BIOSTATUM, INC. [US/US]; Suite 200, 4825 Creekstone Drive, Durham, NC 27703 (US).

(72) Inventor; and


- (75) Inventor/Applicant (for US only): BOUTAUD, Ariel [CL/US]; Partners II Building, Suite 3700, 840 Main Campus Drive, Raleigh, NC 27606 (US).
- (74) Agent: HARPER, David, S.; McDonnell, Boehnen, Hulbert & Berghoff, Suite 3200, 300 South Wacker Drive, Chicago, IL 60606 (US).

BI) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

#### **Published**


Without international search report and to be republished upon receipt of that report.

(54) Title: RECOMBINANT LAMININ 5



#### (57) Abstract

The present invention provides recombinant laminin 5, methods for making recombinant laminin 5, cells that express recombinant laminin 5, and methods for using the recombinant laminin 5 to accelerate wound healing, and to promote cell attachment and migration.



Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australio	ĢA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	C E	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbedos	GH	Ghano	MG	Madagascar	Tj	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Beiarus .	18	Iceland	MW	Malawi	US	United States of Americ
CA	Canada	ΙT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstań	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ.	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	ΚZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	u	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

#### **RECOMBINANT LAMININ 5**

#### 5 Cross Reference

This application claims priority to U.S. Provisional Patent Application Serial Nos. 60/131,720 filed April 30, 1999; 60/149,738 filed August 19, 1999; 60/155,945 filed September 24, 1999; and 60/182,012 filed February 11, 2000; all of which are incorporated herein by reference in their entirety.

10

#### Field of the Invention

This application relates to recombinant laminin 5 and methods for its use.

### **Background of the Invention**

15

Basal laminae (basement membranes) are sheet-like, cell-associated extracellular matrices that play a central role in cell growth, tissue development, and tissue maintenance. They are present in virtually all tissues, and appear in the earliest stages of embryonic development.

20

Basal laminae are central to a variety of architectural and cell-interactive functions. (See for example, Malinda and Kleinman, Int. J. Biochem. Cell Biol. 28:957-959 (1996); Aumailley and Krieg, J. Invest. Dermatology 106:209-214 (1996)):

- 25
- 1. They serve as architectural supports for tissues, providing adhesive substrates for cells.
- 2. They create perm-selective barriers between tissue compartments that impede the migration of cells and passively regulate the exchange of macromolecules. These properties are illustrated by the kidney glomerular basement membrane, which functions as an important filtration structure, creating an effective blood-tissue barrier that is not permeable to most proteins and cells.

30

3. Basal laminae create highly interactive surfaces that can promote cell migration and cell elongation during embryogenesis and wound repair. Following an injury, they provide a surface upon which cells regenerate to restore normal tissue function.

35

4. Basal laminae present information encoded in their structure to contacting cells that is important for differentiation and tissue maintenance. This information is communicated to the cells through various receptors that include the integrins,

10

15

20

25

30

dystroglycan, and cell surface proteoglycans. Signaling is dependent not only on the presence of matrix ligands and corresponding receptors that interact with sufficient affinities, but also on such topographical factors as ligand density in a three-dimensional matrix "landscape", and on the ability of basal lamina components to cluster receptors. Because these matrix proteins can be long-lived, basal laminae create a "surface memory" in the basal lamina for resident and transient cells.

The basal lamina is largely composed of laminin and type IV collagen heterotrimers that in turn become organized into complex polymeric structures. To date, six type IV collagen chains and at least twelve laminin chains (and twelve different heterotrimeric laminins) have been identified. These chains possess shared and unique functions and are expressed with specific temporal (developmental) and spatial (tissue-site specific) patterns.

Laminins are a family of heterotrimeric glycoproteins that reside primarily in the basal lamina. They function via binding interactions with neighboring cell receptors, and are important signaling molecules that can strongly influence cellular function. Laminins are important in both maintaining cell/tissue phenotype as well as promoting cell growth and differentiation in tissue repair and development.

Laminins are large, multi-domain proteins, with a common structural organization. The laminin molecule integrates various matrix and cell interactive functions into one molecule.

The laminin molecule is comprised of  $\alpha$ -,  $\beta$ -, and  $\gamma$ -chains joined together through a coiled-coil domain. Within this structure are identifiable domains that possess binding activity towards other laminin and basal lamina molecules, and membrane-bound receptors. Domains VI, IVb, and IVa form globular structures, and domains V, IIIb, and IIIa (which contain cysteine-rich EGF-like elements) form rod-like structures. (Kamiguchi et al., Ann. Rev. Neurosci. 21:97-125 (1998)) Domains I and II of the three chains participate in the formation of a triple-stranded coiled-coil structure (the long arm).

Table 1 shows the individual chains that each laminin type is composed of:

TABLE 1. Known laminin family members

Protein	Chains
Laminin-1	αΙβΙνΙ

10

15

20

25



Laminin-2	α2β1γ1
Laminin 3	α1β2γ1
Laminin-4	α2β2γ1
Laminin-5	α3β3γ2
Laminin-6	α3β1ν1
Laminin-7	α3β2γ1
Laminin-8	α4β1γ1
Laminin-9	α4β2γ1
Laminin-10	α5Β1γ1
Laminin –11	α5β2γ1
Laminin-12	α2β1γ3

Four structurally-defined family groups of laminins have been identified. The first group of five identified laminin molecules all share the  $\beta 1$  and  $\gamma 1$  chains, and vary by their  $\alpha$ -chain composition ( $\alpha 1$  to  $\alpha 5$  chain). The second group of five identified laminin molecules all share the  $\beta 2$  and  $\gamma 1$  chain, and again vary by their  $\alpha$ -chain composition. The third group of identified laminin molecules has one identified member, laminin 5, with a chain composition of  $\alpha 3\beta 3\gamma 2$ . The fourth group of identified laminin molecules has one identified member, laminin 12, with the newly identified  $\gamma 3$  chain ( $\alpha 2\beta 1\gamma 3$ )

Some progress has been made in elucidating the relationship between domain structure and function. (See, for example, Wewer and Engvall, Neuromusc. Disord. 6:409-418 (1996).) The overall sequence similarity among the homologous domains in different chains varies, but it is highest in domain VI (thought to play a key role in laminin polymerization), followed by domains V (possibly involved in protein-protein interactions) and III (entactin/nidogen binding; possible cell adhesion sites), and is lowest in domains I, II (both thought to be involved in intermolecular assembly, and containing possible cell adhesion sites), and G. Not all domains are present in all 3 types of chains. The globular G domain (thought to be involved in cell receptor binding) is present only in the  $\alpha$  chains. Other domains may not be present in all chains within a certain chain type. For example, domain VI is absent from  $\alpha$ 3,  $\alpha$ 4, and  $\gamma$ 2 chains. (Wewer and Engvall, 1996)

As a result of their large size (>600 kD) and unique structure, the laminin molecules can be resolved in the electron microscope. (Wewer and Engvall, 1996) Typically, laminins appear as cross-shaped molecules in an EM. The three short arms of the cross represent the amino terminal portions of each of the three separate laminin chains (one short arm per chain). The long arm of the cross is composed of the C-terminal parts of the three chains, which together form a coiled coil structure. (Wewer and Engvall, 1996) The long arm ends with the globular G domain.

10

15

20

25

30



The coiled-coil domain of the long arm is crucial for assembly of the three chains of laminin. (Yurchenco et al., Proc. Natl. Acad. Sci. 94:10189-10194 (1997)). Disulfide bonds bridge and stabilize all three chains in the most proximal region of the long arm and join the  $\beta$  and  $\gamma$  chains in the most distal region of the long arm.

A model of laminin receptor-facilitated self-assembly, based on studies conducted with cultured skeletal myotubes and Schwann cells, predicts that laminins bind to their receptors, which freely diffuse in a fluidic membrane, when ligand-free. Receptor engagement forces these receptors into a high local two-dimensional concentration, facilitating their mass-action driven assembly into ordered surface polymers. In this process, the engaged receptors are also reorganized, accompanied by cytoskeletal rearrangements. (Colognato, J. Cell Biol. 145:619-631 (1999)) This reorganization activates the receptors, causing signal transduction with the alteration of cell expression, shape and/or behavior.

One class of laminin receptors are the integrins, which are cell surface receptors that mediate many cell-matrix and cell-cell interactions. Integrins are heterodimers, consisting of an  $\alpha$  and a  $\beta$  subunit. 16  $\alpha$ - and 8  $\beta$ -subunits are known, and at least 22 combinations of  $\alpha$  and  $\beta$  subunits have been identified to date. Some integrins have only one or a few known ligands, whereas others appear to be very promiscuous. Binding to integrins is generally of low affinity, and is dependent on divalent cations. Integrins, activated through binding to their ligands, transduce signals via kinase activation cascades, such as focal adhesion and mitogen-activated kinases. Several different integrins bind different laminin isoforms more or less specifically. (Aumailley et al., In The Laminins, Timpl and Ekblom, eds., Harwood Academic Publishers, Amsterdam. pp. 127-158 (1996))

Laminin-5, also referred to as kalinin, nicein, and epiligrin, plays a key role in modulating the behavior and activity of cells and tissues of epithelial origin, and is expected to have broad uses in clinical settings where increased epithelial attachment and hemidesmosome assembly are required. (Takeda et al., J. Invest. Dermatol. 1999 113(1):38-42) Laminin-5 is a principal adhesive ligand in the epidermal basal lamina, and has been shown to promote the attachment of keratinocytes and epithelial cells to the basal lamina and underlying dermis, and also promotes hemidesmosome formation. (Burgeson et al. U.S. Patent No. 5,770,562; Quaranta and Hormia, U.S. Patent No. 5,422,264; Jones, U.S. Patent No. 5,541,106; Quaranta and Hormia, U.S. Patent No. 5,658,789; Hormia et al., J. Invest. Dermatol. 1995 Oct. 105(4):557-561).

10

15

20

25

30



Laminin 5 is also thought to be necessary for the healing of epithelial tissue wounds. (Goldfinger et al., J. Cell Sci. 1999; 112(Pt. 16):2615-2629) Pretreatment of human keratinocyte sheets for grafting with laminin 5 improves grafting efficiency. (Takeda et al., J. Invest. Dermatol. 1999 Jul; 113(1):38-42). The addition of laminin-5 accelerates the formation of a basement membrane in a skin equivalent model (Tsunenaga et al., *Matrix Biol.* 17(8-9):603-613, 1998). Laminin-5 also promotes epithelial cell attachment to a wide variety of biomaterials, including polymers, hydroxyapatite, and metals. (Jones et al., U.S. Patent No. 5,585,267; El Ghannam et al., J. Biomed. Mater. Res. 1998 Jul; 41(1):30-40)

Laminin 5 has further been demonstrated to promote the following:

- 1. Epithelial cell adhesion to the internal basal lamina of teeth (Mullen et al., J. Periodontal. Res. 1999 Jan 34(1):16-24; Hormia et al., J. Dent. Res. 1998 Jul; 77(7):1479-1485) and anchorage of ameloblasts (ie: enamel-producing cells) to the enamel matrix. (Yoshiba et al., Cell Tissue Res. 1998 Apr; 292(1):143-149)
- 2. Corneal epithelial cell adhesion. (Qin and Kurpakus, Exp. Eye Res. 1998 May 66(5):569-579)
  - 3. Intestinal epithelial restitution. (Lotz et al., Am. J. Pathol. 1997 Feb;150(2):747-760)
  - 4. In vitro expansion of epithelial cells by providing an efficient adhesion substrate for primary cell cultures, thus providing the basis for a wide range of new cell therapy applications. (Gonzales et al., Mol. Biol. Cell. 1999 Feb; 10(2):259-270; Baker et al., Exp. Cell Res. 1996 Nov 1; 228(2)262-270).
  - 5. Proliferation of pancreatic beta islet cells (Todorov et al., Transplant. Proc. 1998 Mar; 30(2): 455; Quaranta and Jones, U.S. Patent No. 5,510,263; Halberstadt et al., U.S. Patent No. 5,681,587; Halberstadt et al., U.S. Patent No. 5,672,361), and T cells (Vivinus-Nebot et al., J. Cell Biol. 1999 Feb 8; 144(3):563-574)

Thus, laminin 5 has broad uses in clinical settings where increased epithelial attachment and hemidesmosome assembly are required. Laminin 5 can be used to promote wound healing and tissue regeneration. The application of exogenous laminin 5 has broad application for the accelerated healing of skin disorders, such as diabetic foot ulcers, venous ulcers, pressure sores, skin surgery, burns, and acute wounds. Exogenous laminin 5 may be used to directly treat a wound surface, or may be applied to a variety of medical devices and dermal grafts for skin, comeal, gastrointestinal, and periodontal epithelial wound healing. The use of laminin 5 provides enhanced biocompatibility of the device or graft, which leads to improved tissue integration and remodeling, reduced immune response, and

15

20

25

30



reduced likelihood of infection. Laminin 5 is also useful for the ex vivo and in vitro proliferation of various cell types, including but not limited to epithelial cells, pancreatic beta islet cells, and T cells, and tissue equivalents. Thus, a source of laminin 5 for tissue culture media or a media supplement, as well as cell growth substrates coated with laminin 5, would be particularly useful for the cultivation of these and other cell types.

A good source and purification procedure for laminin-5 is needed to provide material for the development of the therapeutic and research applications mentioned above. Some cell lines secrete laminin-5, and procedures have been developed to purify laminin-5 from the processed cells and cell media. However, these methods are time consuming and capable of producing only small amounts of laminin 5. (Rouselle et al., J. Biol. Chem. 1995 270(23):13766-13770; Cheng et al., J. Biol. Chem. 1997, 272(50):31525-31532)

A preferred method of production, however, is the use of recombinant DNA technology to engineer a cell line of choice to produce recombinant laminin-5. A recombinant-based method of laminin-5 production has several advantages over purification from tissue or isolation from cell lines in culture:

- 1. The recombinant produced protein is free of pathogens. While this is also true for endogenous cell culture produced protein, protein derived from human tissue carries a risk for contamination by HIV, hepatitis, and other infectious agents.
- 2. Expression levels of the protein, and hence yields, can be improved through the use of genetically engineered genes/vectors that enhance the production of the encoded protein.
- 3. It is possible to engineer additional peptide sequences to the protein chain that provides a binding site for a commercially viable affinity purification procedure.
- 4. The method can provide for the modification of protein structure/function through the addition, substitution, elimination, and/or other modifications of protein domain structures. For example, it may be desirable to introduce an integrin binding site (e.g. RGD), switch integrin recognition sites, or engineer in a stable binding site to a synthetic substrate. Thus, the creation of expression vectors that express laminin chains generates enormous flexibility for future uses and creates a basis for creating second generation "designer" laminins.

Previous studies have produced cells transfected with one or two of the laminin 5 chain-encoding DNA sequences, but none have produced recombinant heterotrimeric laminin 5, not have they produced cell lines that secrete recombinant heterotrimeric laminin 5.





(Gagnoux-Palacios et al., J. Biol. Chem. 271:18437-18444 (1996); Matsui et al., J. Biol. Chem. 270:23496-23503 (1995))

Thus, there exists a need in the art for recombinant heterotrimeric laminin 5 protein, methods for making recombinant laminin 5, and methods of using recombinant laminin 5 for wound healing and tissue regeneration, for use on a variety of medical devices and dermal grafts for skin, corneal, gastrointestinal, and periodontal epithelial wound healing, for the ex vivo and in vitro proliferation of various cell types, and for tissue culture media, media supplements, and as a component of cell growth substrates.

10

15

20

25

30

## Summary of the Invention

The present invention fulfills the need in the art for recombinant laminin 5 protein, methods for making recombinant laminin 5, and methods of using recombinant laminin 5 for the treatment of burns, for use on a variety of medical devices and dermal grafts for skin, corneal, gastrointestinal, and periodontal epithelial wound healing, for the ex vivo and in vitro proliferation of various cell types, and for tissue culture media, media supplements, and as a component of cell growth substrates.

In one aspect, the present invention provides cells that have been transfected with nucleic acid sequences encoding laminin  $\alpha 3$ ,  $\beta 3$  and  $\gamma 2$  chains, wherein the cells express the individual chains, which assemble into heterotrimeric recombinant laminin-5 (hereinafter referred to as "r-laminin 5"). r-laminin 5, or processed forms thereof, are secreted by the cell.

In another aspect, the present invention provides r-laminin 5, and methods for producing substantially purified r-laminin 5, or processed forms thereof.

In a further aspect, the present invention provides pharmaceutical compositions, comprising r-laminin 5, or processed forms thereof, together with a pharmaceutically acceptable carrier. Such pharmaceutical compositions can optionally be provided with other compounds with wound healing and tissue regeneration utility, such as other extracellular matrix components.

In further aspect, the present invention provides methods and kits for using r-laminin 5 to:

- a. accelerate wound healing and tissue regeneration;
- b. enhance the performance of skin grafts;
- c. improve the attachment of gum tissue to the tooth surface;

10

15

25

30





- d. improve the biocompatibility of medical devices; and
- e. accelerate cell proliferation,

by providing an amount effective of r-laminin 5 for the various methods. The invention also provides methods and kits for using laminin 5 to regulate angiogenesis. The kits comprise an amount of laminin 5 or r-laminin 5 effective for the desired effect, and instructions for the use thereof.

In a further aspect, the present invention provides improved medical devices and grafts, wherein the improvement comprises coating the devices or grafts with an amount effective of r-laminin 5 or the pharmaceutical compositions of the invention for the desired application.

In a further aspect, the invention provides improved cell culture devices for the proliferation of cells in culture, by providing an amount effective of r-laminin 5 for the attachment of cells to a cell culture device for the attachment and subsequent proliferation, differentiation, or maintenance of the cells.

In another aspect, the invention provides a cell culture growth supplement, comprising r-laminin 5. In another aspect, the invention provides an improved cell culture growth media, wherein the improvement comprises the addition of r-laminin 5.

#### Brief Description of the Figures

Figure 1 is a bar graph showing the results of an HFK cell adhesion assay for r-laminin 5 activity in culture media from various clones.

Figure 2 is a bar graph showing a cell adhesion assay in which r-laminin 5 was coated directly onto the plate. p1b5 = anti-integrin  $\alpha 3\beta 1$  antibody; sp2 = control IgG, non-specific; C29: anti-laminin 5 antibody

Figure 3 is a rotary shadow analysis of r-laminin 5. Purified r-laminin 5 protein was diluted to 50 μg/ml and adjusted to 70% glycerol/30% 0.15M ammonium bicarbonate and rotary shadowed using standard techniques. An approximately 80,000X magnification field is shown of (A) r-laminin 5; (B) "native" laminin 5 (purified by BM165 monoclonal antibody affinity chromatography from SCC-25 (squamous cell carcinoma cell line) conditioned medium). The bar represents 50 nm.

#### Detailed Description of the Preferred Embodiments

10

15

20

25

30



All references, patents and patent applications are hereby incorporated by reference in their entirety.

Within this application, unless otherwise stated, the techniques utilized may be found in any of several well-known references such as: *Molecular Cloning: A Laboratory Manual* (Sambrook, et al., 1989, Cold Spring Harbor Laboratory Press), *Gene Expression Technology* (Methods in Enzymology, Vol. 185, edited by D. Goeddel, 1991. Academic Press, San Diego, CA), "Guide to Protein Purification" in *Methods in Enzymology* (M.P. Deutshcer, ed., (1990) Academic Press, Inc.); *PCR Protocols: A Guide to Methods and Applications* (Innis, et al. 1990. Academic Press, San Diego, CA), *Culture of Animal Cells: A Manual of Basic Technique*, 2<sup>nd</sup> Ed. (R.I. Freshney. 1987. Liss, Inc. New York, NY), *Gene Transfer and Expression Protocols*, pp. 109-128, ed. E.J. Murray, The Humana Press Inc., Clifton, N.J.), and the Ambion 1998 Catalog (Ambion, Austin, TX).

As used herein "laminin 5" encompasses both r-laminin 5 and heterotrimeric laminin 5 from naturally occurring sources.

The term "r-laminin 5" refers to include recombinant heterotrimeric laminin 5 expressed by a cell that has been exogenously transfected with expression vector(s) comprising polynucleotides that encode α3, β3 and γ2 laminin polypeptide chains, or a portion of each of the chains which are capable of forming a heterotrimeric laminin 5, as well as versions thereof resulting from cellular processing events. Such r-laminin 5 can comprise α3, β3, and γ2 sequences from a single organism, or from different organisms. Laminin 5 chain DNA sequences and their encoded proteins from a variety of organisms are known in the art. (See, for example, Gerecke et al., J. Biol. Chem. 269:11073-11080 (1994); Kallunki et al., J. Cell Biol. 119:679-693 (1992); Ryan et al., J. Biol. Chem. 269:22779-22787 (1994); Iivananinen et al., J. Biol. Chem. 274:14107-14111 (1999); Galliano et al., J. Biol. Chem. 270:21820-221826 (1995); Sugiyama et al., Eur. J. Biochem. 228:120-128 (1995) all references incorporated by reference herein in their entirety).

In the present invention, r-laminin 5 is a secreted protein, which is capable of being directed to the ER, secretory vesicles, and the extracellular space as a result of a signal sequence, as well as those proteins released into the extracellular space without necessarily containing a signal sequence. If the secreted protein is released into the extracellular space, the secreted protein can undergo extracellular processing to produce a "mature" protein. Such processing event can be variable, and thus may yield different versions of the final "mature

10

15

20

30

protein". The substantially purified r-laminin 5 of the present invention includes heterotrimers comprising both the full length and any such processed laminin 5 chains.

As used herein, the term "substantially purified" means that the recombinant laminin 5 so designated has been separated from its in vivo cellular environments.

As used herein, a laminin 5 polypeptide chain refers to a polypeptide chain according to one or more of the following:

- (a) comprises a polypeptide structure selected from the group consisting of:
  - 1. R1-R2-R3
  - 2. R1-R2-R3(e)
  - 3. R3
    - 4. R3(e)
    - 5. R1-R3
    - 6. R1-R3(e)
    - 7. R2-R3
  - 8. R2-R3(e)

wherein R1 is a amino terminal methionine; R2 is a signal sequence that is capable of directing secretion of the polypeptide, wherein the signal sequence may be the natural signal sequence for the particular laminin chain, that of another secreted protein, an artificial sequence; R3 is a secreted laminin chain selected from the  $\alpha$ 3,  $\beta$ 3, and  $\gamma$ 2 chains; and R3(e) is a secreted laminin chain selected from the  $\alpha$ 3,  $\beta$ 3, and  $\gamma$ 2 chains that further comprises an epitope tag (such as those described below), which can be placed at any position within the laminin chain amino acid sequence; and/or

- (b) is encoded by a polynucleotide that is substantially similar to the disclosed laminin polynucleotide sequences or portions thereof (SEQ ID NOS.: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35); and/or
- (c) is encoded by a polynucleotide that hybridizes under high or low stringency conditions to coding regions, or portions thereof, of one or more of the recombinant laminin 5 chain DNA sequences disclosed herein (SEQ ID NOS.: 1, 3, 5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29, 31, 33, 35), or complementary sequences thereof; and/or
- (d) has at least 70% identity to the disclosed laminin polypeptide claim amino acid sequences (SEQ ID NOS.: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36), preferably at least 80% identity, and most preferably at least about 90% identity.

10

15

20

25

30

35

PCT/US00/11459

The phrase "substantially similar" is used herein in reference to polynucleotide or polypeptide sequences having one or more conservative variations from the laminin 5 sequences disclosed herein, including but not limited to deletions, insertions, inversions, repeats, and substitutions, wherein the resulting laminin chain is functionally equivalent to those disclosed herein.

For example, conservative polynucleotide variants may contain alterations in the coding regions, non-coding regions, or both. Especially preferred are polynucleotide variants containing alterations which produce silent substitutions, additions, or deletions, but do not alter the properties or activities of the encoded polypeptide. Nucleotide variants produced by silent substitutions due to the degeneracy of the genetic code are preferred. Moreover, variants in which 5-10, 1-5, or 1-2 amino acids are substituted, deleted, or added in any combination are also preferred. Polynucleotide variants can be produced for a variety of reasons, including but not limited to optimizing codon expression for a particular host (change codons in the human mRNA to those preferred by a bacterial host such as *E. coli*).

Naturally occurring conservative variants are called "allelic variants," and refer to one of several alternate forms of a gene occupying a given locus on a chromosome of an organism. (Genes II, Lewin, B., ed., John Wiley & Sons, New York (1985).) These allelic variants can vary at either the polynucleotide and/or polypeptide level. Alternatively, non-naturally occurring conservative variants may be produced by mutagenesis techniques or by direct synthesis.

Using known methods of protein engineering and recombinant DNA technology, conservative polynucleotide variants may be generated to improve or alter the characteristics of the expressed laminin chain polypeptides. For instance, one or more amino acids can be deleted from the N-terminus or C-terminus of the secreted protein. (See, for example, Ron et al., J. Biol. Chem. 268: 2984-2988 (1993); Dobeli et al., J. Biotechnology 7:199-216 (1988)) Ample evidence demonstrates that variants often retain a biological activity similar to that of the naturally occurring protein. (See, for example, Gayleet al., J. Biol. Chem 268:22105-22111 (1993)) Furthermore, even if deleting one or more amino acids from the N-terminus or C-terminus of a polypeptide results in modification or loss of one or more biological functions, other biological activities may still be retained.

Guidance concerning how to make phenotypically silent amino acid substitutions is provided in Bowie, J. U. et al., Science 247:1306-1310 (1990), wherein the authors indicate that there are two main strategies for studying the tolerance of an amino acid sequence to change.

The first strategy exploits the tolerance of amino acid substitutions by natural selection during the process of evolution. By comparing amino acid sequences in different

10

15

25



species, conserved amino acids can be identified. These conserved amino acids are likely important for protein function. In contrast, the amino acid positions where substitutions have been tolerated by natural selection indicates that these positions are not critical for protein function. Thus, positions tolerating amino acid substitution could be modified while still maintaining biological activity of the protein.

The second strategy uses genetic engineering to introduce amino acid changes at specific positions of a cloned gene to identify regions critical for protein function. For example, site directed mutagenesis or alanine-scanning mutagenesis (introduction of single alanine mutations at every residue in the molecule) can be used. (Cunningham and Wells, Science 244:1081-1085 (1989).) The resulting mutant molecules can then be tested for biological activity.

As the authors state, these two strategies have revealed that proteins are surprisingly tolerant of amino acid substitutions. The authors further indicate which amino acid changes are likely to be permissive at certain amino acid positions in the protein. For example, most buried (within the tertiary structure of the protein) amino acid residues require nonpolar side chains, whereas few features of surface side chains are generally conserved. Moreover, tolerated conservative amino acid substitutions involve replacement of the aliphatic or hydrophobic amino acids Ala, Val, Leu and Ile; replacement of the hydroxyl residues Ser and Thr; replacement of the acidic residues Asp and Glu; replacement of the amide residues Asn and Gln, replacement of the basic residues Lys, Arg, and His; replacement of the aromatic residues Phe, Tyr, and Trp, and replacement of the small-sized amino acids Ala, Ser, Thr, Met, and Gly.

The "substantially similar" polypeptides of the present invention also include (i) substitutions with one or more of the non-conserved amino acid residues, where the substituted amino acid residues may or may not be one encoded by the genetic code, or (ii) substitution with one or more of amino acid residues having a substituent group; (iii) fusion of the mature polypeptide with another compound, such as a compound to increase the stability and/or solubility of the polypeptide (for example, polyethylene glycol); and/or (iv) fusion of the polypeptide with additional amino acids, such as an IgG Fc fusion region peptide, or leader or secretory sequence, or a sequence facilitating purification. Such variant polypeptides are deemed to be within the scope of those skilled in the art from the teachings herein.

For example, polypeptide variants containing amino acid substitutions of charged amino acids with other charged or neutral amino acids may produce proteins with improved characteristics, such as less aggregation. Aggregation of pharmaceutical formulations both reduces activity and increases clearance due to the aggregate's immunogenic activity.

10

15

20

25

30



(Pinckard et al., Clin. Exp. Immunol. 2:331-340 (1967); Robbins et al., Diabetes 36: 838-845 (1987); Cleland et al., Crit. Rev. Therapeutic Drug Carrier Systems 10:307-377 (1993).)

"Stringency of hybridization" is used herein to refer to conditions under which nucleic acid hybrids are stable. The invention also includes nucleic acids that hybridize under high stringency conditions (as defined herein) to all or a portion of the coding sequences of the laminin chain polynucleotides disclosed herein, or their complements. The hybridizing portion of the hybridizing nucleic acids is typically at least 50 nucleotides in length. As known to those of skill in the art, the stability of hybrids is reflected in the melting temperature (T<sub>M</sub>) of the hybrids. T<sub>M</sub> decreases approximately 1-1.5°C with every 1% decrease in sequence homology. In general, the stability of a hybrid is a function of sodium ion concentration and temperature. Typically, the hybridization reaction is performed under conditions of lower stringency, followed by washes of varying, but higher, stringency. Reference to hybridization stringency relates to such washing conditions. Thus, as used herein, high stringency refers to an overnight incubation at 42° C in a solution comprising 50% formamide, 5x SSC (750 mM NaCl, 75 mM sodium citrate), 50 mM sodium phosphate (pH 7.6), 5x Denhardt's solution, 10% dextran sulfate, and 20 µg/ml denatured, sheared salmon sperm DNA, followed by washing the filters in 0.1x SSC at about 65°C.

Also contemplated are laminin 5-encoding nucleic acid sequences that hybridize to the polynucleotides of the present invention at lower stringency hybridization conditions. Changes in the stringency of hybridization and signal detection are primarily accomplished through the manipulation of formamide concentration (lower percentages of formamide result in lowered stringency); salt conditions, or temperature. For example, lower stringency conditions include an overnight incubation at 37°C in a solution comprising 6X SSPE (20X SSPE = 3M NaCl; 0.2M NaH<sub>2</sub>PO<sub>4</sub>; 0.02M EDTA, pH 7.4), 0.5% SDS, 30% formamide, 100 ug/ml salmon sperm blocking DNA; followed by washes at 50°C with 1XSSPE, 0.1% SDS. In addition, to achieve even lower stringency, washes performed following stringent hybridization can be done at higher salt concentrations (e.g. 5X SSC).

Note that variations in the above conditions may be accomplished through the inclusion and/or substitution of alternate blocking reagents used to suppress background in hybridization experiments. Typical blocking reagents include Denhardt's reagent, BLOTTO, heparin, denatured salmon sperm DNA, and commercially available proprietary formulations. The inclusion of specific blocking reagents may require modification of the hybridization conditions described above, due to problems with compatibility.

10

15

20

25



As used herein, "percent identity" of two amino acids or of two nucleic acids is determined using the algorithm of Karlin and Altschul (Proc. Natl. Acad. Sci. USA 87:2264-2268, 1990), modified as in Karlin and Altschul (Proc. Natl. Acad. Sci. USA 90:5873-5877, 1993). Such an algorithm is incorporated into the NBLAST and XBLAST programs of Altschul et al. (J. Mol. Biol. 215:403-410, 1990). BLAST nucleotide searches are performed with the NBLAST program, score = 100, wordlength = 12, to obtain nucleotide sequences homologous to the nucleic acid molecules of the invention. BLAST protein searches are performed with the XBLAST program, score = 50, wordlength = 3, to obtain an amino acid sequence homologous to a polypeptide of the invention. To obtain gapped alignments for comparison purposes, Gapped BLAST is utilized as described in Altschul et al. (Nucleic Acids. Res. 25:3389-3402, 1997). When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (e.g., XBLAST and NBLAST) are used. See http://www.ncbi.nlm.nih.gov.

Further embodiments of the present invention include polynucleotides encoding laminin chain polypeptides having at least 70% identity, preferably at least 80% identity, and most preferably at least 90% identity to one or more polypeptide sequences, or fragments thereof, contained in SEQ ID NO:2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, and 34.

As used herein, "α3 polynucleotide" refers to polynucleotides encoding an α3 laminin chain of the same name. Such polynucleotides can be characterized by one or more of the following: (a) the nucleotides of said polynucleotide may encode an amino acid sequence substantially similar to one or more of the sequences set forth in SEQ ID NO: 2, 4, 6, 8, 10,12 or fragments thereof, or fragments thereof; (b) polynucleotides that encode polypeptides which share at least 70% identity, preferably 80% identity, and most preferably at least 90% identity with one or more of the sequences set forth in SEQ ID NO: 2, 4, 6, 8, 10, 12 or fragments thereof; (c) the α3 polynucleotides hybridize under low or high stringency conditions to the coding sequence set forth in one or more of SEQ ID NO: 1, 3, 5, 7, 9, 11, fragments thereof, or complementary sequences thereof; (d) the α3 polynucleotides may encode a polypeptide with a general structure selected from (1) R1-R2-R3; (2) R1-R2-R3(e); (3) R3; (4) R3(e); (5) R1-R3; (6) R1-R3(e); (7) R2-R3; and (8) R2-R3(e); wherein R1 and R2 are as described above, and R3 and R3(e) are as described above but comprise secreted α3 chain polypeptides.

## WO 00/66731

5

10

15

20

25

30



As used herein, "β3 polynucleotide" refers to polynucleotides encoding a β3 laminin chain of the same name. Such polynucleotides can be characterized by one or more of the following: (a) the nucleotides of said polynucleotide may encode an amino acid sequence substantially similar to one ore more of the sequences set forth in SEQ ID NO: 14, 16, 18, 20, 22, 24, or fragments thereof; (b) polynucleotides that encode polypeptides which share at least 70% identity, preferably at least 80%, and most preferably at least 90% identity with one or more of the sequences set forth in SEQ ID NO: 14, 16, 18, 20, 22, 24, or fragments thereof; (c) the β3 polynucleotides hybridize under low or high stringency conditions to the coding sequence of one or more of the sequences set forth SEQ ID NO: 13, 15, 17, 19, 21, 23, fragments thereof or complementary sequences thereof; (d) the β3 polynucleotides may encode a polypeptide with a general structure selected from (1) R1-R2-R3; (2) R1-R2-R3(e); (3) R3; (4) R3(e); (5) R1-R3; (6) R1-R3(e); (7) R2-R3; and (8) R2-R3(e); wherein R1 and R2 are as described above, and R3 and R3(e) are as described above but comprise secreted β3 chain polypeptides.

As used herein, "γ2 polynucleotide" refers to polynucleotides encoding a γ2 laminin chain of the same name. Such polynucleotides can be characterized by one or more of the following: (a) the nucleotides of said polynucleotide may encode an amino acid that is substantially similar to one or more of the sequences set forth in SEQ ID NO: 26, 28, 30, 32, 34, 36 or fragments thereof; (b) polynucleotides that encode polypeptides which share at least 70% identity, preferably at least 80%, and most preferably at least 90% identity with one or more of the sequences set forth in SEQ ID NO: 26, 28, 30, 32, 34, 36 or fragments thereof; (c) the γ2 polynucleotides hybridize under low or high stringency conditions to the coding sequence set forth in one or more of SEQ ID NO: 25, 27, 29, 31, 33, 35, fragments thereof, or complementary sequences thereof; (d) the γ2 polynucleotides may encode a polypeptide with a general structure selected from (1) R1-R2-R3; (2) R1-R2-R3(e); (3) R3; (4) R3(e); (5) R1-R3; (6) R1-R3(e); (7) R2-R3; and (8) R2-R3(e); wherein R1 and R2 are as described above, and R3 and R3(e) are as described above but comprise secreted γ2 chain polypeptides.

As used herein, the term "epitope tag" refers to a polypeptide sequence that is expressed as part of a chimeric protein, where the epitope tag serves as a recognition site for binding of antibodies generated against the epitope tag, or for binding of other molecules that can be used for affinity purification of sequences containing the tag.

As used herein, the term "increased biocompatibility" refers to reduced induction of acute or chronic inflammatory response, and reduced disruption of the proper differentiation

10

15

20

25

30





of implant-surrounding tissues for laminin 5-coated biomaterials relative to an analogous, non-coated biomaterial.

As used herein the term "graft" refers to both natural and prosthetic grafts and implants.

In one aspect, the present invention provides cells that have been systematically transfected with recombinant expression vectors comprising promoter sequences that are operatively linked to polynucleotide sequences encoding polypeptide sequences comprising  $\alpha 3$ ,  $\beta 3$ , and  $\gamma 2$  laminin 5 chains. After the multiple transfections, the cells express each of the recombinant laminin 5 chains, which assemble into a heterotrimer and can be purified from the cell culture medium.

In a preferred embodiment, cDNAs encoding proteins comprising the  $\alpha 3$ ,  $\beta 3$ , and  $\gamma 2$  laminin polypeptide chains, or fragments thereof, are subcloned into an expression vector. Alternatively, laminin 5  $\alpha 3$ ,  $\beta 3$ , and/or  $\gamma 2$  gene sequences, including one or more introns, and including various 5' and 3' non-coding regions, can be used.

Any cell capable of expressing and secreting the r-laminin 5 can be used. Preferably, eukaryotic cells are used, and most preferably mammalian cells are used, including but not limited to kidney and epithelial cell lines. Especially preferred are those mammalian cells that do not endogenously express laminin 5. Carbohydrate and disulfide post-translational modifications are believed to be required for laminin 5 protein folding and function. This makes the use of eukaryotic cells preferable for producing functional r-laminin 5, although other systems are useful for obtaining, for example, antigens for antibody production.

"Recombinant expression vector" includes vectors that operatively link a nucleic acid coding region or gene to any promoter capable of effecting expression of the gene product. The promoter sequence used to drive expression of the laminin 5 individual chains may be constitutive (driven by any of a variety of promoters, including but not limited to, CMV, SV40, RSV, actin, EF) or inducible (driven by any of a number of inducible promoters including, but not limited to, tetracycline, ecdysone, steroid-responsive). The expression vector must be replicable in the host organisms either as an episome or by integration into host chromosomal DNA. In a preferred embodiment, the expression vector comprises a plasmid. However, the invention is intended to include other expression vectors that serve equivalent functions, such as viral vectors.

In one embodiment, at least one of the laminin chain polypeptide sequences, or fragments thereof, is operatively linked to a nucleic acid sequence encoding an "epitope tag",

15

20

25



so that at least one of the chains is expressed as a fusion protein with an expressed epitope tag. The epitope tag may be expressed as the amino terminus, the carboxy terminus, or internal to the end of a r-laminin 5 chain, so long as the resulting heterotrimeric r-laminin 5 remains functional. Any epitope tag may be utilized, so long as it can be used as the basis for affinity purification of the resulting r-laminin 5 heterotrimer. Examples of such epitope tags include, but are not limited to FLAG (Sigma Chemical, St. Louis, MO), myc (9E10) (Invitrogen, Carlsbad, CA), 6-His (Invitrogen; Novagen, Madison, WI), and HA (Boehringer Manheim Biochemicals).

In another embodiment, one of the r-laminin 5 chains is expressed as a fusion protein with a first epitope tag, and at least one other r-laminin chain is expressed as a fusion protein with a second epitope tag. This permits multiple rounds of purification to be carried out. Alternatively, the same epitope tag can be used to create fusion proteins with more than one of the r-laminin chains.

In a further embodiment, the epitope tag can be engineered to be cleavable from the r-laminin 5 chain(s). Alternatively, no epitope tag is fused to any of the r-laminin 5 chains, and the r-laminin 5 is purified by standard chromatography techniques, including but not limited to affinity chromatography using laminin 5 specific antibodies or other laminin 5 binding molecules, ionic exchange, hydrophobic exchange, etc.

Transfection of expression vectors into the host cells can be accomplished via any technique known in the art, including but not limited to standard bacterial transformation, calcium phosphate co-precipitation, electroporation, or liposome mediated-, DEAE dextran mediated-, polycationic mediated-, or viral mediated transfection.

In a preferred embodiment, the cells are stably transfected. Any methods for stable transfection and selection of appropriate transfected cells are known in the art. In a most preferred embodiment, a CMV promoter driven expression vector is used in a human kidney embryonic 293 cell line.

Media from cells transfected with a single laminin chain are initially analyzed on Western blots using chain-specific anti-laminin-5 antibodies. The expression of single laminin chains following transfection is generally intracellular. Clones showing reactivity against individual transfected chain(s) are verified by any appropriate method, such as PCR, reverse transcription-PCR, or nucleic acid hybridization, to confirm incorporation of the transfected gene. Preferably, analysis of genomic DNA preparations from such clones is done by PCR using laminin chain-specific primer pairs. Media from transfected clones producing all three chains are further analyzed for heterotrimeric laminin 5 secretion and/or

15

20

25

30



activity, by any appropriate method, including Western blot analysis and cell binding assays, such as a keratinocyte cell adhesion assay.

In another aspect, the present invention provides substantially purified r-laminin 5, comprising an α3 chain, a β3 chain, and a γ2 chain, and methods for producing substantially purified r-laminin 5. In one embodiment, the r-laminin 5 comprises a first chain comprising a polypeptide that is substantially similar to at least one of the sequences shown in SEQ ID NO:2, 4, 6, 8, 10, 12 or fragments thereof; a second chain comprising a polypeptide that is substantially similar to at least one of the sequences shown in SEQ ID NO:14, 16, 18, 20, 22, 24, or fragments thereof; and a third chain comprising a polypeptide that is substantially similar to at least one of the sequences shown in SEQ ID NO:26, 28, 30, 32, 34, 36, or fragments thereof, wherein the first, second, and third polypeptides are produced recombinantly, and wherein the first, second, and third chains assemble into a recombinant heterotrimeric laminin 5.

In another embodiment, the substantially purified r-laminin 5 comprises a first chain comprising a polypeptide that is at least about 70% identical to at least one of the sequences shown in SEQ ID NO:2, 4, 6, 8, 10, 12, or fragments thereof; a second chain comprising a polypeptide that is at least 70% identical to at least one of the sequences shown in SEQ ID NO:14, 16, 18, 20, 22, 24, or fragments thereof; and a third chain comprising a polypeptide that is at least 70% identical to at least one of the sequences shown in SEQ ID NO:26, 28, 30, 32, 34, 36, or fragments thereof, wherein the first, second, and third polypeptides assemble into a recombinant heterotrimeric laminin 5.

In a preferred embodiment, at least one of the first, second, or third chains of the substantially purified human r-laminin 5 is expressed as a fusion protein with an epitope tag.

Alternatively, the r-laminin 5 comprises a heterotrimeric polypeptide structure, wherein each individual chain comprises a general structure selected from the group consisting of: (1) R1-R2-R3; (2) R1-R2-R3(e); (3) R3; (4) R3(e); (5) R1-R3; (6) R1-R3(e); (7) R2-R3; and (8) R2-R3(e)

wherein R1 is a amino terminal methionine; R2 is a signal sequence that is capable of directing secretion of the polypeptide, wherein the signal sequence may be the natural signal sequence for the particular laminin chain, that of another secreted protein, or an artificial sequence; R3 is a secreted  $\alpha 3$ ,  $\beta 3$ , or  $\gamma 2$  laminin chain; and R3(e) is a secreted laminin  $\alpha 3$ ,  $\beta 3$ , and  $\gamma 2$  chain that further comprises an epitope tag (such as those described above), which can be placed at any position within the laminin chain amino acid sequence.

In a preferred embodiment, purification of the r-laminin 5 is accomplished by passing media from the transfected cells through an affinity column. For example, antibodies or other binding molecules that bind to a peptide epitope expressed on at least one of the recombinant chains are attached to an affinity column, and bind r-laminin 5 that has been secreted into the media. The r-laminin 5 is removed from the column by passing excess peptide through the column. The eluted protein can subsequently be further purified, if desired.

5

10

15

20

25

30

Eluted fractions are analyzed by any appropriate method, including gel electrophoresis and Western blot analysis. In a further embodiment, the peptide epitope can be cleaved after purification. In other embodiments, two or three separate r-laminin chains are expressed as fusion proteins, each with a different epitope tag, permitting two or three rounds of purification and a doubly or triply purified r-laminin 5. The epitope tag can be engineered so as to be cleavable from the r-laminin 5 chain(s) after purification. Alternatively, no epitope tag is fused to any of the r-laminin 5 chains, and the r-laminin 5 is purified by standard techniques, including but not limited to affinity chromatography using laminin 5 specific antibodies or other laminin 5 binding molecules.

In another aspect, the present invention provides novel laminin  $\beta 3$  and  $\gamma 2$  chain nucleic acids and proteins, consisting of the nucleic acid sequences and proteins disclosed as SEQ ID NO:21-22, 23-24, 29-30, and 31-32.

The present invention further provides pharmaceutical compositions comprising r-laminin 5, as disclosed above, and a pharmaceutically acceptable carrier. According to this aspect of the invention, other agents can be included in the pharmaceutical compositions, depending on the condition being treated, including but not limited to any of the collagens, other laminin types, fibronectin, integrins, glycoproteins, proteoglycans, heparan and heparan sulfate proteoglycans, growth factors such as vascular endothelial growth factor (VEGF), platelet derived growth factor (PDGF), and keratinocyte growth factor (KGF); glycosaminoglycans, entactin, nidogen, and peptide fragments thereof.

Pharmaceutical preparations comprising r-laminin 5 can be prepared in any suitable form, and generally comprise the r-laminin 5 in combination with any of the well known pharmaceutically acceptable carriers. The carriers can be injectable carriers, topical carriers, transdermal carriers, and the like. The preparation may advantageously be in a form for topical administration, such as an ointment, gel, cream, spray, dispersion, suspension or paste. The preparations may further advantageously include preservatives, antibacterials, antifungals, antioxidants, osmotic agents, and similar materials in composition and quantity

as is conventional. Suitable solutions for use in accordance with the invention are sterile, are not harmful for the proposed application, and may be subjected to conventional pharmaceutical operations such as sterilization and/or may contain conventional adjuvants, such as preservatives, stabilizers, wetting agents, emulsifiers, buffers etc. For assistance in formulating the compositions of the present invention, one may refer to Remington's Pharmaceutical Sciences, 15th Ed., Mack Publishing Co., Easton, Pa. (1975).

The dosage regimen for various treatments using the r-laminin 5 of the present invention is based on a variety of factors, including the type of injury or condition, the age, weight, sex, medical condition of the individual, the severity of the condition, and the route of administration. Thus, the dosage regimen may vary widely, but can be determined routinely by a physician using standard methods. Laminins are extremely potent molecules, and one or a few molecules per cell could produce an effect. Thus, effective doses in the pico-gram per milliliter range are possible if the delivery is optimized. Laminins are sometimes present in an insoluble form in the basement membrane and have the capability of polymerizing at concentrations ranging as low as about 50 µg/ml, depending on the laminin isoform and the conditions. Laminins can also polymerize into a gel at a concentration of 2-3 mg/ml. Dosage levels of the order of between 1 ng/ml and 10 mg/ml are thus useful for all methods disclosed herein, preferably between about 1 µg/ml and about 3 mg/ml.

10

15

20

25

30

The treatment regime will also vary depending on the condition of the subject, based on a variety of factors, including the type of injury, the age, weight, sex, medical condition of the individual, the severity of the condition, and the route of administration. For example, r-laminin 5 can be used to coat a wound dressing, which is placed in contact with a patient's wound as frequently as the dressing needs to be changed, and for as long as the dressing is applied to the wound surface.

Similarly, the route of administration will vary depending on the condition of the subject, based on a variety of factors, including the type of injury, the age, weight, sex, medical condition of the individual, and the severity of the condition.

In further aspect, the present invention provides methods for using r-laminin 5, or the pharmaceutical compositions of the invention, to accelerate wound healing and tissue regeneration. In preferred embodiments, r-laminin 5 is used to accelerate the healing of skin in diabetic foot ulcers, venous ulcers, pressure sores, skin surgery, severe burns, and acute wounds, and enhanced performance of skin grafts (both autologous and artificial). In another aspect, the present invention provides kits for carrying out these methods, comprising an

10

15

20

25

30

amount effective of laminin 5 or r-laminin 5 and instructions for using the laminin 5 to carry out the methods.

In one embodiment, r-laminin 5, or a pharmaceutical composition comprising r-laminin 5, is used to enhance wound healing by promoting the adhesion of transplanted cultured keratinocytes or other epithelial cells to an underlying substrate, such as a mammalian or human dermis. The substrate may comprise a wound surface, the basal surface of a confluent layer of cultured epithelial cells to be transplanted, or a substrate to be applied to the wound surface, such as a wound dressing, prior to placing the layer on a graft site. The r-laminin 5 may be supplied in a pharmaceutically acceptable carrier, preferably in amounts of between about 1 ng/ml and about 10 mg/ml.

The use of kalinin-containing (ie: laminin 5-containing) isolated cell matrices has previously been shown to enhance the adhesion of transplanted cultured keratinocytes to an underlying substrate (Burgeson et al., US Patent No. 5,770,562). This and other studies have thus demonstrated that laminin 5 stimulates epithelial cell attachment and spreading, and thus provides an appropriate surface facilitating the healing of skin and the use of skin grafts. (Quaranta and Hormia, U.S. Patent No. 5,422,264; Jones, U.S. Patent No. 5,541,106; Quaranta and Hormia, U.S. Patent No. 5,658,789; Hormia et al., J. Invest. Dermatol. 1995 Oct. 105(4):557-561; Takeda et al., J. Invest. Dermatol. 1999 Jul; 113(1):38-42; Goldfinger et al., J. Cell Sci. 1999; 112(Pt. 16):2615-2629).

Thus, the addition of r-laminin 5 to the appropriate injured tissue can promote cell growth, cell migration, and accelerate tissue regeneration. Accelerated healing has the added benefit of reducing inflammatory responses and scarring. This can be accomplished in some cases by simply coating the r-laminin 5 or the pharmaceutical compositions of the invention into a wound area (such as skin, periodontal epithelial cells), or in other cases, by providing a suitable substrate to which r-laminin 5 has been anchored, including but not limited to wound dressing and matrices, graft substrates, and dental abutments.

The incorporation of recombinant r-laminin 5 into wound repair dressings and matrices as well as tissue grafts will provide a natural ligand interactive surface to promote normal cell adherence, cell growth and tissue development. Many grafts are used to replace tissue that has an epithelial cell layer adherent to a basal lamina. When an inappropriate surface is provided to these cells following grafting, the graft is at risk for failure of restoration of the normal cell layer. The advantage of coating these grafts with r-laminin 5 is to create a surface that sufficiently recapitulates a normal basal lamina surface to promote cell re-population.

10

15

20

25

30



Skin grafts are used in cases were large surface areas of skin have been burned or injured. The application of r-laminin 5 and/or the pharmaceutical compositions of the invention will significantly promote the attachment and 'take' of skin grafts to the injured tissue, as well as promote normal skin healing processes while minimizing scar tissue formation.

Collagen-based matrices are also applied to serious skin injuries to promote the growth of the underlying dermis and improve the take of a skin graft. Coating the collagen matrices with r-laminin-5 will create a more natural ligand interactive surface to promote cell migration, cell proliferation and the regeneration of the dermis. An acceleration of the regeneration of the dermis, and take of the skin graft, will minimize scar tissue formation.

Purified laminin 5 has been demonstrated to support epithelial cell adhesion to the internal basal lamina of teeth (Mullen et al., J. Periodontal. Res. 1999 Jan 34(1):16-24; Hormia et al., J. Dent. Res. 1998 Jul; 77(7):1479-1485) and is believed to strengthen the anchorage of ameloblasts (ie: enamel-producing cells) to the enamel matrix. (Yoshiba et al., Cell Tissue Res. 1998 Apr; 292(1):143-149). Thus, in another embodiment, the r-laminin 5 or the pharmaceutical compositions of the invention are used to stimulate epithelium cell adhesion to the internal basal lamina of teeth and of ameloblasts to the enamel matrix of teeth. Such treatments are useful for the treatment of periodontal diseases, including but not limited to oral ulcerations, gingivitis and periodontitis. For example, existing teeth may be coated with the r-laminin 5 or the pharmaceutical compositions of the present invention as a treatment for gum (junctional epithelium) diseases, including but not limited to gingivitis and periodontitis, which promote the detachment of the gum from the tooth. These disease conditions allow the accumulation of food and other foreign matter in the space between the gum and the tooth, resulting in infection. The r-laminin 5 will promote reattachment of the gum to the tooth, thus preventing entry of foreign matter and subsequent infection.

For use in treating gingivitis and other periodontal diseases and disorders, the pharmaceutical compositions of the present invention may be in the form of toothcreams, toothpastes, liquid dentifrices, tooth-powders chewing-gum, tablets and the like. The pharmaceutical compositions of the invention can also contain flavoring, coloring agents, sweeteners, preservatives, surface active agents, and the like.

Purified laminin-5 has been shown to promote the *in vitro* expansion of epithelial cells (Gonzales et al., Mol. Biol. Cell. 1999 Feb; 10(2):259-270; Baker et al., Exp. Cell Res. 1996 Nov 1; 228(2)262-270), pancreatic beta islet cells (Todorov et al., Transplant. Proc. 1998 Mar; 30(2): 455; Quaranta and Jones, U.S. Patent No. 5,510,263; Halberstadt et al, U.S.

WO 00/66731 PCT/US00/11459

Patent No. 5,681,587; Halberstadt et al., U.S. Patent No. 5,672,361), and T cells (Vivinus-Nebot et al., J. Cell Biol. 1999 Feb 8; 144(3):563-574), by providing an efficient adhesion substrate for primary cell cultures. Thus, in another aspect of the present invention, r-laminin 5 is used to enhance the adhesion of cells for proliferation, differentiation, or maintenance of cells including, but not limited to pancreatic beta islet cells, epithelial cells, or T cells, by contacting the cells with an amount effective of r-laminin 5 to provide an efficient adhesion substrate for attachment and subsequent proliferation, differentiation, or maintenance of the cells. The r-laminin 5 can be provided in the cell culture medium, as a cell culture medium supplement, or may be coated on the surface of a cell growth substrate. In each case, r-laminin 5 is preferably used at a concentration of between about 1 ng/ml and about 10 mg/ml. The cells can optionally be contacted with other compounds that promote cell adhesion, proliferation, differentiation, and/or maintenance, including but not limited to any of the collagens, other laminin types, fibronectin, integrins, glycoproteins, proteoglycans, heparan sulfate proteoglycan, glycosaminoglycans, entactin, nidogen, and peptide fragments thereof.

10

15

20

25

30

The cells may be primary cells or cell lines. The methods of this aspect of the invention can be used in vivo, ex vivo, or in vitro.

In a preferred embodiment, r-laminin 5 is used to coat the surface of a substrate to promote cell adhesion to the substrate, and to stimulate cell proliferation, differentiation, and/or maintenance. The substrate used herein may be any desired substrate. For laboratory use, the substrate may be as simple as glass or plastic. For use in vivo, the substrate may be any biologically compatible material capable of supporting cell growth. Suitable substrate materials include shaped articles made of or coated with such materials as collagen, regenerated collagen, polyglycolic acid, polygalactose, polylactic acid or derivatives thereof; biocompatible metals such as titanium and stainless steel; ceramic materials including prosthetic material such as hydroxylapatite; synthetic polymers including polyesters and nylons; polystyrene; polyacrylates; polytetrafluoroethylene, and virtually any other material to which biological molecules can readily adhere. The determination of the ability of a particular material to support adhesion of r-laminin 5 of the invention requires only routine experimentation by the skilled artisan.

In a further aspect, the present invention provides a method of treating Type I diabetes in a patient in need thereof comprising contacting pancreatic beta islet cells with an amount effective of r-laminin 5 to provide an efficient adhesion substrate for the cells, leading to increased proliferation of insulin-producing pancreatic beta islet cells, and administering the cells to a patient in need thereof.

15

20

25

30



Nearly two million Americans are afflicted with Type I (insulin-dependent) diabetes, in which the pancreas has lost its ability to secrete insulin due to an autoimmune disorder in which the insulin-secreting beta cells, found within the islet cells of the pancreas, are destroyed. Although insulin injections can compensate for beta cell destruction, blood sugar levels can still fluctuate dramatically. The impaired ability to take up glucose from the blood results in side reactions in which toxic products accumulate, leading to complications including blindness, kidney disease, nerve damage, and, ultimately, coma and death.

(U.S. Patent No. 5,672,361)

The pancreatic beta islet cells to be grown are plated on or applied to the matrix-coated substrate using standard tissue culture techniques, followed by expansion in standard cell growth medium (as disclosed in U.S. Patent No. 5,672,361) in the presence of r-laminin 5. Any medium capable of supporting the enhanced growth of adult islet cells on the matrix-coated substrate is within the scope of the invention, as discussed above.

Fetal pancreatic islet cells may be grown in vitro in the presence of r-laminin 5 for transplantation into diabetic patients. Growth of fetal pancreatic islet cells in the presence of r-laminin 5 increases the yield of islet cells for transplantation and thus solves the need to produce larger amounts of these cells. In addition, it is contemplated that the inclusion of other growth factors in the adult islet cell culture medium will further increase the yield of islet cells.

Laminins, or cell extracts containing laminins have been shown to regulate angiogenesis in a biphasic manner. (See, for example, Nicosia et al., Dev. Biol. 164:197-206 (1994); Bonfil et al., Int. J. Cancer 58:233-239 (1994)). At lower concentrations (30-300 µg/ml), a laminin-entactin complex stimulated angiogenesis in a three-dimensional culture, while at 3000 µg/ml the same complex was inhibitory to angiogenesis. Thus, in another aspect, the present invention provides methods for regulating angiogenesis, comprising contacting a tissue or culture substrate with an amount effective of laminin 5 or pharmaceutical compositions thereof to regulate angiogenesis. In one embodiments, the laminin 5 is used to promote angiogenesis by contacting a tissue or culture substrate with an amount effective of laminin 5 to promote angiogenesis. In another embodiment, the laminin 5 is used to inhibit angiogenesis, by contacting the tissue or culture substrate with an amount effective of laminin 5 to inhibit angiogenesis. An example of culture substrates to be contacted with laminin 5 to regulate angiogenesis are those used for tissue engineering purposes.

15

20

25

30



As used herein, the term "angiogenesis" refers to the formation of blood vessels. Specifically, angiogenesis is a multistep process in which endothelial cells focally degrade and invade through their own basement membrane, migrate through interstitial stroma toward an angiogenic stimulus, proliferate proximal to the migrating tip, organize into blood vessels, and reattach to newly synthesized basement membrane (see Folkman et al., Adv. Cancer Res., Vol. 43, pp. 175-203 (1985)). Compounds that promote angiogenesis can be used to promote wound healing and skin grafting, organ transplantation (including artificial organs), acceleration of endothelial cell coverage of vascular grafts to prevent graft failure due to reocclusion, to treat ischemic conditions, and to treat inflammatory diseases.

In a further aspect, the present invention provides cell substrates comprising an amount effective of r-laminin 5 for the adhesion, growth, or maintenance of cells in culture,. The substrates may comprise any of the substrates discussed above. Preferably, the r-laminin 5 is coated on the surface of the substrate using solution at a concentration of between about 1 ng/ml and about 10 mg/ml.

In another aspect of the present invention, an improved cell culture medium is provided, wherein the improvement comprises addition to the cell culture medium of an effective amount of r-laminin 5 to the cell culture medium to promote the adherence, proliferation, and/or maintenance of cells. Any cell culture media that can support the growth of cells can be used with the present invention. Such cell culture media include, but are not limited to Basal Media Eagle, Dulbecco's Modified Eagle Medium, Iscove's Modified Dulbecco's Medium, McCoy's Medium, Minimum Essential Medium, F-10 Nutrient Mixtures, Opti-MEM® Reduced-Serum Medium, RPMI Medium, and Macrophage-SFM Medium or combinations thereof.

The improved cell culture medium can be supplied in either a concentrated (ie: 10X) or non-concentrated form, and may be supplied as either a liquid, a powder, or a lyophilizate. The cell culture may be either chemically defined, or may contain a serum supplement. Culture media is commercially available from many sources, such as GIBCO BRL (Gaithersburg, MD) and Sigma (St. Louis, MO). Alternatively, the r-laminin 5 is used as a cell culture supplement, and can be separately added to the cell culture medium.

Purified laminin-5 has also been shown to promote epithelial cell attachment to a wide variety of biomaterials, including polymers, hydroxyapatite, and metals, thus improving the biocompatibility of the biomaterials. (Jones et al., U.S. Patent No. 5,585,267; El Ghannam et al., J. Biomed. Mater. Res. 1998 Jul; 41(1):30-40)

15

20

25

30



Thus, in a further aspect, the present invention comprises medical devices with improved biocompatibility, wherein the devices are coated with the r-laminin 5 of the invention, alone or in combination with other proteins or agents that serve to increase the biocompatibility of the device surface. The coated device stimulates cell attachment and provides for diminished inflammation and/or infection at the site of entry of the appliance. The device may also be used to stimulate gum junctional epithelium adhesion in the treatment of gingivitis and periodontitis.

Preferably, the device is a shaped article that is either an indwelling or transcutaneous catheter, polytetrafluoroethylene (PTFE), expanded PTFE (EPTFE), needle, metal pin, metal rod, colostomy tube, transcutaneous catheter, dental abutment piece or surgical mesh. In another aspect of this preferred embodiment, the device is used in vivo. Preferably, the appliance is made of or coated with a biocompatible metal that may be either stainless steel or titanium. Alternatively, the device is made of or coated with a ceramic material, or a polymer including but not limited to polyester, polyglycolic acid or a polygalactose-polyglycolic acid copolymer.

One particular use of the present invention is to increase epithelial cell adhesion to target surfaces. For example, prostheses for dental implantation may be coated with the r-laminin 5 of the invention to stimulate periodontal cell attachment. These prostheses typically comprise two separate pieces, an implant which is inserted into the bone and an abutment piece which actually contacts the junctional epithelium. Alternatively, the implant and abutment piece may be obtained as a single unit.

If the device is made of a natural or synthetic biodegradable material in the form of a mesh, sheet or fabric, the r-laminin 5 may be applied directly to the surface thereof. Epithelial cells may then be cultured on the matrix to form transplantable or implantable devices, including dental abutment pieces, needles, metal pins or rods, indwelling catheters, colostomy tubes, surgical meshes and any other appliance for which coating with the r-laminin is desirable. Alternatively, the devices may be implanted and cells may be permitted to attach in vivo. The epithelial cell-coated surgical meshes will be useful for skin allografts necessitated by compromised skin integrity.

Coupling of the r-laminin 5 may be non-covalent (such as by adsorption), or by covalent means. The device may be immersed in, incubated in, or sprayed with the r-laminin 5 of the invention. In a preferred embodiment, the concentration of r-laminin 5 for coating the device is between about 1 ng/ml and about 10 mg/ml.



The present invention also provides a method for inducing epithelial cell attachment to the device (as disclosed above), comprising coating the appliance with r-laminin 5 prior to incubation with epithelial cells.

The therapeutic application of r-laminin 5 produced in accordance with the present invention can be used for the treatment of a variety of conditions and diseases, including but not limited to Type I diabetes; skin conditions including but not limited to diabetic foot ulcers, venous ulcers, pressure sores, skin surgery, burns, acute wounds, and skin grafts; corneal ulcerations; gastro-intestinal ulcers; periodontitis; and gingivitis. The therapeutically effective amount of r-laminin 5 for use in these conditions and diseases can be readily ascertained by one of ordinary skill in the art.

The present invention may be better understood with reference to the accompanying examples that are intended for purposes of illustration only and should not be construed to limit the scope of the invention, as defined by the claims appended hereto.

#### 15 Examples

10

20

25

30

Production of r-laminin-5 involved sequential transfections of a mammalian cell line with vectors containing cDNAs that encode for the chains of the laminin-5 molecule, namely  $\alpha 3$ ,  $\beta 3$  and  $\gamma 2$ . An additional polynucleotide sequence that encodes the 'flag' peptide (DYKDDDDK), was added to the amino terminus end of the  $\beta 3$  gene to facilitate affinity purification of the expressed heterotrimeric recombinant laminin-5 molecule.

#### IV. Materials and Methods

#### Expression vector constructs for a3

The entire coding sequence of the  $\alpha3$  cDNA [SEQ ID NO:1] was cloned via standard techniques into the expression vector pcDNA3.1/Zeo (Invitrogen), which contains the Zeocin resistant gene for selection. The expression vectors were used to produce stable cell lines according to the manufacturer's instructions.

In order to produce a second  $\alpha 3$  expression vector, the full-length  $\alpha 3$  cDNA was excised from the pZeo $\alpha 3$  expression construct by digestion with KpnI-NotI restriction enzymes. The double digested  $\alpha 3$  fragment was inserted in the expression vector pTargeT (Promega; Madison, WI), generating pTgT $\alpha 3$ . This expression construct carries the G418 resistant gene for selection of resistant clones. Both expression constructs have been analyzed by restriction enzyme mapping and DNA sequencing.

#### PCT/US00/11459

#### Construction of full-length \$3 chain

Two cDNA fragments, Kal5-5c and Kal92-1, each cloned into separate pCR II vectors (Invitrogen), which together encode the entire β3 chain of laminin-5 [SEQ ID NO:19], were received from Dr. Burgeson's laboratory (4). The two fragments were cloned into a single vector to obtain the full-length β3 chain, plasmid PCRIIβ3.

#### Expression vector constructs for \( \beta \)

10

15

25

30

The laminin β3 expression vector, pRCX3β3<sub>F</sub>, was constructed containing the full-length β3 chain obtained for pCRIIβ3 and the FLAG epitope added to the amino terminus [SEQ ID NO:17-18]. pRCX3 is a vector derived from pRC/CMV (Invitrogen) and it contains a Geneticin resistant gene for selection with G418 sulfate, a BM 40 (SPARC) signal peptide sequence and the Flag peptide sequence in frame with convenient cloning sites

A second  $\beta 3$  expression vector was constructed by excising the complete laminin  $\beta 3$ -flag peptide coding region from pRCX3 $\beta 3_F$  plasmid and introducing it into pcDNA3.1/Zeo. This expression constructs carries the Zeocin resistant gene for selection.

Both  $\beta$ 3-expression constructs have been analyzed by restriction enzyme mapping and DNA sequencing.

#### 20 Expression vector constructs for $\gamma$ 2

The full-length  $\gamma$ 2 cDNA [SEQ ID NO:29] was excised from pVL1393 $\gamma$ 2 (received from Dr. Karl Tryggvason, Karolinska Institute, Sweden) by digestion with BamH I-Xba I restriction enzymes. The double digested  $\gamma$ 2 fragment was inserted in the corresponding sites of the expression vector pcDNA3.1/Zeo (Invitrogen), generating the pZeo $\gamma$ 2 expression construct. This expression constructs carries the Zeocin resistant gene for selection.

Similarly, a BamH I-Not I full-length  $\gamma$ 2 cDNA fragment was cloned into the expression vector pTargeT (Promega), generating pTgT $\gamma$ 2. This expression construct carries the G418 resistant gene for selection of resistant clones.

Both expression constructs have been analyzed by restriction enzyme mapping and DNA sequencing.



# Sequence analysis of expression constructs

The expression vector constructs have been sequenced and the reported gene sequences compared to the published sequences. **Table 2** shows a summary of the amino acid mismatches for the different laminin chains.

5

α3 chain: the reported sequence matched the published sequence.

10

 $\beta$ 3 chain: several discrepancies with the published sequence were found. Single and multiple base deletions and insertions are present along the sequence. These base changes generated some silent mutations, amino acid substitutions and insertion of amino acids. These changes do not cause early termination codons. Therefore, the  $\beta$ 3 chain seems to be of "full-length" and the protein is being produced.

 $\gamma$ 2 chain: This chain was reported to have 3 base changes creating 3 amino acid substitutions.

15

15

20





Table 2: Summary of amino acid differences from those reported in the literature

Laminin chain	Amino acid change
α3	None
β3	P, insertion at position 251-2
	A <sub>372</sub> P <sub>372</sub>
	R <sub>408</sub> R <sub>409</sub> Q <sub>408</sub> G <sub>409</sub>
	R insertion at position 421
	P <sub>584</sub> —R <sub>584</sub>
	A <sub>796</sub> —G <sub>796</sub>
	$R_{894}S_{895}E_{896}$ $S_{894}E_{895}A_{896}$
γ2	$R_{168}$ — $G_{168}$
	I 473—M473
	S <sub>521</sub> —N <sub>521</sub>

## 5 Transfection of human kidney 293 cells

Wild type human kidney 293 cells were transfected with the different expression constructs utilizing standard techniques. Two transfection reagents were used, LIPOFECTAMINE<sup>TM</sup> from GIBCO (Rockville, MD) and SUPERFECT<sup>TM</sup> from Qiagen (Valencia, CA). Experiments (see below) suggested that the 293 cells do not express detectable endogenous laminin α3, β3, or γ2 chains

Briefly, both methods required mixing the transfection reagent with the DNA of interest, incubating for a brief period at room temperature, and adding the mixture to the cells. The cells were split the previous day so they were at 50-80% confluency the day of the transfection. The incubation with the DNA-reagent complexes was conducted for 2-3 hours in serum free media for LIPOFECTAMINE<sup>TM</sup> transfection or complete media for SUPERFECT<sup>TM</sup> transfection. After this incubation period the media was replaced with fresh growth media and the incubation was continued until the selection process begins.

The selection process was carried out in DMEM F12/10% FBS containing either Geneticin (G418 sulfate) at 400  $\mu$ g/ml for selection of G418 resistants, or Zeocin at 50  $\mu$ g/ml for selection of Zeocin resistants. After splitting to selective media, the cells were fed every two days with fresh selective media, until cell foci were identified. Clones transfected with the three laminin chains and secreting r-laminin 5 into the medium were selected with media containing both antibiotics.





#### Results

10

15

20

25

Media from human kidney 293 cells transfected with a single laminin chain were initially analyzed on Western blots using chain-specific anti-laminin-5 antibodies. Cell fractions, as well as "whole" fractions containing cells plus any deposited "matrix-like" material obtained by scraping the cells into loading buffer, were also analyzed. Western blot analysis of wild type 293 cell cultures showed no detectable laminin  $\alpha 3$ ,  $\beta 3$ , or  $\gamma 2$  chain proteins.

The expression of single laminin chains following transfection is generally intracellular, except for a few  $\beta 3$  clones that appear to show  $\beta 3$  chain reactivity in the media in Western blot analyses using the anti-FLAG antibody.

All clones showing FLAG antibody reactivity were verified by PCR to confirm the incorporation of the transfected gene. Analysis of genomic DNA preparations from such clones by PCR was done using laminin chain-specific primer pairs. The amplified products were compared to positive controls where the original expression constructs were used as templates. Results are shown in Table 3. A few selected clones were analyzed by RT-PCR using the same laminin chain-specific primers and total RNA and/or mRNA preparations as templates. These results are also shown in Table 2.

Other data (not shown) demonstrated that the molecular sizes of some of the components of r-laminin 5 were different from those in purified laminin 5. Particularly, the major component of the  $\alpha$ 3 chain in purified laminin 5 was 165 kD, while the  $\alpha$ 3 band in r-laminin 5 migrated as two chains of 150 kD and 95 kD.

Identified co-transfected clones producing all three chains (as assessed by both genomic PCR and RT-PCR analysis), were further analyzed in a keratinocyte cell adhesion binding assay.

HFK cell adhesion assay for laminin-5. The method used measures laminin-5 activity present in conditioned media from various clones. Any laminin-5 present in the test media was trapped to a 96 well via an anti-laminin  $\alpha 3$  antibody (C 25). Human foreskin keratinocytes (HFK) were labeled fluorescently, added to the treated wells, and allowed to adhere for 30 minutes. Fluorescence was measured before and after washing with PBS. The % cell adhesion is equal to fraction of fluorescence retained in the well. As controls, cells were pre-incubated with an anti-integrin  $\alpha 3\beta 1$  inhibitory antibody (P1B5)( $\alpha 3\beta 1$  is the cell receptor for laminin 5), or non-specific control antibody (SP2)

10

15

20

25

before being added to the wells. Media controls (Keratinocyte growth media ("KGM"); or DMEM F12 culture media ("medium") were also used. The "a2<sub>F</sub>" notation denotes culture medium from 293 cells transfected to express an unrelated FLAG-containing protein.

The results, shown in **Table 2** (last column) and in **Figure 1**. The figure is labeled as follows: C5 and F10: conditioned culture media from r-laminin-5 producing clones C5 and F10; \*C6 and \*F10: conditioned culture media collected earlier and kept refrigerated. These data demonstrated that media from several clones produced positive results in the cell adhesion assay, indicating the r-laminin-5 produced by these clones is biologically active. The activity was inhibited in the presence of an integrin  $\alpha 3\beta 1$  antibody, demonstrating that the r-laminin 5 is binding to the cells via the  $\alpha 3\beta 1$  integrin.

To assist in the purification of the heterotrimer r-laminin-5 molecule, the laminin β3 chain was labeled with a 'flag' sequence at the amino terminus end. Media from clones transfected with all three chains, and shown to express all three chains, were passed through an anti-flag column and eluted with excess flag peptide. The eluted fractions were analyzed by gel electrophoresis. The data demonstrate that r-laminin 5 was produced and isolated.

Table 3: Summary analysis of selected r-L5 clones

Clone	Western Blot		PCR <sup>1</sup>			RT-PCR <sup>2</sup>			Adhesion		
	α3	β3	γ2	Flag	α3	β3	γ2	α3	β3	γ2	Assay
A2-3	-	nd	nd	+	<b>-</b>	+	+	-	+	+	-
A4-3	+	+	+	+	+	+	+	+	+	+	+
A10-3	-	nd	+	+	-	+	•	-	+	+	-
B1-6	nd	nd	nd	+	+	+	+	+	+	+	+
C2-3	-	nd	+	+	-	+	+	+	+	+	-
C5-7	nd	nd	nd	+	+	+	+	nd	+	+	-
C6-3	+	+	+	+	+	+	+	+	+	+	+
C10-3	-	nd	nd	+	-	+	+	+	+	+	-
E1-3	-	nd	nd	-	<b>-</b>	+	•	-	+	+	-
E2-3	-	nd	+	+	-	+	-	+	+	+	-
E7-3	-	nd	-	+	-	+	-	-	+	+	-
F10-5	nd	nd	nd	+	+	+	+	+	+	+	+

nd = Not determined

<sup>1.</sup> PCR analysis of genomic DNA preparations were performed using laminin chain-specific primer pairs. The amplified products were compared to positive controls where the original expression constructs were used as templates.

<sup>2.</sup> RT-PCR analyses were done similarly using total RNA and/or mRNA as templates and primers as above.



Several of the above clones were selected for further analysis. A 1 liter culture from clone F10-5 was prepared, and r-laminin 5 was purified using the methods described above. The r-laminin 5 was used in an HFK cell adhesion assay exactly as described above, except that r-laminin 5 was coated directly onto the plate. The results are presented in Figure 2 and demonstrate that r-laminin 5 markedly increases adhesion of HFK cells at all concentrations tested.

10

15

20

## Electron Micrograph Analysis

Purified r-laminin 5 protein was diluted to 50 µg/ml and adjusted to 70% glycerol/30% 0.15M ammonium bicarbonate and rotary shadowed using standard techniques. Figure 3 shows an 80,000X magnification field of (A) r-laminin 5; and (B) "native" laminin 5 (purified by BM165 monoclonal antibody affinity chromatography from SCC-25 (squamous cell carcinoma cell line) conditioned medium). The bar represents 50 nm. These results demonstrated that both the r-laminin 5 and the "native" purified laminin 5 formed similar cross-shaped structures typical of laminins.

The present invention is not limited by the aforementioned particular preferred embodiments. It will occur to those ordinarily skilled in the art that various modifications may be made to the disclosed preferred embodiments without diverting from the concept of the invention. All such modifications are intended to be within the scope of the present invention.



#### We claim

1. Recombinant laminin 5-expressing cells.

5

10

20

25

30

- 2. The recombinant laminin 5-expressing cells of claim 1, wherein the cells express recombinant laminin 5 comprising:
- a first chain comprising a polypeptide that is substantially similar to an  $\alpha 3$  laminin chain;
- a second chain comprising a polypeptide that is substantially similar to a  $\beta 3$  laminin chain; and
  - a third chain comprising a polypeptide that is substantially similar to a  $\gamma 2$  laminin chain;
- wherein the first, second, and third chains are assembled into recombinant heterotrimeric laminin 5.
  - 3. The recombinant laminin 5-expressing cells of claim 1, wherein the cells express recombinant laminin 5 comprising:
  - a first chain comprising a recombinant polypeptide that is at least 70% identical to one or more of SEQ ID NO:2, 4, 6, 8, 10,12, or fragments thereof;
    - a second chain comprising a recombinant polypeptide that is at least 70% identical to one or more of SEQ ID NO:14, 16, 18, 20, 22, 24, or fragments thereof; and
    - a third chain comprising a recombinant polypeptide that is at least 70% identical to one or more of SEQ ID NO:26, 28, 30, 32, 34, 36, or fragments thereof;
  - wherein the cell expresses the first, second, and third chains, and wherein the first, second, and third chains assemble into recombinant heterotrimeric laminin 5 that is secreted into the media by the cultured cell.
  - 4. The recombinant laminin 5-expressing cells of claim 1, wherein the cells express recombinant laminin 5 comprising:
  - a first chain encoded by a polynucleotide that hybridizes under high stringency conditions to a coding region of one or more of SEQ ID NO:1, 3, 5, 7, 9, 11, or fragments thereof;

a second chain encoded by a polynucleotide that hybridizes under high stringency conditions to a coding region of one or more of SEQ ID NO:13, 15, 17, 19, 21, 23, or fragments thereof; and

a third chain encoded by a polynucleotide that hybridizes under high stringency conditions to a coding region of one or more of SEQ ID NO: 25, 27, 29, 31, 33, 35, or fragments thereof;

wherein the cell expresses the first, second, and third chains, and wherein the first, second, and third chains assemble into recombinant heterotrimeric laminin 5 that is secreted into the media by the cultured cell.

10

15

20

25

30

5

5. The recombinant laminin 5-expressing host cells of claim 1, wherein the cells express recombinant laminin 5 comprising a first, second, and third polypeptide chain, wherein the first, second, and third polypeptide chains each comprise a general structure selected from the group consisting of: (1) R1-R2-R3; (2) R1-R2-R3(e); (3) R3; (4) R3(e); (5) R1-R3; (6) R1-R3(e); (7) R2-R3; and (8) R2-R3(e)

wherein R1 is a amino terminal methionine; R2 is a signal sequence that is capable of directing secretion of the polypeptide, wherein the signal sequence may be the natural signal sequence for the particular laminin chain, that of another secreted protein, or it may be an artificial sequence; R3 is a secreted  $\alpha$ 3 laminin chain for the first polypeptide chain, a secreted  $\beta$ 3 laminin chain for the second polypeptide chain, and  $\gamma$ 2 laminin chain for the third polypeptide chain; and R3(e) is identical to R3, but further comprises an epitope tag.

- 6. A method of purifying recombinant laminin 5, comprising:
  - a. providing the eukaryotic cells of any one of claim 1-5;
- b. growing the cells in cell culture medium under conditions to stimulate expression of the recombinant laminin 5 chains;
- c. passing the cell culture medium through an affinity chromatography column, wherein the column contains a compound that specifically binds to the epitope tag;
  - d. washing the affinity column to remove unbound materials; and
  - e. eluting the bound recombinant laminin 5 from the column.





- 7. Purified recombinant laminin 5 isolated according to the method of claim 6.
- 8. Purified recombinant laminin 5.

5

10

chain;

- The substantially purified recombinant laminin 5 of claim 8 comprising:
   a first chain comprising a polypeptide that is substantially similar to an α3 laminin
- a second chain comprising a polypeptide that is substantially similar to a  $\beta 3$  laminin chain; and
  - a third chain comprising a polypeptide that is substantially similar to a  $\gamma 2$  laminin chain;

wherein the first, second, and third chains are assembled into recombinant heterotrimeric laminin 5.

15

20

- 10. The purified recombinant laminin 5 of claim 8, comprising:
- a first chain comprising a recombinant polypeptide that is at least 70% identical to one or more of SEQ ID NO:2, 4, 6, 8, 10, 12, or fragments thereof;
- a second chain comprising a recombinant polypeptide that is at least 70% identical to one or more of SEQ ID NO:14, 16, 18, 20, 22, 24, or fragments thereof; and
- a third chain comprising a recombinant polypeptide that is at least 70% identical to one or more of SEQ ID NO:26, 28, 30, 32, 34, 36, or fragments thereof;

wherein the first, second, and third chains are assembled into recombinant heterotrimeric laminin 5.

25

- 11. The purified recombinant laminin 5 of claim 8, comprising:
- a first chain encoded by a polynucleotide that hybridizes under high stringency conditions to a coding region of one or more of SEQ ID NO:1, 3, 5, 7, 9, 11, or fragments thereof;
- a second chain encoded by a polynucleotide that hybridizes under high stringency conditions to a coding region of one or more of SEQ ID NO:13, 15, 17, 19, 21, 23, or fragments thereof; and



a third chain encoded by a polynucleotide that hybridizes under high stringency conditions to a coding region of SEQ ID NO: 25, 27, 29, 31, 33, 35, or fragments thereof;

wherein the first, second, and third chains are assembled into recombinant heterotrimeric laminin 5.

5

10

15

20

25

12. The purified recombinant heterotrimeric laminin 5 of claim 8, comprising a first, second, and third polypeptide chain, wherein the first, second, and third polypeptide chains each comprise a general structure selected from the group consisting of: (1) R1-R2-R3; (2) R1-R2-R3(e); (3) R3; (4) R3(e); (5) R1-R3; (6) R1-R3(e); (7) R2-R3; and (8) R2-R3(e)

wherein R1 is a amino terminal methionine; R2 is a signal sequence that is capable of directing secretion of the polypeptide, wherein the signal sequence may be the natural signal sequence for the particular laminin chain, that of another secreted protein, or it may be an artificial sequence; R3 is a secreted  $\alpha$ 3 laminin chain for the first polypeptide chain, a secreted  $\beta$ 3 laminin chain for the second polypeptide chain, and a secreted  $\gamma$ 2 laminin chain for the third polypeptide chain; and R3(e) is identical to R3, but further comprises an epitope tag.

- 13. A pharmaceutical composition comprising:
  - a. the recombinant laminin 5 of any of claims 7-12; and
  - b. a pharmaceutically acceptable carrier.
- 14. A method for accelerating wound healing comprising administering to a patient in need thereof an amount effective of the recombinant laminin 5 of any of claims 7-12 to accelerate wound healing.
- 15. The method of claim 14 wherein the wound is selected from the group consisting of diabetic foot ulcers, venous ulcers, pressure sores, skin surgery, burns, acute wounds, skin grafts, corneal ulcerations, gastro-intestinal ulcers, periodontitis, and gingivitis.
- 16. A method to improve the biocompatibility of a medical device, comprising contacting the medical device with an amount effective of the recombinant laminin 5 of any of claims 7-12 to improve the biocompatibility of the medical device.



17. A method to promote cell adhesion to a surface, comprising contacting the cells with an amount effective of the recombinant laminin 5 of any of claims 7-12 to promote cell adhesion to a surface.

5

- 18. An improved method for the ex vivo treatment of Type I diabetes in a patient in need thereof, wherein the improvement consists of culturing isolated pancreatic islet beta in the presence of an amount effective the recombinant laminin 5 of any of claims 7-12 to promote adhesion of the pancreatic islet beta cells to a surface, culturing the cells, and reintroducing the cells into the patient.
- 19. A method for regulating angiogenesis, comprising contacting a tissue in need thereof with an amount effective to promote angiogenesis of laminin 5 to regulate angiogenesis.

15

25

- 20. The method of claim 19, wherein the laminin 5 comprises recombinant laminin 5 according to any one of claims 7-12.
- 21. An improved cell growth substrate, wherein the improvement consists of providing a cell growth substrate that has been coated with an amount effective of the recombinant laminin 5 of any of claims 7-12 to promote cell attachment to the cell growth substrate.
  - 22. An improved cell culture medium, wherein the improvement consists of providing an amount effective of the recombinant laminin 5 of any of claims 7-12 to promote cell attachment to a cell growth substrate.
  - 23. An improved medical implantation device, wherein the improvement consists of providing a medical implantation device that has been coated with an amount effective of the recombinant laminin 5 of any of claims 7-12 to promote cell attachment to the medical implantation device.

- 24. The improved medical implantation device of claim 23, wherein the medical implantation device is selected from the group consisting of artificial grafts, indwelling or transcutaneous catheter, polytetrafluoroethylene, expanded polytetrafluoroethylene, needle, metal pin, metal rod, colostomy tube, transcutaneous catheter, dental abutment piece or surgical mesh.
- 25. A method for accelerating wound healing comprising administering to a patient in need thereof an amount effective of the pharmaceutical composition of claim 13 to accelerate wound healing.

10

25

30

- 26. The method of claim 25 wherein the wound is selected from the group consisting of diabetic foot ulcers, venous ulcers, pressure sores, skin surgery, burns, acute wounds, skin grafts, corneal ulcerations, gastro-intestinal ulcers, periodontitis, and gingivitis.
- 15 27. A method to improve the biocompatibility of a medical device, comprising contacting the medical device with an amount effective of the pharmaceutical composition of claim 13 to improve the biocompatibility of the medical device.
- 28. A method to promote cell adhesion to a surface, comprising contacting the cells with an amount effective of the pharmaceutical composition of claim 13 to promote cell adhesion to a surface.
  - 29. An improved method for the ex vivo treatment of Type I diabetes in a patient in need thereof, wherein the improvement consists of culturing isolated pancreatic islet beta in the presence of an amount effective the pharmaceutical composition of claim 13 to promote adhesion of the pancreatic islet beta cells to a surface, culturing the cells, and reintroducing the cells into the patient.
  - 30. A method for regulating angiogenesis, comprising contacting a tissue in need thereof with an amount effective to regulate angiogenesis of the pharmaceutical composition of claim 13 to regulate angiogenesis.




31. An improved cell growth substrate, wherein the improvement consists of providing a cell growth substrate that has been coated with an amount effective of the pharmaceutical composition of claim 13 to promote cell attachment to the cell growth substrate.

5


32. An improved medical implantation device, wherein the improvement consists of providing a medical implantation device that has been coated with an amount effective of the pharmaceutical composition of claim 13 to promote cell attachment to the medical implantation device.

10

- 33. The improved medical implantation device of claim 32, wherein the medical implantation device is selected from the group consisting of artificial grafts, indwelling or transcutaneous catheter, polytetrafluoroethylene, expanded polytetrafluoroethylene, needle, metal pin, metal rod, colostomy tube, transcutaneous catheter, dental abutment piece or surgical mesh.
- 34. An isolated polynucleotide sequence selected from the group consisting of SEQ ID 21, SEQ ID NO:23, SEQ ID NO:29, SEQ ID NO:31.
- 35. An isolated polypeptide sequence selected from the group consisting of SEQ ID NO:22, SEQ ID NO:34, SEQ ID NO:30, and SEQ ID NO:32.









culture media






MIG. L

Rotary-shadowed electron micrographs of recombinant laminin 5 (A) and "native" laminin 5 (B).






## SEQUENCE LISTING

<110>	Bouta	nd, A	riel												
<120>	Recom	binan	t La	mini	n 5		-								
<130>	99-27	4-C1													
	To Be Filed		_												
<160>	36														
<170>	Paten	tIn V	er.	2.0											
<210><211><211><212><213>	5280	sapie	ns												
<220>															
<221> <222>	(18).	. (518	9)												
	sig_p (18).	-													
<400> taatt	1 aactg	gttcc	gg a M	tg d let F	ct c	ca g Pro A	gca ç Ala V	gtg a Val A	ngg d Arg A	gg t	ca c Ser A	jcc t Ala (	gc a Tys S	igc Ser	50
atg g Met G	ga tgg ly Trp	ctg Leu 15	tgg Trp	atc Ile	ttt Phe	ggg Gly	gca Ala 20	gcc Ala	ctg Leu	ggg Gly	cag Gln	tgt Cys 25	ctg Leu	ggc Gly	98
tac a Tyr S	gt tca Ser Ser 30	Gln	cag Gln	caa Gln	agg Arg	gtg Val 35	cca Pro	ttt Phe	ctt Leu	cag Gln	cct Pro 40	ccc Pro	ggt Gly	caa Gln	146
agt c Ser G	aa ctg ln Lev 45	caa Gln	gcg Ala	agt Ser	tat Tyr 50	gtg Val	g <b>ag</b> Glu	ttt Phe	aga Arg	ccc Pro 55	agc Ser	cag Gln	ggt Gly	tgt Cys	194
agc c Ser F 60	ct gga Pro Gly	tac Tyr	tat Tyr	cgg Arg 65	gat Asp	cat His	aaa Lys	ggc Gly	ttg Leu 70	tat Tyr	acc Thr	gga Gly	cgg Arg	tgt Cys 75	242
gtt o Val F	ecc tgo Pro Cys	aat Asn	tgc Cys 80	aac Asn	gga Gly	cat His	tca Ser	aat Asn 85	caa Gln	tgc Cys	cag Gln	gat Asp	ggc Gly 90	tca Ser	290
ggc a	ata tg: [le Cy:	gtt Val 95	aac Asn	tgt Cys	cag Gln	cac His	aac Asn 100	acc Thr	gcg Ala	gga Gly	gag Glu	cac His 105	tgt Cys	gaa Glu	338
cgc t	tgc cag Cys Gli	n Glu	ggc Gly	tac Tyr	tat Tyr	ggc Gly 115	aac Asn	gcc Ala	gtc Val	cac His	gga Gly 120	tcc Ser	tgc Cys	agg Arg	386

gcc Ala	tgc Cys 125	cca Pro	tgt Cys	cct Pro	His	act Thr 130	aac Asn	agc Ser	ttt Phe	gcc Ala	act Thr 135	ggc Gly	tgt Cys	gtg Val	gtg Val	434
				gtg Val												482
				tgt Cys 160												530
				caa Gln												578
				ctg Leu												626
				gaa Glu												674
ctc Leu 220	ctg Leu	aac Asn	gac Asp	ctg Leu	gcc Ala 225	acc Thr	atg Met	ggc Gly	gag Glu	cag Gln 230	ctc Leu	cgc Arg	ctg Leu	gtc Val	aag Lys 235	722
tct Ser	cag Gln	ctg Leu	cag Gln	ggc Gly 240	ctg Leu	agt Ser	gcc Ala	agc Ser	gca Ala 245	ggg Gly	ctt Leu	ctg Leu	gag Glu	cag Gln 250	atg Met	770
				acc Thr												818
				att Ile												866
aga Arg	gaa Glu 285	ctg Leu	act Thr	gat Asp	ttg Leu	aat Asn 290	caa Gln	gaa Glu	ttt Phe	gag Glu	act Thr 295	tta Leu	caa Gln	gaa Glu	aag Lys	914
gct Ala 300	caa Gln	gta Val	aat Asn	tcc Ser	aga Arg 305	aaa Lys	gca Ala	caa Gln	aca Thr	tta Leu 310	aac Asn	aac Asn	aat Asn	gtt Val	aat Asn 315	962
cgg Arg	gca Ala	aca Thr	c <b>aa</b> Gln	agc Ser 320	gca Ala	aaa Lys	g <b>aa</b> Glu	cta Leu	gat Asp 325	gtg Val	aag Lys	att Ile	aaa Lys	aat Asn 330	gtc Val	1010
atc Ile	cgg Arg	aat Asn	gtg Val 335	cac His	att Ile	ctt Leu	tta Leu	aag Lys 340	cag Gln	atc Ile	tct Ser	ggg ggg	aca Thr 345	gat Asp	gga Gly	1058
gag Glu	gga Gly	aac Asn 350	aac Asn	gtg Val	cct Pro	tca Ser	ggt Gly 355	gac Asp	ttt Phe	tcc Ser	aga Arg	gag Glu 360	tgg Trp	gct Ala	g <b>aa</b> Glu	1106
gcc	cag	cgc	atg	atg	agg	gaa	ctg	cgg	aac	agg	aac	ttt	gga	aag	cac	1154



Ala	Gln 365	Arg	Met	Met	Arg	Glu 370	Leu	Arg	Asn	Arg	Asn 375	Phe	Gly	Lys	His	
								agg Arg								1202
								cac His								1250
								aat Asn 420								1298
								gca Ala								1346
								aga Arg								1394
								cag Gln								1442
								c <b>aa</b> Gln								1490
								gaa Glu 500								1538
		Arg					Asp	aaa Lys				Leu				1586
		510					515					520				
Ala		aaa Lys			Leu		gag Glu	g <b>ag</b> Glu		Glu		cac His				1634
Ala	Gly 525 caa	aaa Lys gag	Thr	Ser gca	Leu	Val 530 cag	gag Glu ctg		Ala gag	Glu atc	Lys 535 aag	cac His	Ala	Arg	Ser agc	1634
Ala tta Leu 540	Gly 525 caa Gln gat	aaa Lys gag Glu gag	Thr ctg Leu ctg	Ser gca Ala gtg	aag Lys 545	Val 530 cag Gln tgt	gag Glu ctg Leu	Glu gaa	Ala gag Glu gat	Glu atc Ile 550 gcc	Lys 535 aag Lys gcc	cac His aga Arg	Ala aac Asn gcc	gcc Ala	agc Ser 555	
tta Leu 540 999 Gly	Gly 525 caa Gln gat Asp	aaa Lys gag Glu gag Glu	Thr ctg Leu ctg Leu aat	gca Ala gtg Val 560	aag Lys 545 cgc Arg	Val 530 cag Gln tgt Cys	gag Glu ctg Leu gct Ala	Glu gaa Glu gtg	gag Glu gat Asp 565	atc Ile 550 gcc Ala	Lys 535 aag Lys gcc Ala	cac His aga Arg acc Thr	Ala aac Asn gcc Ala	gcc Ala tac Tyr 570	agc Ser 555 gag Glu	1682
Ala tta Leu 540 999 Gly aac Asn	Gly 525 caa Gln gat Asp atc Ile	aaa Lys gag Glu gag Glu ctc Leu	Thr ctg Leu ctg Leu aat Asn 575	gca Ala gtg Val 560 gcc Ala	aag Lys 545 cgc Arg atc Ile	Val 530 cag Gln tgt Cys aaa Lys	gag Glu ctg Leu gct Ala gcg Ala	gaa Glu gtg Val gcc Ala	Ala gag Glu gat Asp 565 gag Glu aca	atc Ile 550 gcc Ala gac Asp	Lys 535 aag Lys gcc Ala gca Ala	cac His aga Arg acc Thr gcc Ala	aac Asn gcc Ala aac Asn 585	gcc Ala tac Tyr 570 agg Arg	agc Ser 555 gag Glu gct Ala	1682



	605					610					615					
gaa Glu 620	gcc Ala	aag Lys	atg Met	aca Thr	caa Gln 625	aag Lys	aag Lys	cta Leu	aag Lys	caa Gln 630	gaa Glu	gtc Val	agt Ser	cca Pro	gct Ala 635	1922
ctc Leu	aac Asn	aac Asn	cta Leu	cag Gln 640	c <b>aa</b> Gln	acc Thr	ctg L <b>eu</b>	aat Asn	att Ile 645	gtg Val	aca Thr	gtt Val	cag Gln	aaa Lys 650	gaa Glu	1970
gtg Val	ata Ile	gac Asp	acc Thr 655	aat Asn	ctc Leu	aca Thr	act Thr	ctc Leu 660	cga Arg	gat Asp	ggt Gly	ctt Leu	cat His 665	ggg Gly	ata Ile	2018
cag Gln	aga Arg	ggt Gly 670	gat Asp	att Ile	gat Asp	gct Ala	atg Met 675	atc Ile	agt Ser	agt Ser	gca Ala	aag Lys 680	agc Ser	atg Met	gtc Val	2066
aga Arg	aag Lys 685	gcc Ala	aac Asn	gac Asp	atc Ile	aca Thr 690	gat Asp	g <b>a</b> g Glu	gtt Val	ctg Leu	gat Asp 695	ggg Gly	ctc Leu	aac Asn	ccc Pro	2114
atc Ile 700	cag Gln	aca Thr	gat Asp	gtg Val	gaa Glu 705	aga Arg	att Ile	aag Lys	gac Asp	acc Thr 710	tat Tyr	gly ggg	agg Arg	aca Thr	cag Gln 715	2162
aac Asn	gaa Glu	gac Asp	ttc Phe	aaa Lys 720	aag Lys	gct Ala	ctg Leu	act Thr	gat Asp 725	gca Ala	gat Asp	aac Asn	tcg Ser	gtg Val 730	aat Asn	2210
aag Lys	tta Leu	acc Thr	aac Asn 735	aaa Lys	cta Leu	cct Pro	gat Asp	ctt Leu 740	tgg Trp	cgc Arg	aag Lys	att Ile	gaa Glu 745	agt Ser	atc Ile	2258
aac Asn	caa Gln	cag Gln 750	ctg Leu	ttg Leu	ccc Pro	ttg Leu	gga Gly 755	aac Asn	atc Ile	tct Ser	gac Asp	aac Asn 760	atg Met	gac Asp	aga Arg	2306
ata Ile	cga Arg 765	g <b>aa</b> Glu	cta Leu	att Ile	cag Gln	cag Gln 770	gcc Ala	aga Arg	gat Asp	gct Ala	gcc Ala 775	agt Ser	aag Lys	gtt Val	gct Ala	2354
gtc Val 780	ccc Pro	atg Met	agg Arg	ttc Phe	aat Asn 785	ggt Gly	aaa Lys	tct Ser	gga Gly	gtc Val 790	gaa Glu	gtc Val	cga Arg	ctg Leu	cca Pro 795	2402
aat Asn	gac Asp	ctg Leu	gaa Glu	gat Asp 800	ttg Leu	aaa Lys	gga Gly	tat Tyr	aca Thr 805	tct Ser	ctg Leu	tcc Ser	ttg Leu	ttt Phe 810	ctc Leu	2450
caa Gln	agg Arg	ccc Pro	aac Asn 815	tca Ser	aga Arg	gaa Glu	aat Asn	999 Gly 820	ggt Gly	act Thr	gag Glu	aat Asn	atg Met 825	ttt Phe	gtg Val	2498
atg Met	tac Tyr	ctt Leu 830	gga Gly	aat Asn	aaa Lys	gat Asp	gcc Ala 835	tcc Ser	cgg Arg	gac Asp	tac Tyr	atc Ile 840	ggc Gly	atg Met	gca Ala	2546
gtt Val	gtg Val 845	Asp	ggc Gly	cag Gln	ctc Leu	acc Thr 850	tgt Cys	gtc Val	tac Tyr	aac Asn	ctg Leu 855	ggg ggg	gac Asp	cgt Arg	g <b>ag</b> Glu	2594



gct gaa Ala Glu 860	ctc caa Leu Gln	gtg gac Val Asp 865	cag atc	ttg Leu	acc Thr	aag Lys 870	agt Ser	gag Glu	act Thr	aag Lys	gag Glu 875	2642
gca gtt Ala Val	atg gat Met Asp	cgg gtg Arg Val 880	aaa ttt Lys Phe	cag Gln	aga Arg 885	att Ile	tat Tyr	cag Gln	ttt Phe	gca Ala 890	agg Arg	2690
ctt aat Leu Asn	tac acc Tyr Thr 895	aaa gga Lys Gly	gcc aca Ala Thr	tcc Ser 900	agt Ser	aaa Lys	cca Pro	gaa Glu	aca Thr 905	ccc Pro	gg <b>a</b> Gly	2738
gtc tat Val Tyr	gac atg Asp Met 910	gat ggt Asp Gly	aga aat Arg Asn 915	Ser	aat Asn	aca Thr	ctc Leu	ctt Leu 920	aat Asn	ttg Leu	gat Asp	2786
cct gaa Pro Glu 925	aat gtt Asn Val	gta ttt Val Phe	tat gtt Tyr Val 930	gga Gly	ggt Gly	tac Tyr	cca Pro 935	cct Pro	gat Asp	ttt Phe	aaa Lys	2834
ctt ccc Leu Pro 940	agt cga Ser Arg	cta agt Leu Ser 945	ttc cct Phe Pro	cca Pro	tac Tyr	aaa Lys 950	ggt Gly	tgt Cys	att Ile	gaa Glu	tta Leu 955	2882
gat gac Asp Asp	ctc aat Leu Asn	gaa aat Glu Asn 960	gtt ctg Val Leu	agc Ser	ttg Leu 965	tac Tyr	aac Asn	ttc Phe	aaa Lys	aaa Lys 970	aca Thr	2930
ttc aat Phe Asn	ctc aac Leu Asn 975	aca act Thr Thr	gaa gtg Glu Val	gag Glu 980	cct Pro	tgt Cys	aga Arg	agg Arg	agg Arg 985	aag Lys	gaa Glu	2978
gag tca Glu Ser	gac aaa Asp Lys 990	aat tat Asn Tyr	ttt gaa Phe Glu 995	Gly	acg Thr	ggc Gly	Tyr	gct Ala 1000	cga Arg	gtt Val	cca Pro	3026
act caa Thr Gln 1005	cca cat Pro His	get eec Ala Pro	atc cca Ile Pro 1010	acc Thr	ttt Phe	Gly	cag Gln 1015	aca Thr	att Ile	cag Gln	acc Thr	3074
acc gtg Thr Val 1020	gat aga Asp Arg	ggc ttg Gly Leu 1025	Leu Phe	ttt Phe	Ala	gaa Glu 1030	aac Asn	Gly 999	gat Asp	Arg	ttc Phe 1035	3122
ata tct Ile Ser	cta aat Leu Asr	ata gaa n Ile Glu 1040	gat ggo Asp Gly	/ Lys	ctc Leu 1045	atg Met	gtg Val	aga Arg	Tyr	aaa Lys 1050	ctg Leu	3170
aat tca Asn Ser	gag cta Glu Lev 1059	a cca aaa 1 Pro Lys 5	gag aga Glu Arg	a gga g Gly 1060	Val	gga Gly	gac Asp	Ala	ata Ile 1065	Asn	aac Asn	3218
Gly Arg	gac cat Asp His 1070	t tcg att s Ser Ile	cag ato Gln Ilo 107	e Lys	att Ile	gga Gly	Lys	ctc Leu 1080	Gln	aag Lys	cgt Arg	3266
atg tgg Met Trp 1085	Ile Ası	t gtg gad n Val Asp	gtt cad Val Gl: 1090	a aac n Asn	act Thr	Ile	att Ile 1095	Asp	ggt Gly	gaa Glu	gta Val	3314



-	-			att gca atc ag [le Ala Ile Ar 111	g
gaa aga ttt Glu Arg Phe	aac att tct Asn Ile Ser 1120	Thr Pro Ala	ttc cga ggc t Phe Arg Gly ( .125	tgc atg aaa aa Cys Met Lys As 1130	t 3410 n
Leu Lys Lys				act gtg gga gt Thr Val Gly Va 1145	
acc aaa aag Thr Lys Lys 1150	tgc tcg gaa Cys Ser Glu	gac tgg aag Asp Trp Lys 1155	Leu Val Arg S	cct gcc tca tt Ser Ala Ser Ph 160	c 3506 e
tcc aga gga Ser Arg Gly 1165	Gly Gln Leu	agt ttc act Ser Phe Thr 1170	gat ttg ggc t Asp Leu Gly 1 1175	tta cca cct ac Leu Pro Pro Th	t 3554 r
gac cac ctc Asp His Leu 1180	cag gcc tca Gln Ala Ser 1185	ttt gga ttt Phe Gly Phe	cag acc ttt ( Gln Thr Phe ( 1190	caa ccc agt gg Gln Pro Ser Gl 119	У
ata tta tta Ile Leu Leu	gat cat cag Asp His Gln 1200	Thr Trp Thr	agg aac ctg ( Arg Asn Leu ( 1205	cag gtc act ct Gln Val Thr Le 1210	g 3650 u
gaa gat ggt Glu Asp Gly	tac att gaa Tyr Ile Glu 1215	ttg agc acc Leu Ser Thr 1220	agc gat agc ( Ser Asp Ser (	ggc ggc cca at 3ly Gly Pro Il 1225	t 3698 e
ttt aaa tct Phe Lys Ser 1230	Pro Gln Thr	tat atg gat Tyr Met Asp 1235	Gly Leu Leu I	cat tat gta to His Tyr Val Se 240	t 3746
gta ata ago Val Ile Ser 1245	Asp Asn Ser	gga cta cgg Gly Leu Arg 1250	ctt ctc atc ( Leu Leu Ile ) 1255	gat gac cag ct Asp Asp Gln Le	t 3794 eu
		Leu Lys His		toc egg cag to Ser Arg Gln Se 127	r
ctg cgt ctg Leu Arg Leu	ggc ggg agc Gly Gly Ser 1280	Asn Phe Glu	ggt tgt att die gly Cys Ile die 1285	agc aat gtt tt Ser Asn Val Ph 1290	t 3890 Le
gtc cag agg Val Gln Arg	; tta tca ctg ; Leu Ser Leu 1295	agt cct gaa Ser Pro Glu 1300	gtc cta gat Val Leu Asp	ttg acc agt aa Leu Thr Ser As 1305	ac 3938 in
tct ctc aag Ser Leu Lys 1310	Arg Asp Val	tcc ctg gga Ser Leu Gly 1315	Gly Cys Ser	tta aac aaa co Leu Asn Lys Pr 320	a 3986
cct ttt cta Pro Phe Lev 1325	a atg ttg ctt 1 Met Leu Leu	aaa ggt tct Lys Gly Ser 1330	acc agg ttt Thr Arg Ph 1335	aac aag acc aa Asn Lys Thr Ly	ag 4034 /s
act ttt co	atc aac cag	ctg ttg cag	gac aca cca	gtg gcc tcc co	a 4082



Thr Phe Arg		Gln Leu I 1345	Leu Gln A	sp Thr	Pro Val		Pro 355
agg agc gtg Arg Ser Val	g aag gtg Lys Val 1360	tgg caa g Trp Gln A	Asp Ala C	gc tca Cys Ser 65	cca ctt Pro Leu	ccc aag Pro Lys 1370	acc 4130 Thr
cag gcc aat Gln Ala Asr	cat gga His Gly 1375	gcc ctc o	cag ttt g Gln Phe G 1380	gg gac Sly Asp	Ile Pro	acc agc Thr Ser 385	cac 4178 His
ttg cta tto Leu Leu Phe 1390	Lys Leu	Pro Gln (	gag ctg c Glu Leu L 395	tg aaa Leu Lys	ccc agg Pro Arg 1400	tca cag Ser Gln	ttt 4226 Phe
gct gtg gad Ala Val Asp 1405	atg cag Met Gln	aca aca to Thr Thr S	tcc tcc a Ser Ser A	urg Gly	ctg gtg Leu Val 415	ttt cac Phe His	acg 4274 Thr
ggc act aag Gly Thr Lys 1420	s Asn Ser	ttt atg ( Phe Met 1 1425	gct ctt t Ala Leu T	at ctt Tyr Leu 1430	tca aaa Ser Lys	Gly Arg	ctg 4322 Leu 435
gtc ttt gca Val Phe Ala	a ctg ggg a Leu Gly 1440	aca gat o	Gly Lys I	aa ttg Lys Leu 145	agg atc Arg Ile	aaa agc Lys Ser 1450	aag 4370 Lys
gag aaa tgo Glu Lys Cys	aat gat S Asn Asp 1455	ggg aaa	tgg cac a Trp His T 1460	acg gtg Thr Val	Val Phe	ggc cat Gly His 465	gat 4418 Asp
ggg gaa aa Gly Glu Ly 147	s Gly Arg	Leu Val	gtg gat g Val Asp 0 475	gga ctg Bly Leu	agg gcc Arg Ala 1480	cgg gag Arg Glu	gga 4466 Gly
agt ttg cc Ser Leu Pr 1485	t gga aac o Gly Asn	tcc acc Ser Thr 1490	atc agc a Ile Ser I	Ile Arg	gcg cca Ala Pro 495	gtt tac Val Tyr	ctg 4514 Leu
gga tca cc Gly Ser Pr 1500	t cca tca o Pro Ser	ggg aaa Gly Lys 1505	cca aag a Pro Lys S	agc ctc Ser Leu 1510	ccc aca Pro Thr	Asn Ser	ttt 4562 Phe 515
gtg gga tg Val Gly Cy	c ctg aag s Leu Lys 1520	Asn Phe	Gln Leu /	gat tca Asp Ser 525	aaa ccc Lys Pro	ttg tat Leu Tyr 1530	acc 4610 Thr
cct tct tc Pro Ser Se	a agc tto r Ser Phe 1535	ggg gtg Gly Val	tct tcc ( Ser Ser ( 1540	tgc ttg Cys Leu	Gly Gly	cct ttg Pro Leu 1545	gag 4658 Glu
aaa ggc at Lys Gly Il 155	e Tyr Phe	e Ser Glu	gaa gga g Glu Gly ( .555	ggt cat Gly His	gtc gtc Val Val 1560	ttg gct Leu Ala	cac 4706 His
tct gta tt Ser Val Le 1565	g ttg ggg	g cca gaa / Pro Glu 1570	ttt aag	Leu Val	ttc agc Phe Ser 1575	atc cgc Ile Arg	cca 4754 Pro
aga agt ct Arg Ser Le	c act ggg	g atc cta / Ile Leu	ata cac Ile His	atc gga Ile Gly	agt cag Ser Gln	ccc ggg Pro Gly	aag 4802 Lys



1580	1585	1590	1595
	yr Leu Glu Ala	gga aag gtc acg gcc Gly Lys Val Thr Ala 1605	
	ly Thr Ser Thr	tcg gtc aca cca aag Ser Val Thr Pro Lys 1620	
		gca gtc acc ata aaa Ala Val Thr Ile Lys 1640	
		agt agc tac aca gct Ser Ser Tyr Thr Ala 1655	
		gag cca cta cac ctt Glu Pro Leu His Leu 1670	
	hr Thr Leu Arg	atc cct gtg tgg aaa Ile Pro Val Trp Lys 1685	
ggc tgt ctg agg a Gly Cys Leu Arg A 1695	sn Ile His Val	aat cac atc cct gtc Asn His Ile Pro Val 1700	cct gtc act 5138 Pro Val Thr .705
gaa gcc ttg gaa g Glu Ala Leu Glu V 1710	tc cag ggg cct al Gln Gly Pro 1715	gtc agt ctg aat ggt Val Ser Leu Asn Gly 1720	tgt cct gac 5186 Cys Pro Asp
cag taacccaagc ct Gln	atttcaca gcaago	gaaat tcaccttcaa aago	eactgat 5239
tacccaatgc acctcc	étec ceagetegaç	g atcattcttc a	5280
<210> 2 <211> 1724 <212> PRT <213> Homo sapien	8		
<400> 2 Met Pro Pro Ala V	al Arg Arg Ser 5	Ala Cys Ser Met Gly	Trp Leu Trp 15
Ile Phe Gly Ala A	la Leu Gly Gln	Cys Leu Gly Tyr Ser 25	Ser Gln Gln 30
Gln Arg Val Pro P	he Leu Gln Pro 40	Pro Gly Gln Ser Gln 45	Leu Gln Ala
Ser Tyr Val Glu P 50	he Arg Pro Ser 55	Gln Gly Cys Ser Pro 60	Gly Tyr Tyr
Arg Asp His Lys G 65	ly Leu Tyr Thr 70	Gly Arg Cys Val Pro 75	Cys Asn Cys 80

Asn Gly His Ser Asn Gln Cys Gln Asp Gly Ser Gly Ile Cys Val Asn Cys Gln His Asn Thr Ala Gly Glu His Cys Glu Arg Cys Gln Glu Gly Tyr Tyr Gly Asn Ala Val His Gly Ser Cys Arg Ala Cys Pro Cys Pro 115 His Thr Asn Ser Phe Ala Thr Gly Cys Val Val Asn Gly Gly Asp Val Arg Cys Ser Cys Lys Ala Gly Tyr Thr Gly Thr Gln Cys Glu Arg Cys 150 145 Ala Pro Gly Tyr Phe Gly Asn Pro Gln Lys Phe Gly Gly Ser Cys Gln 170 Pro Cys Ser Cys Asn Ser Asn Gly Gln Leu Gly Ser Cys His Pro Leu 180 185 Thr Gly Asp Cys Ile Asn Gln Glu Pro Lys Asp Ser Ser Pro Ala Glu Glu Cys Asp Asp Cys Asp Ser Cys Val Met Thr Leu Leu Asn Asp Leu Ala Thr Met Gly Glu Gln Leu Arg Leu Val Lys Ser Gln Leu Gln Gly Leu Ser Ala Ser Ala Gly Leu Leu Glu Gln Met Arg His Met Glu Thr Gln Ala Lys Asp Leu Arg Asn Gln Leu Leu Asn Tyr Arg Ser Ala Ile Ser Asn His Gly Ser Lys Ile Glu Gly Leu Glu Arg Glu Leu Thr Asp Leu Asn Gln Glu Phe Glu Thr Leu Gln Glu Lys Ala Gln Val Asn Ser Arg Lys Ala Gln Thr Leu Asn Asn Asn Val Asn Arg Ala Thr Gln Ser Ala Lys Glu Leu Asp Val Lys Ile Lys Asn Val Ile Arg Asn Val His Ile Leu Leu Lys Gln Ile Ser Gly Thr Asp Gly Glu Gly Asn Asn Val Pro Ser Gly Asp Phe Ser Arg Glu Trp Ala Glu Ala Gln Arg Met Met Arg Glu Leu Arg Asn Arg Asn Phe Gly Lys His Leu Arg Glu Ala Glu Ala Asp Lys Arg Glu Ser Gln Leu Leu Asn Arg Ile Arg Thr Trp Gln Lys Thr His Gln Gly Glu Asn Asn Gly Leu Ala Asn Ser Ile Arg



405 410 415

Asp Ser Leu Asn Glu Tyr Glu Ala Lys Leu Ser Asp Leu Arg Ala Arg
420 425 430

- Leu Gln Glu Ala Ala Ala Gln Ala Lys Gln Ala Asn Gly Leu Asn Gln
  435
  440
  445
- Glu Asn Glu Arg Ala Leu Gly Ala Ile Gln Arg Gln Val Lys Glu Ile 450 455 460
- Asn Ser Leu Gln Ser Asp Phe Thr Lys Tyr Leu Thr Thr Ala Asp Ser 465 470 475 480
- Ser Leu Leu Gln Thr Asn Ile Ala Leu Gln Leu Met Glu Lys Ser Gln 485 490 495
- Lys Glu Tyr Glu Lys Leu Ala Ala Ser Leu Asn Glu Ala Arg Gln Glu
  500 505 510
- Leu Ser Asp Lys Val Arg Glu Leu Ser Arg Ser Ala Gly Lys Thr Ser 515 520 525
- Leu Val Glu Glu Ala Glu Lys His Ala Arg Ser Leu Gln Glu Leu Ala 530 535 540
- Lys Gln Leu Glu Glu Ile Lys Arg Asn Ala Ser Gly Asp Glu Leu Val 545 550 555 560
- Arg Cys Ala Val Asp Ala Ala Thr Ala Tyr Glu Asn Ile Leu Asn Ala 565 570 575
- Ile Lys Ala Ala Glu Asp Ala Ala Asn Arg Ala Ala Ser Ala Ser Glu 580 585 590
- Ser Ala Leu Gln Thr Val Ile Lys Glu Asp Leu Pro Arg Lys Ala Lys 595 600 605
- Thr Leu Ser Ser Asn Ser Asp Lys Leu Leu Asn Glu Ala Lys Met Thr 610 615 620
- Gln Lys Lys Leu Lys Gln Glu Val Ser Pro Ala Leu Asn Asn Leu Gln 625 630 635 640
- Gln Thr Leu Asn Ile Val Thr Val Gln Lys Glu Val Ile Asp Thr Asn 645 650 655
- Leu Thr Thr Leu Arg Asp Gly Leu His Gly Ile Gln Arg Gly Asp Ile
  660 665 670
- Asp Ala Met Ile Ser Ser Ala Lys Ser Met Val Arg Lys Ala Asn Asp 675 680 685
- Ile Thr Asp Glu Val Leu Asp Gly Leu Asn Pro Ile Gln Thr Asp Val
- Glu Arg Ile Lys Asp Thr Tyr Gly Arg Thr Gln Asn Glu Asp Phe Lys 705 710 715 720
- Lys Ala Leu Thr Asp Ala Asp Asn Ser Val Asn Lys Leu Thr Asn Lys
  725 730 735

Leu Pro Asp Leu Trp Arg Lys Ile Glu Ser Ile Asn Gln Gln Leu Leu
740 745 750

- Pro Leu Gly Asn Ile Ser Asp Asn Met Asp Arg Ile Arg Glu Leu Ile 755 760 765
- Gln Gln Ala Arg Asp Ala Ala Ser Lys Val Ala Val Pro Met Arg Phe
  770 775 780
- Asn Gly Lys Ser Gly Val Glu Val Arg Leu Pro Asn Asp Leu Glu Asp 785 790 795 800
- Leu Lys Gly Tyr Thr Ser Leu Ser Leu Phe Leu Gln Arg Pro Asn Ser 805 810 815
- Arg Glu Asn Gly Gly Thr Glu Asn Met Phe Val Met Tyr Leu Gly Asn 820 825 830
- Lys Asp Ala Ser Arg Asp Tyr Ile Gly Met Ala Val Val Asp Gly Gln 835 840 845
- Leu Thr Cys Val Tyr Asn Leu Gly Asp Arg Glu Ala Glu Leu Gln Val 850 855 860
- Asp Gln Ile Leu Thr Lys Ser Glu Thr Lys Glu Ala Val Met Asp Arg 865 870 870 875
- Val Lys Phe Gln Arg Ile Tyr Gln Phe Ala Arg Leu Asn Tyr Thr Lys 885 890 895
- Gly Ala Thr Ser Ser Lys Pro Glu Thr Pro Gly Val Tyr Asp Met Asp 900 905 910
- Gly Arg Asn Ser Asn Thr Leu Leu Asn Leu Asp Pro Glu Asn Val Val 915 920 925
- Phe Tyr Val Gly Gly Tyr Pro Pro Asp Phe Lys Leu Pro Ser Arg Leu 930 935 940
- Ser Phe Pro Pro Tyr Lys Gly Cys Ile Glu Leu Asp Asp Leu Asn Glu 945 950 955 960
- Asn Val Leu Ser Leu Tyr Asn Phe Lys Lys Thr Phe Asn Leu Asn Thr 965 970 975
- Thr Glu Val Glu Pro Cys Arg Arg Lys Glu Glu Ser Asp Lys Asn 980 985 990
- Tyr Phe Glu Gly Thr Gly Tyr Ala Arg Val Pro Thr Gln Pro His Ala 995 1000 1005
- Pro Ile Pro Thr Phe Gly Gln Thr Ile Gln Thr Thr Val Asp Arg Gly 1010 1015 1020
- Leu Leu Phe Phe Ala Glu Asn Gly Asp Arg Phe Ile Ser Leu Asn Ile 025 1030 1035 1040
- Glu Asp Gly Lys Leu Met Val Arg Tyr Lys Leu Asn Ser Glu Leu Pro 1045 1050 1055

Lys Glu Arg Gly Val Gly Asp Ala Ile Asn Asn Gly Arg Asp His Ser 1060 1065 1070

- Ile Gln Ile Lys Ile Gly Lys Leu Gln Lys Arg Met Trp Ile Asn Val 1075 1080 1085
- Asp Val Gln Asn Thr Ile ::le Asp Gly Glu Val Phe Asp Phe Ser Thr 1090 1095 1100
- Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg Glu Arg Phe Asn Ile 105 1110 1115 1120
- Ser Thr Pro Ala Phe Arg Gly Cys Met Lys Asn Leu Lys Lys Thr Ser 1125 1130 1135
- Gly Val Val Arg Leu Asn Asp Thr Val Gly Val Thr Lys Lys Cys Ser 1140 1145 1150
- Glu Asp Trp Lys Leu Val Arg Ser Ala Ser Phe Ser Arg Gly Gln 1155 1160 1165
- Leu Ser Phe Thr Asp Leu Gly Leu Pro Pro Thr Asp His Leu Gln Ala 1170 1175 1180
- Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly Ile Leu Leu Asp His 185 1190 1195 1200
- Gln Thr Trp Thr Arg Asn Leu Gln Val Thr Leu Glu Asp Gly Tyr Ile 1205 1210 1215
- Glu Leu Ser Thr Ser Asp Ser Gly Gly Pro Ile Phe Lys Ser Pro Gln 1220 1225 1230
- Thr Tyr Met Asp Gly Leu Leu His Tyr Val Ser Val Ile Ser Asp Asn 1235 1240 1245
- Ser Gly Leu Arg Leu Leu Ile Asp Asp Gln Leu Leu Arg Asn Ser Lys 1250 1255 1260
- Arg Leu Lys His Ile Ser Ser Ser Arg Gln Ser Leu Arg Leu Gly Gly 265 1270 1275 1280
- Ser Asn Phe Glu Gly Cys Ile Ser Asn Val Phe Val Gln Arg Leu Ser 1285 1290 1295
- Leu Ser Pro Glu Val Leu Asp Leu Thr Ser Asn Ser Leu Lys Arg Asp
- Val Ser Leu Gly Gly Cys Ser Leu Asn Lys Pro Pro Phe Leu Met Leu 1315 1320 1325
- Leu Lys Gly Ser Thr Arg Phe Asn Lys Thr Lys Thr Phe Arg Ile Asn 1330 1335 1340
- Gln Leu Leu Gln Asp Thr Pro Val Ala Ser Pro Arg Ser Val Lys Val 345 1350 1355 1360
- Trp Gln Asp Ala Cys Ser Pro Leu Pro Lys Thr Gln Ala Asn His Gly
  1365 1370 1375
- Ala Leu Gln Phe Gly Asp Ile Pro Thr Ser His Leu Leu Phe Lys Leu

1380 1385 1390

Pro Gln Glu Leu Lys Pro Arg Ser Gln Phe Ala Val Asp Met Gln 1395 1400 1405

- Thr Thr Ser Ser Arg Gly Leu Val Phe His Thr Gly Thr Lys Asn Ser 1410 1415 1420
- Phe Met Ala Leu Tyr Leu Ser Lys Gly Arg Leu Val Phe Ala Leu Gly
  425 1430 1435 1440
- Thr Asp Gly Lys Lys Leu Arg Ile Lys Ser Lys Glu Lys Cys Asn Asp 1445 1450 1455
- Gly Lys Trp His Thr Val Val Phe Gly His Asp Gly Glu Lys Gly Arg 1460 1465 1470
- Leu Val Val Asp Gly Leu Arg Ala Arg Glu Gly Ser Leu Pro Gly Asn 1475 1480 1485
- Ser Thr Ile Ser Ile Arg Ala Pro Val Tyr Leu Gly Ser Pro Pro Ser 1490 1495 1500
- Gly Lys Pro Lys Ser Leu Pro Thr Asn Ser Phe Val Gly Cys Leu Lys 505 1510 1515 1520
- Asn Phe Gln Leu Asp Ser Lys Pro Leu Tyr Thr Pro Ser Ser Phe 1525 1530 1535
- Gly Val Ser Ser Cys Leu Gly Gly Pro Leu Glu Lys Gly Ile Tyr Phe 1540 1545 1550
- Ser Glu Glu Gly Gly His Val Val Leu Ala His Ser Val Leu Leu Gly 1555 1560 1565
- Pro Glu Phe Lys Leu Val Phe Ser Ile Arg Pro Arg Ser Leu Thr Gly 1570 1575 1580
- Ile Leu Ile His Ile Gly Ser Gln Pro Gly Lys His Leu Cys Val Tyr 1585 1590 1595 1600
- Leu Glu Ala Gly Lys Val Thr Ala Ser Met Asp Ser Gly Ala Gly Gly 1605 1610 1615
- Thr Ser Thr Ser Val Thr Pro Lys Gln Ser Leu Cys Asp Gly Gln Trp
  1620 1625 1630
- His Ser Val Ala Val Thr Ile Lys Gln His Ile Leu His Leu Glu Leu 1635 1640 1645
- Asp Thr Asp Ser Ser Tyr Thr Ala Gly Gln Ile Pro Phe Pro Pro Ala 1650 1655 1660
- Ser Thr Gln Glu Pro Leu His Leu Gly Gly Ala Pro Ala Asn Leu Thr 665 1670 1680
- Thr Leu Arg Ile Pro Val Trp Lys Ser Phe Phe Gly Cys Leu Arg Asn 1685 1690 1695
- Ile His Val Asn His Ile Pro Val Pro Val Thr Glu Ala Leu Glu Val

Gln Gly Pro Val Ser Leu Asn Gly Cys Pro Asp Gln 1715 1720

<212	> 51 > DN	IA	sapie	ens												
	> CI	_	(5079	<del>)</del> )												
	caa						cag Gln									48
gcg Ala	agt Ser	tat Tyr	gtg Val 20	gag Glu	ttt Phe	aga Arg	ccc Pro	agc Ser 25	cag Gln	ggt Gly	tgt Cys	agc Ser	cct Pro 30	gga Gly	tac Tyr	96
tat Tyr	cgg Arg	gat Asp 35	cat His	aaa Lys	ggc Gly	ttg Leu	tat Tyr 40	acc Thr	gga Gly	cgg Arg	tgt Cys	gtt Val 45	ccc Pro	tgc Cys	aat Asn	144
tgc Cys	aac Asn 50	gga Gly	cat His	tca Ser	aat Asn	caa Gln 55	tgc Cys	cag Gln	gat Asp	ggc Gly	tca Ser 60	ggc Gly	ata Ile	tgt Cys	gtt Val	192
aac Asn 65	tgt Cys	cag Gln	cac His	aac Asn	acc Thr 70	gcg Ala	gga Gly	gag Glu	cac His	tgt Cys 75	gaa Glu	cgc Arg	tgc Cys	cag Gln	gag Glu 80	240
ggc Gly	tac Tyr	tat Tyr	ggc Gly	aac Asn 85	gcc Ala	gtc Val	cac His	gga Gly	tcc Ser 90	tgc Cys	agg Arg	gcc Ala	tgc Cys	ona Pro 95	tgt Cys	288
							act Thr									336
gtg Val	cgg Arg	tgc Cys 115	tcc Ser	tgc Cys	aaa Lys	gct Ala	ggg Gly 120	tac Tyr	aca Thr	gga Gly	aca Thr	cag Gln 125	tgt Cys	gaa Glu	agg Arg	384
tg <b>t</b> Cys	gca Ala 130	ccg Pro	gga Gly	tat Tyr	ttc Phe	ggg Gly 135	aat Asn	ccc Pro	cag Gln	aaa Lys	ttc Phe 140	gga Gly	ggt Gly	agc Ser	tgc Cys	432
caa Gln 145	cca Pro	tgc Cys	agt Ser	tgt Cys	aac Asn 150	agc Ser	aat Asn	ggc Gly	cag Gln	ctg Leu 155	ggc Gly	agc Ser	tgt Cys	cat His	ccc Pro 160	480
ctg Leu	act Thr	gga Gly	gac Asp	tgc Cys 165	ata Ile	aac Asn	caa Gln	gaa Glu	ccc Pro 170	aaa Lys	gat Asp	agc Ser	agc Ser	cct Pro 175	gca Ala	528
gaa Glu	gaa Glu	tgt Cys	gat Asp	gat Asp	tgc Cys	gac Asp	agc Ser	tgt Cys	gtg Val	atg Met	acc Thr	ctc Leu	ctg Leu	aac Asn	gac Asp	576



PCT/US00/11459 WO 00/66731

180		185	190
ctg gcc acc atg Leu Ala Thr Met 195	Gly Glu Gln	ctc cgc ctg gt Leu Arg Leu Va 200	tc aag tct cag ctg cag 624 al Lys Ser Gln Leu Gln 205
ggc ctg agt gcc Gly Leu Ser Ala 210	e age gea ggg a Ser Ala Gly 215	ctt ctg gag ca Leu Leu Glu G	ag atg agg cac atg gag 672 In Met Arg His Met Glu 220
acc cag gcc aag Thr Gln Ala Lys 225	g gac ctg agg s Asp Leu Arg 230	Asn Gln Leu Le	tc aac tac cgt tct gcc 720 eu Asn Tyr Arg Ser Ala 35 240
att tca aat cat Ile Ser Asn His	gga tca aaa Gly Ser Lys 245	ata gaa ggc ct Ile Glu Gly Le 250	tg gaa aga gaa ctg act 768 eu Glu Arg Glu Leu Thr 255
gat ttg aat caa Asp Leu Asn Glr 260	n Glu Phe Glu	act tta caa ga Thr Leu Gln G 265	aa aag gct caa gta aat 816 lu Lys Ala Gln Val Asn 270
tcc aga aaa gca Ser Arg Lys Ala 275	a caa aca tta a Gln Thr Leu	aac aac aat gi Asn Asn Asn Va 280	tt aat cgg gca aca caa 864 al Asn Arg Ala Thr Gln 285
agc gca aaa gaa Ser Ala Lys Glu 290	a cta gat gtg u Leu Asp Val 295	aag att aaa aa Lys Ile Lys As	at gtc atc cgg aat gtg 912 sn Val Ile Arg Asn Val 300
cac att ctt tta His Ile Leu Leu 305	a aag cag atc u Lys Gln Ile 310	Ser Gly Thr A	at gga gag gga aac aac 960 sp Gly Glu Gly Asn Asn 15 320
gtg cct tca ggt Val Pro Ser Gly	t gac ttt tcc y Asp Phe Ser 325	aga gag tgg go Arg Glu Trp A	ct gaa gcc cag cgc atg 1008 la Glu Ala Gln Arg Met 335
Met Arg Glu Le	g cgg aac agg u Arg Asn Arg 0	Asn Phe Gly Ly	ag cac ctc aga gaa gca 1056 ys His Leu Arg Glu Ala 350
Glu Ala Asp Lyd 355	s Arg Glu Ser	Gln Leu Leu Le 360	etg aac cgg ata agg acc 1104 eu Asn Arg Ile Arg Thr 365
Trp Gln Lys Th	r His Gln Gly 375	Glu Asn Asn G	gg ctt gct aac agt atc 1152 Sly Leu Ala Asn Ser Ile 380
Arg Asp Ser Le	u Asn Glu Tyr 390	Glu Ala Lys L 3	etc agt gac ctt cgt gct 1200 Leu Ser Asp Leu Arg Ala 195 400
Arg Leu Gln Gl	u Ala Ala Ala 405	Gln Ala Lys G 410	ag gca aat ggc ttg aac 1248 Sln Ala Asn Gly Leu Asn 415
caa gaa aac ga Gln Glu Asn Gl 42	u Arg Ala Leu	gga gcc att c Gly Ala Ile G 425	ag aga caa gtg aaa gaa 1296 In Arg Gln Val Lys Glu 430



WO 06. 66731 PCT/US00/11459

ata Ile	aat Asn	tçc Ser 435	ctg Leu	cag Gln	agt Ser	gat Asp	ttc Phe 440	acc Thr	aag Lys	tat Tyr	cta Leu	acc Thr 445	act Thr	gca Ala	gac Asp	1344
tca Ser	tct Ser 450	ttg Leu	ttg Leu	caa Gln	acc Thr	aac Asn 455	att Ile	gcg Ala	ctg Leu	cag Gln	ctg Leu 460	atg Met	gag Glu	aaa Lys	agc Ser	2.392
cag Gln 465	aag Lys	gaa Glu	tat Tyr	gaa Glu	aaa Lys 470	tta Leu	gct Ala	gcc Ala	agt Ser	tta Leu 475	aat Asn	gaa Glu	gca Ala	aga Arg	caa Gln 480	1440
gaa Glu	cta Leu	agt Ser	gac Asp	aaa Lys 485	gta Val	aga Arg	gaa Glu	ctt Leu	tcc Ser 490	aga Arg	tct Ser	gct Ala	ggc Gly	aaa Lys 495	aca Thr	1488
tcc Ser	ctt Leu	gtg Val	gag Glu 500	gag Glu	gca Ala	gaa Glu	aag Lys	cac His 505	gcg Ala	cgg Arg	tcc Ser	tta Leu	caa Gln 510	gag Glu	ctg Leu	1536
gca Ala	aag Lys	cag Gln 515	ctg Leu	gaa Glu	gag Glu	atc Ile	aag Lys 520	aga Arg	aac Asn	gcc Ala	agc Ser	999 Gly 525	gat Asp	gag Glu	ctg Leu	1584
gtg Val	cgc Arg 530	tgt Cys	gct Ala	gtg Val	gat Asp	gcc Ala 535	gcc Ala	acc Thr	gcc Ala	tac Tyr	gag Glu 540	aac Asn	atc Ile	ctc Leu	aat Asn	1632
gcc Ala 545	atc Ile	aaa Lys	gcg Ala	gcc Ala	gag Glu 550	gac Asp	gca Ala	gcc Ala	aac Asn	agg Arg 555	gct Ala	gcc Ala	agt Ser	gca Ala	tct Ser 560	1680
gaa Glu	tct Ser	gcc Ala	ctc Leu	cag Gln 565	aca Thr	gtg Val	ata Ile	aag Lys	gaa Glu 570	gat Asp	ctg Leu	cca Pro	aga Arg	aaa Lys 575	gct Ala	1728
aaa Lys	acc Thr	ctg Leu	agt Ser 580	tcc Ser	aac Asn	agt Ser	gat Asp	aaa Lys 585	ctg Leu	tta Leu	aat Asn	gaa Glu	gcc Ala 590	aag Lys	atg Met	1776
aca Thr	caa Gln	aag Lys 595	Lys	cta Leu	aag Lys	caa Gln	gaa Glu 600	gtc Val	agt Ser	cca Pro	gct Ala	ctc Leu 605	aac Asn	aac Asn	cta Leu	1824
cag Gln	caa Gln 610	Thr	ctg	aat Asn	att Ile	gtg Val 615	aca Thr	gtt Val	cag Gln	aaa Lys	gaa Glu 620	gtg Val	ata Ile	gac Asp	acc Thr	1872
aat Asn 625	Leu	aca Thr	act Thr	ctc Leu	cga Arg 630	gat Asp	ggt Gly	ctt Leu	cat His	ggg Gly 635	ata Ile	cag Gln	aga Arg	ggt Gly	gat Asp 640	1920
att Ile	gat Asp	gct Ala	atg Met	atc Ile 645	Ser	agt Ser	gca Ala	aag Lys	agc Ser 650	Met	gtc Val	aga Arg	aag Lys	gcc Ala 655	aac Asn	1968
gac Asp	atc Ile	aca Thr	gat Asp 660	Glu	gtt Val	ctg Leu	gat Asp	999 Gly 665	Leu	aac Asn	ccc Pro	atc Ile	cag Gln 670	aca Thr	gat Asp	2016



gtg Val	gaa Glu	aga Arg 675	att Ile	aag Lys	gac Asp	acc Thr	tat Tyr 680	gly aaa	agg Arg	aca Thr	cag Gln	aac Asn 685	gaa Glu	gac Asp	ttc Phe	2064
aaa Lys	aag Lys 690	gct Ala	ctg Leu	act Thr	gat Asp	gca Ala 695	gat Asp	aac Asn	tcg Ser	gtg Val	aat Asn 700	aag Lys	tta Leu	acc Thr	aac Asn	2112
aaa Lys 705	cta Leu	cct Pro	gat Asp	ctt Leu	tgg Trp 710	cgc Arg	aag Lys	att Ile	g <b>aa</b> Glu	agt Ser 715	atc Ile	aac Asn	caa Gln	cag Gln	ctg Leu 720	2160
ttg Leu	ccc Pro	ttg Leu	gga Gly	aac Asn 725	atc Ile	tct Ser	gac Asp	aac Asn	atg Met 730	gac Asp	aga Arg	ata Ile	cga Arg	gaa Glu 735	cta Leu	2208
att Ile	cag Gln	cag Gln	gcc Ala 740	aga Arg	gat Asp	gct Ala	gcc Ala	agt Ser 745	aag Lys	gtt Val	gct Ala	gtc Val	ccc Pro 750	atg Met	agg Arg	2256
ttc Phe	aat Asn	ggt Gly 755	aaa Lys	tct Ser	gga Gly	gtc Val	gaa Glu 760	gtc Val	cga Arg	ctg Leu	cca Pro	aat Asn 765	gac Asp	ctg Leu	g <b>aa</b> Glu	2304
gat Asp	ttg Leu 770	aaa Lys	gga Gly	tat Tyr	aca Thr	tct Ser 775	ctg Leu	tcc Ser	ttg Leu	ttt Phe	ctc Leu 780	caa Gln	agg Arg	ccc Pro	aac Asn	2352
tca Ser 785	aga Arg	gaa Glu	aat Asn	ggg Gly	ggt Gly 790	act Thr	gag Glu	aat Asn	atg Met	ttt Phe 795	gtg Val	atg Met	tac Tyr	ctt Leu	gga Gly 800	2400
aat Asn	aaa Lys	gat Asp	gcc Ala	tcc Ser 805	cgg Arg	gac Asp	tac Tyr	atc Ile	ggc Gly 810	atg Met	gca Ala	gtt Val	gtg Val	gat Asp 815	ggc Gly	2448
Gln	Leu	Thr	Cys 820	gtc Val	Tyr	Asn	Leu	Gly 825	Asp	Arg	Glu	Ala	Glu 830	Leu	Gln	2496
Val	Asp	Gln 835	Ile	ttg Leu	Thr	Lys	Ser 840	Glu	Thr	Lys	Glu	Ala 845	Val	Met	Asp	2544
Arg	Val 850	Lys	Phe	cag Gln	Arg	11e 855	Tyr	Gln	Phe	Ala	Arg 860	Leu	Asn	Tyr	Thr	2592
Lys 865	Gly	Ala	Thr	tcc Ser	Ser 870	Lys	Pro	Glu	Thr	Pro 875	Gly	Val	Tyr	Asp	Met 880	2640
Asp	Gly	Arg	Asn	agc Ser 885	Asn	Thr	Leu	Leu	890	Leu	Asp	Pro	Glu	Asn 895	Val	2688
gta Val	ttt. Phe	tat Tyr	gtt Val 900	gga Gly	ggt Gly	tac Tyr	cca Pro	ect Pro 905	Asp	ttt Phe	aaa Lys	ctt Leu	ccc Pro 910	Ser	cga Arg	2736
cta	agt	tto	cct	cca	tac	aaa	ggt	tgt	att	gaa	tta	gat	gac	ctc	aat	2784



Leu Ser Phe Pro Pro Tyr Lys Gly Cys Ile Glu Leu Asp Asp Leu Asn 915 920 925	
gaa aat gtt ctg agc ttg tac aac ttc aaa aaa aca ttc aat ctc aac Glu Asn Val Leu Ser Leu Tyr Asn Phe Lys Lys Thr Phe Asn Leu Asn 930 935 940	2832
aca act gaa gtg gag cct tgt aga agg agg aag gaa gag tca gac aaa Thr Thr Glu Val Glu Pro Cys Arg Arg Arg Lys Glu Glu Ser Asp Lys 945 950 955 960	2880
aat tat ttt gaa ggt acg ggc tat gct cga gtt cca act caa cca cat Asn Tyr Phe Glu Gly Thr Gly Tyr Ala Arg Val Pro Thr Gln Pro His 965 970 975	2928
gct ccc atc cca acc ttt gga cag aca att cag acc acc gtg gat aga Ala Pro Ile Pro Thr Phe Gly Gln Thr Ile Gln Thr Thr Val Asp Arg 980 985 990	2976
ggc ttg ctg ttc ttt gca gaa aac ggg gat cgc ttc ata tct cta aat Gly Leu Leu Phe Phe Ala Glu Asn Gly Asp Arg Phe Ile Ser Leu Asn 995 1000 1005	3024
ata gaa gat ggc aag ctc atg gtg aga tac aaa ctg aat tca gag cta Ile Glu Asp Gly Lys Leu Met Val Arg Tyr Lys Leu Asn Ser Glu Leu 1010 1015 1020	3072
cca aaa gag aga gga gtt gga gac gcc ata aac aac ggc aga gac cat Pro Lys Glu Arg Gly Val Gly Asp Ala Ile Asn Asn Gly Arg Asp His 1025 1030 1035 1040	3120
tcg att cag atc aaa att gga aaa ctc caa aag cgt atg tgg ata aat Ser Ile Gln Ile Lys Ile Gly Lys Leu Gln Lys Arg Met Trp Ile Asn 1045 1050 1055	3168
gtg gac gtt caa aac act ata att gat ggt gaa gta ttt gat ttc agc Val Asp Val Gln Asn Thr Ile Ile Asp Gly Glu Val Phe Asp Phe Ser 1060 1065 1070	3216
aca tat tat ctg gga gga att cca att gca atc agg gaa aga ttt aac Thr Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg Glu Arg Phe Asn 1075 1080 1085	3264
att tot acg cot got tto ega ggo tgo atg aaa aat ttg aag aaa acc Ile Ser Thr Pro Ala Phe Arg Gly Cys Met Lys Asn Leu Lys Lys Thr 1090 1095 1100	3312
agt ggt gtc gtt aga ttg aat gat act gtg gga gta acc aaa aag tgc Ser Gly Val Val Arg Leu Asn Asp Thr Val Gly Val Thr Lys Lys Cys 1105 1110 1115	3360
tcg gaa gac tgg aag ctt gtg cga tct gcc tca ttc tcc aga gga gga Ser Glu Asp Trp Lys Leu Val Arg Ser Ala Ser Phe Ser Arg Gly Gly 1125 1130 1135	3408
Caa ttg agt ttc act gat ttg ggc tta cca cct act gac cac ctc cag Gln Leu Ser Phe Thr Asp Leu Gly Leu Pro Pro Thr Asp His Leu Gln 1140 1145 1150	3456
gcc tca ttt gga ttt cag acc ttt caa ccc agt ggc ata tta tta gat Ala Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly Ile Leu Leu Asp	3504



1155 1160 1165

	Trp Thr Arg	_	g gtc act ctg n Val Thr Leu 1180	Glu Asp Gly	
			c ggc cca att y Gly Pro Ile 1195		
			t tat gta tct s Tyr Val Ser 1210		Asp
Asn Ser Gly			t gac cag ctt o Asp Gln Leu 5		
			c cgg cag tct r Arg Gln Ser		
	Phe Glu Gly		c aat gtt ttt r Asn Val Phe 1260	Val Gln Arg	
			g acc agt aac 1 Thr Ser Asn 1275		
			a aac aaa cca 1 Asn Lys Pro 1290		Met
Leu Leu Lys	ggt tct acc Gly Ser Thr 1300	agg ttt aa Arg Phe As: 130	c aag acc aag n Lys Thr Lys 5	act ttt cgt Thr Phe Arg 1310	atc 3936   Ile
			g gcc tcc cca l Ala Ser Pro		
	Asp Ala Cys		t ccc aag acc u Pro Lys Thr 1340	Gln Ala Asn	
gga gcc ctc Gly Ala Leu 1345	cag ttt ggg Gln Phe Gly 1350	gac att cc Asp Ile Pr	c acc agc cac o Thr Ser His 1355	ttg cta ttc Leu Leu Phe	aag 4080 Lys 1360
			g tca cag ttt g Ser Gln Phe 1370		Met
Gln Thr Thr			g ttt cac acg l Phe His Thr 5		
tcc ttt atg Ser Phe Met 1395	Ala Leu Tyr	ctt tca aa Leu Ser Ly 1400	a gga cgt ctg s Gly Arg Leu	gtc ttt gca Val Phe Ala 1405	a ctg 4224 a Leu

ggg aca gat ggg aaa aaa ttg agg atc aaa agc aag gag Gly Thr Asp Gly Lys Lys Leu Arg Ile Lys Ser Lys Glu 1410 1415 1420	
gat ggg aaa tgg cac acg gtg gtg ttt ggc cat gat ggg Asp Gly Lys Trp His Thr Val Val Phe Gly His Asp Gly 1425 1430 1435	gaa aag ggg 4320 Glu Lys Gly 1440
cgc ttg gtt gtg gat gga ctg agg gcc cgg gag gga agt Arg Leu Val Val Asp Gly Leu Arg Ala Arg Glu Gly Ser 1445 1450	ttg cct gga 4368 Leu Pro Gly 1455
aac tcc acc atc agc atc aga gcg cca gtt tac ctg gga Asn Ser Thr Ile Ser Ile Arg Ala Pro Val Tyr Leu Gly 1460 1465	
tca ggg aaa cca aag agc ctc ccc aca aac agc ttt gtg Ser Gly Lys Pro Lys Ser Leu Pro Thr Asn Ser Phe Val 1475 1480 1485	Gly Cys Leu
aag aac ttt cag ctg gat tca aaa ccc ttg tat acc cct Lys Asn Phe Gln Leu Asp Ser Lys Pro Leu Tyr Thr Pro 1490 1495 1500	tct tca agc 4512 Ser Ser Ser
ttc ggg gtg tct tcc tgc ttg ggt ggt cct ttg gag aaa Phe Gly Val Ser Ser Cys Leu Gly Gly Pro Leu Glu Lys 1505 1510 1515	
ttc tct gaa gaa gga ggt cat gtc gtc ttg gct cac tct Phe Ser Glu Glu Gly Gly His Val Val Leu Ala His Ser 1525 1530	gta ttg ttg 4608 Val Leu Leu 1535
ggg cca gaa ttt aag ctt gtt ttc agc atc cgc cca aga Gly Pro Glu Phe Lys Leu Val Phe Ser Ile Arg Pro Arg 1540 1545	agt ctc act 4656 Ser Leu Thr 1550
ggg atc cta ata cac atc gga agt cag ccc ggg aag cac Gly Ile Leu Ile His Ile Gly Ser Gln Pro Gly Lys His 1555 1560 1565	Leu Cys Val
tac ctg gag gca gga aag gtc acg gcc tct atg gac agt Tyr Leu Glu Ala Gly Lys Val Thr Ala Ser Met Asp Ser 1570 1575 1580	ggg gca ggt 4752 Gly Ala Gly
ggg acc tca acg tcg gtc aca cca aag cag tct ctg tgt Gly Thr Ser Thr Ser Val Thr Pro Lys Gln Ser Leu Cys 1585 1590 1595	gat gga cag 4800 Asp Gly Gln 1600
tgg cac tcg gtg gca gtc acc ata aaa caa cac atc ctg Trp His Ser Val Ala Val Thr Ile Lys Gln His Ile Leu 1605 1610	g cac ctg gaa 4848 n His Leu Glu 1615
ctg gac aca gac agt agc tac aca gct gga cag atc ccc Leu Asp Thr Asp Ser Ser Tyr Thr Ala Gly Gln Ile Pro 1620 1625	ttc cca cct 4896 Phe Pro Pro 1630
gcc agc act caa gag cca cta cac ctt gga ggt gct cca Ala Ser Thr Gln Glu Pro Leu His Leu Gly Gly Ala Pro 1635 1640 1645	o Ala Asn Leu



acg aca ctg agg atc cct gtg tgg aaa tca ttc ttt ggc tgt ctg agg Thr Thr Leu Arg Ile Pro Val Trp Lys Ser Phe Phe Gly Cys Leu Arg aat att cat gtc aat cac atc cct gtc cct gtc act gaa gcc ttg gaa Asn Ile His Val Asn His Ile Pro Val Pro Val Thr Glu Ala Leu Glu 1675 1670 5089 gto cag ggg cot gto agt otg aat ggt tgt cot gac cag taacccaago Val Gln Gly Pro Val Ser Leu Asn Gly Cys Pro Asp Gln ctatttcaca gcaaggaaat tcaccttcaa aagcactgat tacccaatgc acctccctcc 5149 ccagctcgag atcattcttc a 5170 <210> 4 <211> 1693 <212> PRT <213> Homo sapiens <400> 4 Gln Gln Arg Val Pro Phe Leu Gln Pro Pro Gly Gln Ser Gln Leu Gln Ala Ser Tyr Val Glu Phe Arg Pro Ser Gln Gly Cys Ser Pro Gly Tyr 25 20 Tyr Arg Asp His Lys Gly Leu Tyr Thr Gly Arg Cys Val Pro Cys Asn Cys Asn Gly His Ser Asn Gln Cys Gln Asp Gly Ser Gly Ile Cys Val 55 Asn Cys Gln His Asn Thr Ala Gly Glu His Cys Glu Arg Cys Gln Glu Gly Tyr Tyr Gly Asn Ala Val His Gly Ser Cys Arg Ala Cys Pro Cys 85 90 Pro His Thr Asn Ser Phe Ala Thr Gly Cys Val Val Asn Gly Gly Asp 100 105 Val Arg Cys Ser Cys Lys Ala Gly Tyr Thr Gly Thr Gln Cys Glu Arg 120 Cys Ala Pro Gly Tyr Phe Gly Asn Pro Gln Lys Phe Gly Gly Ser Cys Gln Pro Cys Ser Cys Asn Ser Asn Gly Gln Leu Gly Ser Cys His Pro 150 Leu Thr Gly Asp Cys Ile Asn Gln Glu Pro Lys Asp Ser Ser Pro Ala 170 Glu Glu Cys Asp Asp Cys Asp Ser Cys Val Met Thr Leu Leu Asn Asp 185 Leu Ala Thr Met Gly Glu Gln Leu Arg Leu Val Lys Ser Gln Leu Gln 205 200

PCT/US00/1. 59 WO 00/66731

Gly Leu Ser Ala Ser Ala Gly Leu Leu Glu Gln Met Arg His Met Glu Thr Gln Ala Lys Asp Leu Arg Asn Gln Leu Leu Asn Tyr Arg Ser Ala Ile Ser Asn His Gly Ser Lys Ile Glu Gly Leu Glu Arg Glu Leu Thr Asp Leu Asn Gln Glu Phe Glu Thr Leu Gln Glu Lys Ala Gln Val Asn Ser Arg Lys Ala Gln Thr Leu Asn Asn Asn Val Asn Arg Ala Thr Gln 280 Ser Ala Lys Glu Leu Asp Val Lys Ile Lys Asn Val Ile Arg Asn Val His Ile Leu Leu Lys Gln Ile Ser Gly Thr Asp Gly Glu Gly Asn Asn 315 Val Pro Ser Gly Asp Phe Ser Arg Glu Trp Ala Glu Ala Gln Arg Met Met Arg Glu Leu Arg Asn Arg Asn Phe Gly Lys His Leu Arg Glu Ala Glu Ala Asp Lys Arg Glu Ser Gln Leu Leu Leu Asn Arg Ile Arg Thr 360 355 Trp Gln Lys Thr His Gln Gly Glu Asn Asn Gly Leu Ala Asn Ser Ile Arg Asp Ser Leu Asn Glu Tyr Glu Ala Lys Leu Ser Asp Leu Arg Ala 390 385 Arg Leu Gln Glu Ala Ala Ala Gln Ala Lys Gln Ala Asn Gly Leu Asn Gln Glu Asn Glu Arg Ala Leu Gly Ala Ile Gln Arg Gln Val Lys Glu 420 Ile Asn Ser Leu Gln Ser Asp Phe Thr Lys Tyr Leu Thr Thr Ala Asp Ser Ser Leu Leu Gln Thr Asn Ile Ala Leu Gln Leu Met Glu Lys Ser 455 450 Gln Lys Glu Tyr Glu Lys Leu Ala Ala Ser Leu Asn Glu Ala Arg Gln Glu Leu Ser Asp Lys Val Arg Glu Leu Ser Arg Ser Ala Gly Lys Thr 485 Ser Leu Val Glu Glu Ala Glu Lys His Ala Arg Ser Leu Gln Glu Leu Ala Lys Gln L u Glu Glu Ile Lys Arg Asn Ala S r Gly Asp Glu Leu 520

Val Arg Cys Ala Val Asp Ala Ala Thr Ala Tyr Glu Asn Ile Leu Asn 535 Ala Ile Lys Ala Ala Glu Asp Ala Ala Asn Arg Ala Ala Ser Ala Ser 550 555 Glu Ser Ala Leu Gln Thr Val Ile Lys Glu Asp Leu Pro Arg Lys Ala 565 570 Lys Thr Leu Ser Ser Asn Ser Asp Lys Leu Leu Asn Glu Ala Lys Met Thr Gln Lys Lys Leu Lys Gln Glu Val Ser Pro Ala Leu Asn Asn Leu Gln Gln Thr Leu Asn Ile Val Thr Val Gln Lys Glu Val Ile Asp Thr Asn Leu Thr Thr Leu Arg Asp Gly Leu His Gly Ile Gln Arg Gly Asp Ile Asp Ala Met Ile Ser Ser Ala Lys Ser Met Val Arg Lys Ala Asn 645 650 Asp Ile Thr Asp Glu Val Leu Asp Gly Leu Asn Pro Ile Gln Thr Asp Val Glu Arg Ile Lys Asp Thr Tyr Gly Arg Thr Gln Asn Glu Asp Phe 680 Lys Lys Ala Leu Thr Asp Ala Asp Asn Ser Val Asn Lys Leu Thr Asn 695 Lys Leu Pro Asp Leu Trp Arg Lys Ile Glu Ser Ile Asn Gln Gln Leu 715 Leu Pro Leu Gly Asn Ile Ser Asp Asn Met Asp Arg Ile Arg Glu Leu Ile Gln Gln Ala Arg Asp Ala Ala Ser Lys Val Ala Val Pro Met Arg 745 Phe Asn Gly Lys Ser Gly Val Glu Val Arg Leu Pro Asn Asp Leu Glu Asp Leu Lys Gly Tyr Thr Ser Leu Ser Leu Phe Leu Gln Arg Pro Asn 775

Ser Arg Glu Asn Gly Gly Thr Glu Asn Met Phe Val Met Tyr Leu Gly 785 790 795 800

Asn Lys Asp Ala Ser Arg Asp Tyr Ile Gly Met Ala Val Val Asp Gly 805 810 815

Gln Leu Thr Cys Val Tyr Asn Leu Gly Asp Arg Glu Ala Glu Leu Gln 820 825 830


Val Asp Gln Ile Leu Thr Lys Ser Glu Thr Lys Glu Ala Val Met Asp 835 840 845

Arg Val Lys Phe Gln Arg Ile Tyr Gln Phe Ala Arg Leu Asn Tyr Thr

850 855 860

Lys Gly Ala Thr Ser Ser Lys Pro Glu Thr Pro Gly Val Tyr Asp Met 865 870 875 880

- Asp Gly Arg Asn Ser Asn Thr Leu Leu Asn Leu Asp Pro Glu Asn Val 885 890 895
- Val Phe Tyr Val Gly Gly Tyr Pro Pro Asp Phe Lys Leu Pro Ser Arg 900 905 910
- Leu Ser Phe Pro Pro Tyr Lys Gly Cys Ile Glu Leu Asp Asp Leu Asn 915 920 925
- Glu Asn Val Leu Ser Leu Tyr Asn Phe Lys Lys Thr Phe Asn Leu Asn 930 935 940
- Thr Thr Glu Val Glu Pro Cys Arg Arg Lys Glu Glu Ser Asp Lys 945 950 955 960
- Asn Tyr Phe Glu Gly Thr Gly Tyr Ala Arg Val Pro Thr Gln Pro His 965 970 975
- Ala Pro Ile Pro Thr Phe Gly Gln Thr Ile Gln Thr Thr Val Asp Arg 980 985 990
- Gly Leu Leu Phe Phe Ala Glu Asn Gly Asp Arg Phe Ile Ser Leu Asn 995 1000 1005
- Ile Glu Asp Gly Lys Leu Met Val Arg Tyr Lys Leu Asn Ser Glu Leu 1010 1015 1020
- Pro Lys Glu Arg Gly Val Gly Asp Ala Ile Asn Asn Gly Arg Asp His 1025 1030 1035 1040
- Ser Ile Gln Ile Lys Ile Gly Lys Leu Gln Lys Arg Met Trp Ile Asn 1045 1050 1055
- Val Asp Val Gln Asn Thr Ile Ile Asp Gly Glu Val Phe Asp Phe Ser 1060 1065 1070
- Thr Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg Glu Arg Phe Asn 1075 1080 1085
- Ile Ser Thr Pro Ala Phe Arg Gly Cys Met Lys Asn Leu Lys Lys Thr 1090 1095 1100
- Ser Gly Val Val Arg Leu Asn Asp Thr Val Gly Val Thr Lys Lys Cys 1105 1110 1115 1120
- Ser Glu Asp Trp Lys Leu Val Arg Ser Ala Ser Phe Ser Arg Gly Gly 1125 1130 1135
- Gln Leu Ser Phe Thr Asp Leu Gly Leu Pro Pro Thr Asp His Leu Gln 1140 1145 1150
- Ala Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly Ile Leu Leu Asp 1155 1160 1165
- His Gln Thr Trp Thr Arg Asn Leu Gln Val Thr Leu Glu Asp Gly Tyr 1170 1175 1180



1195

Gln Thr Tyr Met Asp Gly Leu Leu His Tyr Val Ser Val Ile Ser Asp 1205 1210 1215

- Asn Ser Gly Leu Arg Leu Leu Ile Asp Asp Gln Leu Leu Arg Asn Ser 1220 1225 1230
- Lys Arg Leu Lys His Ile Ser Ser Arg Gln Ser Leu Arg Leu Gly
  1235 1240 1245
- Gly Ser Asn Phe Glu Gly Cys Ile Ser Asn Val Phe Val Gln Arg Leu 1250 1255 1260
- Ser Leu Ser Pro Glu Val Leu Asp Leu Thr Ser Asn Ser Leu Lys Arg 1265 1270 1275 1280
- Asp Val Ser Leu Gly Gly Cys Ser Leu Asn Lys Pro Pro Phe Leu Met 1285 1290 1295
- Leu Leu Lys Gly Ser Thr Arg Phe Asn Lys Thr Lys Thr Phe Arg Ile 1300 1305 1310
- Asn Gln Leu Leu Gln Asp Thr Pro Val Ala Ser Pro Arg Ser Val Lys 1315 1320 1325
- Val Trp Gln Asp Ala Cys Ser Pro Leu Pro Lys Thr Gln Ala Asn His 1330 1335 1340
- Gly Ala Leu Gln Phe Gly Asp Ile Pro Thr Ser His Leu Leu Phe Lys 1345 1350 1355 1360
- Leu Pro Gln Glu Leu Leu Lys Pro Arg Ser Gln Phe Ala Val Asp Met 1365 1370 1375
- Gln Thr Thr Ser Ser Arg Gly Leu Val Phe His Thr Gly Thr Lys Asn 1380 1385 1390
- Ser Phe Met Ala Leu Tyr Leu Ser Lys Gly Arg Leu Val Phe Ala Leu 1395 1400 1405
- Gly Thr Asp Gly Lys Lys Leu Arg Ile Lys Ser Lys Glu Lys Cys Asn 1410 1415 1420
- Asp Gly Lys Trp His Thr Val Val Phe Gly His Asp Gly Glu Lys Gly 1425 1430 1435 1440
- Arg Leu Val Val Asp Gly Leu Arg Ala Arg Glu Gly Ser Leu Pro Gly 1445 1450 1455
- Asn Ser Thr Ile Ser Ile Arg Ala Pro Val Tyr Leu Gly Ser Pro Pro 1460 1465 1470
- Ser Gly Lys Pro Lys Ser Leu Pro Thr Asn Ser Phe Val Gly Cys Leu 1475 1480 1485
- Lys Asn Phe Gln L u Asp Ser Lys Pro Leu Tyr Thr Pro Ser Ser Ser 1490 1495 1500



Phe Gly Val Ser Ser Cys Leu Gly Gly Pro Leu Glu Lys Gly Ile Tyr 1505 1510 1515 1520

Phe Ser Glu Glu Gly Gly His Val Val Leu Ala His Ser Val Leu Leu
1525 1530 1535

Gly Pro Glu Phe Lys Leu Val Phe Ser Ile Arg Pro Arg Ser Leu Thr 1540 1545 1550

Gly Ile Leu Ile His Ile Gly Ser Gln Pro Gly Lys His Leu Cys Val 1555 1560 1565

Tyr Leu Glu Ala Gly Lys Val Thr Ala Ser Met Asp Ser Gly Ala Gly
1570 1580

Gly Thr Ser Thr Ser Val Thr Pro Lys Gln Ser Leu Cys Asp Gly Gln 1585 1590 1595 1600

Trp His Ser Val Ala Val Thr Ile Lys Gln His Ile Leu His Leu Glu
1605 1610 1615

Leu Asp Thr Asp Ser Ser Tyr Thr Ala Gly Gln Ile Pro Phe Pro Pro 1620 1635 1630

Ala Ser Thr Gln Glu Pro Leu His Leu Gly Gly Ala Pro Ala Asn Leu 1635 1640 1645

Thr Thr Leu Arg Ile Pro Val Trp Lys Ser Phe Phe Gly Cys Leu Arg 1650 1660

Asn Ile His Val Asn His Ile Pro Val Pro Val Thr Glu Ala Leu Glu 1665 1670 1675 1680

Val Gln Gly Pro Val Ser Leu Asn Gly Cys Pro Asp Gln 1685 1690

<210> 5

<211> 5433

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(5139)

<220>

<221> sig\_peptide

<222> (1)..(60)

400> 5

atg gga tgg ctg tgg atc ttt ggg gca gcc ctg ggg cag tgt ctg ggc 48
Met Gly Trp Leu Trp Ile Phe Gly Ala Ala Leu Gly Gln Cys Leu Gly
1 5 10 15

tac agt tca cag cag caa agg gtg cca ttt ctt cag cct ccc ggt caa 96
Tyr Ser Ser Gln Gln Gln Arg Val Pro Phe Leu Gln Pro Pro Gly Gln
20 25 30

agt caa ctg caa gcg agt tat gtg gag ttt aga ccc agc cag ggt tgt 144 Ser Gln Leu Gln Ala Ser Tyr Val Glu Phe Arg Pro Ser Gln Gly Cys

PCT/US00/11459

		35					40					45				
agc Ser	cct Pro 50	gga Gly	tac Tyr	tat Tyr	cgg Arg	gat Asp 55	cat His	aaa Lys	ggc Gly	ttg Leu	tat Tyr 60	acc Thr	gga Gly	cgg Arg	tgt Cys	192
gtt Val 65	ccc Pro	tgc Cys	aat Asn	tgc Cys	aac Asn 70	gga Gly	cat His	tca Ser	aat Asn	caa Gln 75	tgc Cys	cag Gln	gat Asp	ggc Gly	tca Ser 80	240
ggc Gly	ata Ile	tgt Cys	gtt Val	aac Asn 85	tgt Cys	cag Gln	cac His	aac Asn	acc Thr 90	gcg Ala	gga Gly	gag Glu	cac His	tgt Cys 95	gaa Glu	288
cgc Arg	tgc Cys	cag Gln	gag Glu 100	ggc Gly	tac Tyr	tat Tyr	ggc Gly	aac Asn 105	gcc Ala	gtc Val	cac His	gga Gly	tcc Ser 110	tgc Cys	agg Arg	336
gcc Ala	tgc Cys	cca Pro 115	tgt Cys	cct Pro	cac His	act Thr	aac Asn 120	agc Ser	ttt Phe	gcc Ala	act Thr	ggc Gly 125	tgt Cys	gtg Val	gtg Val	384
aat Asn	ggg Gly 130	gga Gly	gac Asp	gtg Val	cgg Arg	tgc Cys 135	tcc Ser	tgc Cys	aaa Lys	gct Ala	999 Gly 140	tac Tyr	aca Thr	gga Gly	aca Thr	432
cag Gln 145	tgt Cys	g <b>aa</b> Glu	agg Arg	tgt Cys	gca Ala 150	ccg Pro	gga Gly	tat Tyr	ttc Phe	999 Gly 155	aat Asn	ccc Pro	cag Gln	aaa Lys	ttc Phe 160	480
gga Gly	ggt Gly	agc Ser	tgc Cys	caa Gln 165	cca Pro	tgc Cys	agt Ser	tgt Cys	aac Asn 170	agc Ser	aat Asn	ggc Gly	cag Gln	ctg Leu 175	ggc Gly	528
agc Ser	tgt Cys	cat His	ccc Pro 180	ctg Leu	act Thr	gga Gly	gac Asp	tgc Cys 185	ata Ile	aac Asn	caa Gln	gaa Glu	ccc Pro 190	aaa Lys	gat Asp	576
agc Ser	agc Ser	cct Pro 195	gca Ala	gaa Glu	gaa Glu	tgt Cys	gat Asp 200	gat Asp	tgc Cys	gac Asp	agc Ser	tgt Cys 205	gtg Val	atg Met	acc Thr	624
ctc Leu	ctg Leu 210	aac Asn	gac Asp	ctg Leu	gcc Ala	acc Thr 215	atg Met	ggc Gly	gag Glu	cag Gln	ctc Leu 220	cgc Arg	ctg Leu	gtc Val	aag Lys	672
Ser 225	Gln	Leu	Gln	Gly	Leu 230	Ser	Ala	Ser	Ala	Gly 235	Leu	Leu	Glu	cag Gln	Met 240	720
agg Arg	cac His	atg Met	gag Glu	acc Thr 245	cag Gln	gcc Ala	aag Lys	gac Asp	ctg Leu 250	agg Arg	aat Asn	cag Gln	ttg Leu	ctc Leu 255	aac Asn	768
Tyr	Arg	Ser	Ala 260	Ile	Ser	Asn	His	Gly 265	Ser	Lys	Ile	Glu	Gly 270	ctg Leu	Glu	816
aga Arg	g <b>aa</b> Glu	ctg Leu 275	Thr	gat Asp	ttg Leu	aat Asn	caa Gln 280	gaa Glu	ttt Phe	gag Glu	act Thr	ttg Leu 285	caa Gln	gaa Glu	aag Lys	864



gct Ala	caa Gln 290	gta Val	aat Asn	tcc Ser	aga Arg	aaa Lys 295	gca Ala	caa Gln	aca Thr	tta Leu	aac Asn 300	aac Asn	aat Asn	gtt Val	aat Asn	912
cgg Arg 305	gca Ala	aca Thr	caa Gln	agc Ser	gca Ala 310	aaa Lys	gaa Glu	ctg Leu	gat Asp	gtg Val 315	aag Lys	att Ile	aaa Lys	aat Asn	gtc Val 320	960
atc Ile	cgg Arg	aat Asn	gtg Val	cac His 325	att Ile	ctt Leu	tta Leu	aag Lys	cag Gln 330	atc Ile	tct Ser	ggg Gly	aca Thr	gat Asp 335	gga Gly	1008
gag Glu	gga Gly	aac Asn	aac Asn 340	gtg Val	cct Pro	tca Ser	ggt Gly	gac Asp 345	ttt Phe	tcc Ser	aga Arg	gag Glu	tgg Trp 350	gct Ala	gaa Glu	1056
gcc Ala	cag Gln	cgc Arg 355	atg Met	atg Met	agg Arg	gaa Glu	ctg Leu 360	cgg Arg	aac Asn	agg Arg	aac Asn	ttt Phe 365	gga Gly	aag Lys	cac His	1104
ctc Leu	aga Arg 370	gaa Glu	gca Ala	gaa Glu	gct Ala	gat Asp 375	aaa Lys	agg Arg	gag Glu	tcg Ser	cag Gln 380	ctc Leu	ttg Leu	ctg Leu	aac Asn	1152
cgg Arg 385	ata Ile	agg Arg	acc Thr	tgg Trp	cag Gln 390	aaa Lys	acc Thr	cac His	cag Gln	999 Gly 395	gag Glu	aac Asn	aat Asn	gly ggg	ctt Leu 400	1200
gct Ala	aac Asn	agt Ser	atc Ile	cgg Arg 405	gat Asp	tct Ser	tta Leu	aat Asn	gaa Glu 410	tac Tyr	gaa Glu	gcc Ala	aaa Lys	ctc Leu 415	agt Ser	1248
gac Asp	ctt Leu	cgt Arg	gct Ala 420	cgg Arg	ctg Leu	cag Gln	gag Glu	gca Ala 425	gct Ala	gcc Ala	caa Gln	gcc Ala	aag Lys 430	cag Gln	gca Ala	1296
aat Asn	ggc Gly	ttg Leu 435	aac Asn	caa Gln	gaa Glu	aac Asn	gag Glu 440	aga Arg	gct Ala	ttg Leu	gga Gly	gcc Ala 445	att Ile	cag Gln	aga Arg	1344
caa Gln	gtg Val 450	aaa Lys	gaa Glu	ata Ile	aat Asn	tcc Ser 455	ctg Leu	cag Gln	agt Ser	gat Asp	ttc Phe 460	acc Thr	aag Lys	tat Tyr	cta Leu	1392
acc Thr 465	act Thr	gca Ala	gac Asp	tca Ser	tct Ser 470	ttg Leu	ttg Leu	caa Gln	acc Thr	aac Asn 475	att Ile	gcg Ala	ctg Leu	cag Gln	ctg Leu 480	1440
atg Met	gag Glu	aaa Lys	agc Ser	cag Gln 485	aag Lys	gaa Glu	tat Tyr	gaa Glu	aaa Lys 490	tta Leu	gct Ala	gcc Ala	agt Ser	tta Leu 495	aat Asn	1488
gaa Glu	gca Ala	aga Arg	caa Gln 500	gaa Glu	cta Leu	agt Ser	gac Asp	а <b>аа</b> <b>Lys</b> 505	gta Val	aga Arg	gaa Glu	ctt Leu	tcc Ser 510	aga Arg	tct Ser	1536
gct Ala	ggc Gly	aaa Lys 515	Thr	tcc Ser	ctt Leu	gtg Val	gag Glu 520	gag Glu	gca Ala	gaa Glu	aag Lys	cac His 525	gcg Ala	cgg Arg	tcc Ser	1584

PC:/US00/11459

WO 00/66731



Val	Pro 770	Met	Arg	Phe	Asn	Gly 775	Lys	Ser	Gly	Val	Glu 780	Val	Arg	Leu	Pro	
aat Asn 785	gac Asp	ctg Leu	gaa Glu	gat Asp	ttg Leu 790	aaa Lys	gga Gly	tat Tyr	aca Thr	tct Ser 795	ctg Leu	tcc Ser	ttg Leu	ttt Phe	ctc Leu 800	2400
caa Gln	agg Arg	ccc Pro	aac Asn	tca Ser 805	aga Arg	gaa Glu	aat Asn	ggg Gly	ggt Gly 810	act Thr	gag Glu	aat Asn	atg Met	ttt Phe 815	gtg Val	2448
atg Met	tac Tyr	ctt Leu	gga Gly 820	aat Asn	aaa Lys	gat Asp	gcc Ala	tcc Ser 825	cgg Arg	gac Asp	tac Tyr	atc Ile	ggc Gly 830	atg Met	gca Ala	2496
gtt Val	gtg Val	gat Asp 835	ggc Gly	cag Gln	ctc Leu	acc Thr	tgt Cys 840	gtc Val	tac Tyr	aac Asn	ctg Leu	999 Gly 845	gac Asp	cgt Arg	gag Glu	2544
gct Ala	gaa Glu 850	ctc Leu	caa Gln	gtg Val	gac Asp	cag Gln 855	atc Ile	ttg Leu	acc Thr	aag Lys	agt Ser 860	gag Glu	act Thr	aag Lys	gag Glu	2592
gca Ala 865	gtt Val	atg Met	gat Asp	cgg Arg	gtg Val 870	aaa Lys	ttt Phe	cag Gln	aga Arg	att Ile 875	tat Tyr	cag Gln	ttt Phe	gca Ala	agg Arg 880	2640
ctt Leu	aat Asn	tac Tyr	acc Thr	aaa Lys 885	gga Gly	gcc Ala	aca Thr	tcc Ser	agt Ser 890	aaa Lys	cca Pro	gaa Glu	aca Thr	ccc Pro 895	gga Gly	2688
gtc Val	tat Tyr	gac Asp	atg Met 900	gat Asp	ggt Gly	aga Arg	aat Asn	agc Ser 905	aat Asn	aca Thr	ctc Leu	ctt Leu	aat Asn 910	ttg Leu	gat Asp	2736
Val	tat Tyr gaa Glu	Asp	Met 900 gtt	Asp gta	Gly ttt	Arg tat	Asn gtt	Ser 905 gga	Asn ggt	Thr	Leu	Leu	Asn 910 gat	Leu	Asp aaa	2736 2784
Val cct Pro	Tyr gaa	Asp aat Asn 915	Met 900 gtt Val cga	Asp gta Val	Gly ttt Phe	Arg tat Tyr	Asn gtt Val 920 cct	Ser 905 gga Gly cca	Asn ggt Gly tac	Thr tac Tyr	cca Pro	cct Pro 925	Asn 910 gat Asp	ttt Phe	Asp aaa Lys tta	
cct Pro ctt Leu	Tyr gaa Glu ccc Pro	aat Asn 915 agt Ser	Met 900 gtt Val cga Arg	gta Val cta Leu	Gly ttt Phe agt ser	tat Tyr ttc Phe 935	gtt Val 920 cct Pro	ser 905 gga Gly cca Pro	Asn ggt Gly tac Tyr	tac Tyr aaa Lys	cca Pro ggt Gly 940	cct Pro 925 tgt Cys	Asn 910 gat Asp att Ile	ttt Phe gaa Glu	aaa Lys tta Leu	2784
cct Pro ctt Leu gat Asp 945	gaa Glu ccc Pro 930	aat Asn 915 agt Ser ctc Leu	Met 900 gtt Val cga Arg aat Asn	gta Val cta Leu gaa Glu	Gly ttt Phe agt Ser aat Asn 950	tat Tyr ttc Phe 935 gtt Val	Asn gtt Val 920 cct Pro ctg Leu	ser 905 gga Gly cca Pro agc ser	Asn ggt Gly tac Tyr ttg Leu cct	tac Tyr aaa Lys tac Tyr 955	cca Pro ggt Gly 940 aac Asn	cct Pro 925 tgt Cys ttc Phe	Asn 910 gat Asp att Ile aaa Lys	ttt Phe gaa Glu aaa Lys	aaa Lys tta Leu aca Thr 960	2784
cct Pro ctt Leu gat Asp 945 ttc Phe	gaa Glu ccc Pro 930 gac Asp	aat Asn 915 agt Ser ctc Leu ctc	Met 900 gtt Val cga Arg aat Asn	gta Val cta Leu gaa Glu aca Thr 965	Gly ttt Phe agt Ser aat Asn 950 act Thr	tat Tyr ttc Phe 935 gtt Val gaa Glu	Asn gtt Val 920 cct Pro ctg Leu gtg Val	ser 905 gga Gly cca Pro agc ser gag Glu	Asn ggt Gly tac Tyr ttg Leu cct Pro 970 acg	Thr tac Tyr aaa Lys tac Tyr 955 tgt Cys	cca Pro ggt Gly 940 aac Asn aga Arg	cct Pro 925 tgt Cys ttc Phe agg Arg	Asn 910 gat Asp att Ile aaa Lys agg Arg	ttt Phe gaa Glu aaa Lys aag Lys 975 gtt	aaa Lys tta Leu aca Thr 960 gaa Glu	2784 2832 2880
cct Pro ctt Leu gat Asp 945 ttc Phe gag Glu act	gaa Glu ccc Pro 930 gac Asp aat	Asp aat Asn 915 agt Ser ctc Leu ctc Leu gac Asp	Met 900 gtt Val cga Arg aat Asn aac Asn aaa Lys 980 cat	gta Val cta Leu gaa Glu aca Thr 965 aat Asn	Gly ttt Phe agt Ser aat Asn 950 act Thr tat Tyr	tat Tyr ttc Phe 935 gtt Val gaa Glu ttt Phe	Asn gtt Val 920 cct Pro ctg Leu gtg Val gaa Glu cca	ser 905 gga Gly cca Pro agc ser gag Glu ggt Gly 985 acc	Asn ggt Gly tac Tyr ttg Leu cct Pro 970 acg Thr	tac Tyr aaa Lys tac Tyr 955 tgt Cys ggc Gly	cca Pro ggt Gly 940 aac Asn aga Arg tat Tyr	cct Pro 925 tgt Cys ttc Phe agg Arg gct Ala	Asn 910 gat Asp att Ile aaa Lys agg Arg cga Arg 990 att	ttt Phe gaa Glu aaa Lys aag Lys 975 gtt Val	Asp  aaa Lys  tta Leu  aca Thr 960  gaa Glu  cca Pro acc	2784 2832 2880 2928




ata tot ota aat ata gaa gat ggo aag oto atg gtg aga tac aaa otg Ile Ser Leu Asn Ile Glu Asp Gly Lys Leu Met Val Arg Tyr Lys Leu aat toa gag ota oou aaa gag aga gga gtt gga gac goo ata aac aac Asn Ser Glu Leu Pro Lys Glu Arg Gly Val Gly Asp Ala Ile Asn Asn qqc aga qac cat tcg att cag atc aaa att gga aaa ctc caa aag cgt Gly Arg Asp His Ser Ile Gln Ile Lys Ile Gly Lys Leu Gln Lys Arg atg tgg ata aat gtg gac gtt caa aac act ata att gat ggt gaa gta Met Trp Ile Asn Val Asp Val Gln Asn Thr Ile Ile Asp Gly Glu Val ttt gat ttc agc aca tat tat ctg gga gga att cca att gca atc agg Phe Asp Phe Ser Thr Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg gaa aga ttt aac att tct acg cct gct ttc cga ggc tgc atg aaa aat Glu Arg Phe Asn Ile Ser Thr Pro Ala Phe Arg Gly Cys Met Lys Asn ttg aag aaa acc agt ggt gtc gtt aga ttg aat gat act gtg gga gta Leu Lys Lys Thr Ser Gly Val Val Arg Leu Asn Asp Thr Val Gly Val acc aaa aag tgc tcg gaa gac tgg aag ctt gtg cga tct gcc tca ttc Thr Lys Lys Cys Ser Glu Asp Trp Lys Leu Val Arg Ser Ala Ser Phe tcc aga gga gga caa ttg agt ttc act gat ttg ggc tta cca cct act Ser Arg Gly Gly Gln Leu Ser Phe Thr Asp Leu Gly Leu Pro Pro Thr qac cac ctc cag gcc tca ttt gga ttt cag acc ttt caa ccc agt ggc Asp His Leu Gln Ala Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly ata tta tta gat cat cag aca tgg aca agg aac ctg cag gtc act ctg Ile Leu Leu Asp His Gln Thr Trp Thr Arg Asn Leu Gln Val Thr Leu gaa gat ggt tac att gaa ttg agc acc agc gat agc ggc ggc cca att Glu Asp Gly Tyr Ile Glu Leu Ser Thr Ser Asp Ser Gly Gly Pro Ile ttt aaa tct cca cag acg tat atg gat ggt tta ctg cat tat gta tct Phe Lys Ser Pro Gln Thr Tyr Met Asp Gly Leu Leu His Tyr Val Ser qta ata age gae aac tet gga eta egg ett ete ate gat gae eag ett Val Ile Ser Asp Asn Ser Gly Leu Arg Leu Leu Ile Asp Asp Gln Leu

.1240

ctg aga aat agc aaa agg cta aaa cac att tca agt tcc cgg cag tct

Leu Arg Asn Ser Lys Arg Leu Lys His Ile Ser Ser Ser Arg Gln Ser



PCT/US00/11459

WO 00/66731

·	
gtg gga tgc ctg aag aac ttt cag ctg gat tca aaa ccc ttg tat acc Val Gly Cys Leu Lys Asn Phe Gln Leu Asp Ser Lys Pro Leu Tyr Thr 1505 1510 1515 1520	4560
cct tct tca age tte ggg gtg tct tce tge ttg ggt ggt cct ttg gag Pro Ser Ser Phe Gly Val Ser Ser Cys Leu Gly Gly Pro Leu Glu 1525 1530 1535	4608
aaa ggc att tat ttc tct gaa gaa gga ggt cat gtc gtc ttg gct cac Lys Gly Ile Tyr Phe Ser Glu Glu Gly Gly His Val Val Leu Ala His 1540 1545 1550	4656
tct gta ttg ttg ggg cca gaa ttt aag ctt gtt ttc agc atc cgc cca Ser Val Leu Leu Gly Pro Glu Phe Lys Leu Val Phe Ser Ile Arg Pro 1555 1560 1565	4704
aga agt ctc act ggg atc cta ata cac atc gga agt cag ccc ggg aag Arg Ser Leu Thr Gly Ile Leu Ile His Ile Gly Ser Gln Pro Gly Lys 1570 1575 1580	4752
cac tta tgt gtt tac ctg gag gca gga aag gtc acg gcc tct atg gac His Leu Cys Val Tyr Leu Glu Ala Gly Lys Val Thr Ala Ser Met Asp 1585 1590 1595 1600	4800
agt ggg gca ggt ggg acc tca acg tcg gtc aca cca aag cag tct ctg Ser Gly Ala Gly Gly Thr Ser Thr Ser Val Thr Pro Lys Gln Ser Leu 1605 1610 1615	4848
tgt gat gga cag tgg cac tcg gtg gca gtc acc ata aaa caa cac atc Cys Asp Gly Gln Trp His Ser Val Ala Val Thr Ile Lys Gln His Ile 1620 1625 1630	4896
ctg cac ctg gaa ctg gac aca gac agt agc tac aca gct gga cag atc Leu His Leu Glu Leu Asp Thr Asp Ser Ser Tyr Thr Ala Gly Gln Ile 1635 1640 1645	4944
ccc ttc cca cct gcc agc act caa gag cca cta cac ctt gga ggt gct Pro Phe Pro Pro Ala Ser Thr Gln Glu Pro Leu His Leu Gly Gly Ala 1650 1660	4992
cca gcc aat ttg acg aca ctg agg atc cct gtg tgg aaa tca ttc ttt Pro Ala Asn Leu Thr Thr Leu Arg Ile Pro Val Trp Lys Ser Phe Phe 1665 1670 1675 1680	5040
ggc tgt ctg agg aat att cat gtc aat cac atc cct gtc cct gtc act Gly Cys Leu Arg Asn Ile His Val Asn His Ile Pro Val Pro Val Thr 1685 1690 1695	5088
gaa gcc ttg gaa gtc cag ggg cct gtc agt ctg aat ggt tgt cct gac SGlu Ala Leu Glu Val Gln Gly Pro Val Ser Leu Asn Gly Cys Pro Asp 1700 1705 1710	5136
cag taacccaagc ctatttcaca gcaaggaaat tcaccttcaa aagcactgat 5	5189
tacccaatgc acctccctcc ccagctcgag atcattcttc aattaggaca caaaccagac	5249
aggtttaata gcgaatctaa ttttgaattc tgaccatgga tacccatcac tttggcattc 5	5309
agtgctacat gtgtatttta tataaaaatc ccatttcttg aagataaaaa aattgttatt	5369

caaattgtta tgcacagaat gtttttggta atattaattt ccactaaaaa attaaatgtc 5429

tttt 5433

<210> 6

<211> 1713

<212> PRT

<213> Homo sapiens

<400> 6

Met Gly Trp Leu Trp Ile Phe Gly Ala Ala Leu Gly Gln Cys Leu Gly
1 10 15

Tyr Ser Ser Gln Gln Gln Arg Val Pro Phe Leu Gln Pro Pro Gly Gln
20 25 30

Ser Gln Leu Gln Ala Ser Tyr Val Glu Phe Arg Pro Ser Gln Gly Cys 35 40 45

Ser Pro Gly Tyr Tyr Arg Asp His Lys Gly Leu Tyr Thr Gly Arg Cys
50 60

Val Pro Cys Asn Cys Asn Gly His Ser Asn Gln Cys Gln Asp Gly Ser
65 70 75 80

Gly Ile Cys Val Asn Cys Gln His Asn Thr Ala Gly Glu His Cys Glu 85 90 95

Arg Cys Gln Glu Gly Tyr Tyr Gly Asn Ala Val His Gly Ser Cys Arg
100 105 110

Ala Cys Pro Cys Pro His Thr Asn Ser Phe Ala Thr Gly Cys Val Val 115 120 125

Asn Gly Gly Asp Val Arg Cys Ser Cys Lys Ala Gly Tyr Thr Gly Thr 130 135 140

Gln Cys Glu Arg Cys Ala Pro Gly Tyr Phe Gly Asn Pro Gln Lys Phe 145 150 155 160

Gly Gly Ser Cys Gln Pro Cys Ser Cys Asn Ser Asn Gly Gln Leu Gly 165 170 175

Ser Cys His Pro Leu Thr Gly Asp Cys Ile Asn Gln Glu Pro Lys Asp 180 185 190


Ser Ser Pro Ala Glu Glu Cys Asp Asp Cys Asp Ser Cys Val Met Thr 195 200 205

Leu Leu Asn Asp Leu Ala Thr Met Gly Glu Gln Leu Arg Leu Val Lys 210 215 220

Ser Gln Leu Gln Gly Leu Ser Ala Ser Ala Gly Leu Leu Glu Gln Met 225 230 235 240

Arg His Met Glu Thr Gln Ala Lys Asp Leu Arg Asn Gln Leu Leu Asn 245 250 255

Tyr Arg Ser Ala Ile Ser Asn His Gly Ser Lys Ile Glu Gly Leu Glu 260 265 270





Pro Arg Lys Ala Lys Thr Leu Ser Ser Asn Ser Asp Lys Leu Leu Asn 595 600 605

Glu Ala Lys Met Thr Gln Lys Lys Leu Lys Gln Glu Val Ser Pro Ala 610 615 620

Leu Asn Asn Leu Gln Gln Thr Leu Asn Ile Val Thr Val Gln Lys Glu 625 630 635 640

Val Ile Asp Thr Asn Leu Thr Thr Leu Arg Asp Gly Leu His Gly Ile 645 650 655

Gln Arg Gly Asp Ile Asp Ala Met Ile Ser Ser Ala Lys Ser Met Val 660 665 670

Arg Lys Ala Asn Asp Ile Thr Asp Glu Val Leu Asp Gly Leu Asn Pro 675 680 685

Ile Gln Thr Asp Val Glu Arg Ile Lys Asp Thr Tyr Gly Arg Thr Gln 690 695 700

Asn Glu Asp Phe Lys Lys Ala Leu Thr Asp Ala Asp Asn Ser Val Asn 705 710 715 720

Lys Leu Thr Asn Lys Leu Pro Asp Leu Trp Arg Lys Ile Glu Ser Ile
725 730 735

Asn Gln Gln Leu Leu Pro Leu Gly Asn Ile Ser Asp Asn Met Asp Arg
740 745 750

Ile Arg Glu Leu Ile Gln Gln Ala Arg Asp Ala Ala Ser Lys Val Ala 755 760 765

Val Pro Met Arg Phe Asn Gly Lys Ser Gly Val Glu Val Arg Leu Pro 770 775 780

Asn Asp Leu Glu Asp Leu Lys Gly Tyr Thr Ser Leu Ser Leu Phe Leu 785 790 795 800

Gln Arg Pro Asn Ser Arg Glu Asn Gly Gly Thr Glu Asn Met Phe Val

Met Tyr Leu Gly Asn Lys Asp Ala Ser Arg Asp Tyr Ile Gly Met Ala 820 825 830

Val Val Asp Gly Gln Leu Thr Cys Val Tyr Asn Leu Gly Asp Arg Glu 835 840 845

Ala Glu Leu Gln Val Asp Gln Ile Leu Thr Lys Ser Glu Thr Lys Glu 850 855 860

Ala Val Met Asp Arg Val Lys Phe Gln Arg Ile Tyr Gln Phe Ala Arg 865 870 875 880

Leu Asn Tyr Thr Lys Gly Ala Thr Ser Ser Lys Pro Glu Thr Pro Gly 885 890 895

Val Tyr Asp Met Asp Gly Arg Asn Ser Asn Thr Leu Leu Asn Leu Asp 900 905 910

Pro Glu Asn Val Val Phe Tyr Val Gly Gly Tyr Pro Pro Asp Phe Lys

WO 00/66731

915 920 925

- Leu Pro Ser Arg Leu Ser Phe Pro Pro Tyr Lys Gly Cys Ile Glu Leu 930 935 940
- Asp Asp Leu Asn Glu Asn Val Leu Ser Leu Tyr Asn Phe Lys Lys Thr 945 950 955 960
- Phe Asn Leu Asn Thr Thr Glu Val Glu Pro Cys Arg Arg Arg Lys Glu
  965 970 975
- Glu Ser Asp Lys Asn Tyr Phe Glu Gly Thr Gly Tyr Ala Arg Val Pro 980 985 990
- Thr Gln Pro His Ala Pro Ile Pro Thr Phe Gly Gln Thr Ile Gln Thr 995 1000 1005
- Thr Val Asp Arg Gly Leu Leu Phe Phe Ala Glu Asn Gly Asp Arg Phe 1010 1015 1020
- Ile Ser Leu Asn Ile Glu Asp Gly Lys Leu Met Val Arg Tyr Lys Leu 1025 1030 1035 1040
- Asn Ser Glu Leu Pro Lys Glu Arg Gly Val Gly Asp Ala Ile Asn Asn 1045 1050 1055
- Gly Arg Asp His Ser Ile Gln Ile Lys Ile Gly Lys Leu Gln Lys Arg 1060 1065 1070
- Met Trp Ile Asn Val Asp Val Gln Asn Thr Ile Ile Asp Gly Glu Val
- Phe Asp Phe Ser Thr Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg 1090 1095 1100
- Glu Arg Phe Asn Ile Ser Thr Pro Ala Phe Arg Gly Cys Met Lys Asn 1105 1115 1120
- Leu Lys Lys Thr Ser Gly Val Val Arg Leu Asn Asp Thr Val Gly Val 1125 1130 1135
- Thr Lys Lys Cys Ser Glu Asp Trp Lys Leu Val Arg Ser Ala Ser Phe 1140 1145 1150
- Ser Arg Gly Gly Gln Leu Ser Phe Thr Asp Leu Gly Leu Pro Pro Thr
- Asp His Leu Gln Ala Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly 1170 1175 1180
- Ile Leu Leu Asp His Gln Thr Trp Thr Arg Asn Leu Gln Val Thr Leu 1185 1190 1195 1200
- Glu Asp Gly Tyr Ile Glu Leu Ser Thr Ser Asp Ser Gly Gly Pro Ile 1205 1210 1215
- Phe Lys Ser Pro Gln Thr Tyr Met Asp Gly Leu Leu His Tyr Val Ser
- Val Ile Ser Asp Asn Ser Gly Leu Arg Leu Leu Ile Asp Asp Gln Leu 1235 1240 1245



- Leu Arg Asn Ser Lys Arg Leu Lys His Ile Ser Ser Ser Arg Gln Ser 1250 1255 1260
- Leu Arg Leu Gly Gly Ser Asn Phe Glu Gly Cys Ile Ser Asn Val Phe 1265 1270 1275 1280
- Val Gln Arg Leu Ser Leu Ser Pro Glu Val Leu Asp Leu Thr Ser Asn 1285 1290 1295
- Ser Leu Lys Arg Asp Val Ser Leu Gly Gly Cys Ser Leu Asn Lys Pro 1300 1305 1310
- Pro Phe Leu Met Leu Lys Gly Ser Thr Arg Phe Asn Lys Thr Lys 1315 1320 1325
- Thr Phe Arg Ile Asn Gln Leu Leu Gln Asp Thr Pro Val Ala Ser Pro 1330 1335 1340
- Arg Ser Val Lys Val Trp Gln Asp Ala Cys Ser Pro Leu Pro Lys Thr 1345 1350 1355 1360
- Gln Ala Asn His Gly Ala Leu Gln Phe Gly Asp Ile Pro Thr Ser His 1365 1370 1375
- Leu Leu Phe Lys Leu Pro Gln Glu Leu Leu Lys Pro Arg Ser Gln Phe 1380 1385 1390
- Ala Val Asp Met Gln Thr Thr Ser Ser Arg Gly Leu Val Phe His Thr 1395 1400 1405
- Gly Thr Lys Asn Ser Phe Met Ala Leu Tyr Leu Ser Lys Gly Arg Leu 1410 1415 1420
- Val Phe Ala Leu Gly Thr Asp Gly Lys Lys Leu Arg Ile Lys Ser Lys 1425 1430 1435 1440
- Glu Lys Cys Asn Asp Gly Lys Trp His Thr Val Val Phe Gly His Asp 1445 1450 1455
- Gly Glu Lys Gly Arg Leu Val Val Asp Gly Leu Arg Ala Arg Glu Gly
  1460 1465 1470
- Ser Leu Pro Gly Asn Ser Thr Ile Ser Ile Arg Ala Pro Val Tyr Leu 1475 1480 1485
- Gly Ser Pro Pro Ser Gly Lys Pro Lys Ser Leu Pro Thr Asn Ser Phe 1490 1495 1500
- Val Gly Cys Leu Lys Asn Phe Gln Leu Asp Ser Lys Pro Leu Tyr Thr 1505 1510 1515 1520
- Pro Ser Ser Ser Phe Gly Val Ser Ser Cys Leu Gly Gly Pro Leu Glu 1525 1530 1535
- Lys Gly Ile Tyr Phe Ser Glu Glu Gly Gly His Val Val Leu Ala His 1540 1545 1550
- Ser Val Leu Leu Gly Pro Glu Phe Lys Leu Val Phe Ser Ile Arg Pro 1555 1560 1565



Arg Ser Leu Thr Gly Ile Leu Ile His Ile Gly Ser Gln Pro Gly Lys 1570 1575 1580

His Leu Cys Val Tyr Leu Glu Ala Gly Lys Val Thr Ala Ser Met Asp 1585 1590 1595 1600

Ser Gly Ala Gly Gly Thr Ser Thr Ser Val Thr Pro Lys Gln Ser Leu 1605 1610 1615

Cys Asp Gly Gln Trp His Ser Val Ala Val Thr Ile Lys Gln His Ile 1620 1630

Leu His Leu Glu Leu Asp Thr Asp Ser Ser Tyr Thr Ala Gly Gln Ile 1635 1640 1645

Pro Phe Pro Pro Ala Ser Thr Gln Glu Pro Leu His Leu Gly Gly Ala 1650 1660

Pro Ala Asn Leu Thr Thr Leu Arg Ile Pro Val Trp Lys Ser Phe Phe 1665 1670 1675 1680

Gly Cys Leu Arg Asn Ile His Val Asn His Ile Pro Val Pro Val Thr 1685 1690 1695

Glu Ala Leu Glu Val Gln Gly Pro Val Ser Leu Asn Gly Cys Pro Asp 1700 1705 1710

Gln

<210> 7

<211> 5373

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(5079)

<400> 7


cag caa agg gtg cca ttt ctt cag cct ccc ggt caa agt caa ctg caa 48 Gln Gln Arg Val Pro Phe Leu Gln Pro Pro Gly Gln Ser Gln Leu Gln 1 5 10

gcg agt tat gtg gag ttt aga ccc agc cag ggt tgt agc cct gga tac 96
Ala Ser Tyr Val Glu Phe Arg Pro Ser Gln Gly Cys Ser Pro Gly Tyr
20 25 30

tat cgg gat cat aaa ggc ttg tat acc gga cgg tgt gtt ccc tgc aat 144
Tyr Arg Asp His Lys Gly Leu Tyr Thr Gly Arg Cys Val Pro Cys Asn
35 40 45

tgc aac gga cat tca aat caa tgc cag gat ggc tca ggc ata tgt gtt 192 Cys Asn Gly His Ser Asn Gln Cys Gln Asp Gly Ser Gly Ile Cys Val

aac tgt cag cac aac acc gcg gga gag cac tgt gaa cgc tgc cag gag 240
Asn Cys Gln His Asn Thr Ala Gly Glu His Cys Glu Arg Cys Gln Glu
65 70 75 80






Val	Pro	Ser	Gly	Asp 325	Phe	Ser	Arg	Glu	Trp 330	Ala	Glu	Ala	Gln	Arg 335	Met	
	agg Arg															1056
gaa Glu	gct Ala	gat Asp 355	aaa Lys	agg Arg	gag Glu	tcg Ser	cag Gln 360	ctc Leu	ttg Leu	ctg Leu	aac Asn	cgg Arg 365	ata Ile	agg Arg	acc Thr	1104
tgg Trp	cag Gln 370	aaa Lys	acc Thr	cac His	cag Gln	999 Gly 375	gag Glu	aac Asn	aat Asn	ggg Gly	ctt Leu 380	gct Ala	aac Asn	agt Ser	atc Ile	1152
cgg Arg 385	gat Asp	tct Ser	tta Leu	aat Asn	gaa Glu 390	tac Tyr	g <b>aa</b> Glu	gcc Ala	aaa Lys	ctc Leu 395	agt Ser	gac Asp	ctt Leu	cgt Arg	gct Ala 400	1200
	ctg Leu															1248
	gaa Glu															1296
ata Ile	aat Asn	tcc Ser 435	ctg Leu	cag Gln	agt Ser	gat Asp	ttc Phe 440	acc Thr	aag Lys	tat Tyr	cta Leu	acc Thr 445	act Thr	gca Ala	gac Asp	1344
	tct Ser 450															1392
cag Gln 465	aag Lys	gaa Glu	tat Tyr	gaa Glu	aaa Lys 470	tta Leu	gct Ala	gcc Ala	agt Ser	tta Leu 475	aat Asn	gaa Glu	gca Ala	aga Arg	caa Gln 480	1440
g <b>aa</b> Glu	cta Leu	agt Ser	gac Asp	aaa Lys 485	gta Val	aga Arg	gaa Glu	ctt Leu	tcc Ser 490	aga Arg	tct Ser	gct Ala	ggc Gly	aaa Lys 495	aca Thr	1488
tcc Ser	ctt Leu	gtg Val	gag Glu 500	gag Glu	gca Ala	gaa Glu	aag Lys	cac His 505	gcg Ala	cgg Arg	tcc Ser	tta Leu	caa Gln 510	gag Glu	ctg Leu	1536
gca Ala	aag Lys	cag Gln 515	ctg Leu	g <b>aa</b> Glu	gag Glu	atc Ile	aag Lys 520	aga Arg	aac Asn	gcc Ala	agc Ser	999 Gly 525	gat Asp	gag Glu	ctg Leu	1584
gtg Val	cgc Arg 530	tgt Cys	gct Ala	gtg Val	gat Asp	gcc Ala 535	gcc Ala	acc Thr	gcc Ala	tac Tyr	gag Glu 540	aac Asn	atc Ile	ctc Leu	aat Asn	1632
gcc Ala 545	atc Ile	aaa Lys	gcg Ala	gcc Ala	gag Glu 550	gac Asp	gca Ala	gcc Ala	aac Asn	agg Arg 555	gct Ala	gcc Ala	agt Ser	gca Ala	tct Ser 560	1680
g <b>aa</b> Glu	tct Ser	gcc Ala	ctc Leu	cag Gln	aca Thr	gtg Val	ata Ile	aag Lys	gaa Glu	gat Asp	ctg Leu	cca Pro	aga Arg	aaa Lys	gct Ala	1728




	565	57	70	575
	er Ser Asn Ser		g tta aat gaa go u Leu Asn Glu Al 59	a Lys Met
			gt cca gct ctc as er Pro Ala Leu As 605	
•		Thr Val Gl	ng aaa gaa gtg at In Lys Glu Val Il 620	
aat ctc aca ac Asn Leu Thr Th	t ctc cga gat ir Leu Arg Asp 630	ggt ctt ca Gly Leu Hi	at ggg ata cag ag s Gly Ile Gln Ar 635	a ggt gat 1920 g Gly Asp 640
att gat gct at Ile Asp Ala Me	g atc agt agt t Ile Ser Ser 645	gca aag ag Ala Lys Se 65	gc atg gtc aga aa er Met Val Arg Ly 50	g gcc aac 1968 s Ala Asn 655
	sp Glu Val Leu		c aac ccc atc ca eu Asn Pro Ile Gl 67	n Thr Asp
gtg gaa aga at Val Glu Arg II 675	t aag gac acc e Lys Asp Thr	tat ggg ag Tyr Gly Ar 680	gg aca cag aac ga gg Thr Gln Asn Gl 685	a gac ttc 2064 u Asp Phe
		Asp Asn Se	eg gtg aat aag tt er Val Asn Lys Le 700	
Lys Leu Pro As 705	sp Leu Trp Arg 710	Lys Ile Gl	aa agt atc aac ca lu Ser Ile Asn Gl 715	n Gln Leu 720
Leu Pro Leu G	ly Asn Ile Ser 725	: Asp Asn Me 73		g Glu Leu 735
Ile Gln Gln A	la Arg Asp Ala 10	Ala Ser Ly 745	ag gtt gct gtc co /s Val Ala Val Pi 75	o Met Arg 0
Phe Asn Gly Ly 755	ys Ser Gly Val	. Glu Val Ar 760	ga ctg cca aat ga rg Leu Pro Asn As 765	p Leu Glu
Asp Leu Lys G 770	ly Tyr Thr Ser 775	Leu Ser Le	tg ttt ctc caa ag eu Phe Leu Gln Ar 780	g Pro Asn
Ser Arg Glu A 785	sn Gly Gly Thi 790	r Glu Asn Me	tg ttt gtg atg ta et Phe Val Met Ty 795	r Leu Gly 800
aat aaa gat g Asn Lys Asp A	cc tcc cgg gad la Ser Arg Asp 805	Tyr Ile Gl	gc atg gca gtt g ly Met Ala Val Va 10	g gat ggc 2448 al Asp Gly 815



cag ctc acc Gln Leu Thr	tgt gtc tac Cys Val Tyr 820	aac ctg ggg Asn Leu Gly 825	gac cgt gag Asp Arg Glu	gct gaa ctc Ala Glu Leu 830	caa 2496 Gln
gtg gac cag Val Asp Gln 835	atc ttg acc Ile Leu Thr	aag agt gag Lys Ser Glu 840	act aag gag Thr Lys Glu	gca gtt atg Ala Val Met 845	gat 2544 Asp
cgg gtg aaa Arg Val Lys 850	ttt cag aga Phe Gln Arg	att tat cag Ile Tyr Gln 855	ttt gca agg Phe Ala Arg 860	ctt aat tac Leu Asn Tyr	acc 2592 Thr
aaa gga gcc Lys Gly Ala 865	aca tcc agt Thr Ser Ser 870	aaa cca gaa Lys Pro Glu	aca ccc gga Thr Pro Gly 875	gtc tat gac Val Tyr Asp	atg 2640 Met 880
gat ggt aga Asp Gly Arg	aat agc aat Asn Ser Asn 885	aca ctc ctt Thr Leu Leu	aat ttg gat Asn Leu Asp 890	cct gaa aat Pro Glu Asn 895	gtt 2688 Val
gta ttt tat Val Phe Tyr	gtt gga ggt Val Gly Gly 900	tac cca cct Tyr Pro Pro 905	gat ttt aaa Asp Phe Lys	ctt ccc agt Leu Pro Ser 910	cga 2736 Arg
cta agt ttc Leu Ser Phe 915	cct cca tac Pro Pro Tyr	aaa ggt tgt Lys Gly Cys 920	att gaa tta Ile Glu Leu	gat gac ctc Asp Asp Leu 925	aat 2784 Asn
gaa aat gtt Glu Asn Val 930	ctg agc ttg Leu Ser Leu	tac aac ttc Tyr Asn Phe 935	aaa aaa aca Lys Lys Thr 940	ttc aat ctc Phe Asn Leu	aac 2832 Asn
aca act gaa Thr Thr Glu 945	gtg gag cct Val Glu Pro 950	tgt aga agg Cys Arg Arg	agg aag gaa Arg Lys Glu 955	gag tca gac Glu Ser Asp	aaa 2880 Lys 960
Asn Tyr Phe	Glu Gly Thr 965	Gly Tyr Ala	cga gtt cca Arg Val Pro 970	Thr Gln Pro 975	His
Ala Pro Ile	Pro Thr Phe 980	Gly Gln Thr 985		Thr Val Asp 990	Arg
Gly Leu Leu 995	Phe Phe Ala	Glu Asn Gly 1000		Ile Ser Leu 1005	Asn
Ile Glu Asp 1010	Gly Lys Leu	Met Val Arg 1015	tac aaa ctg Tyr Lys Leu 1020	Asn Ser Glu	Leu
Pro Lys Glu 1025	Arg Gly Val 1030	Gly Asp Ala	ata aac aac Ile Asn Asn 1035	Gly Arg Asp	His LO40
tcg att cag Ser Ile Gln	atc aaa att Ile Lys Ile 1045	gga aaa cto Gly Lys Leu	caa aag cgt Gln Lys Arg 1050	atg tgg ata Met Trp Ile 1055	aat 3168 Asn





1540 1545 1550

ggg atc cta ata cac atc gga agt cag ccc ggg aag cac tta tgt gtt 4704 Gly Ile Leu Ile His Ile Gly Ser Gln Pro Gly Lys His Leu Cys Val 1555 1560 1565

tac ctg gag gca gga aag gtc acg gcc tct atg gac agt ggg gca ggt 4752
Tyr Leu Glu Ala Gly Lys Val Thr Ala Ser Met Asp Ser Gly Ala Gly
1570 1580

ggg acc tca acg tcg gtc aca cca aag cag tct ctg tgt gat gga cag
Gly Thr Ser Thr Ser Val Thr Pro Lys Gln Ser Leu Cys Asp Gly Gln
1585 1590 1595 1600

tgg cac tcg gtg gca gtc acc ata aaa caa cac atc ctg cac ctg gaa 4848
Trp His Ser Val Ala Val Thr Ile Lys Gln His Ile Leu His Leu Glu
1605 1610 1615

ctg gac aca gac agt agc tac aca gct gga cag atc ccc ttc cca cct 4896 Leu Asp Thr Asp Ser Ser Tyr Thr Ala Gly Gln Ile Pro Phe Pro Pro 1620 1625 1630

gcc agc act caa gag cca cta cac ctt gga ggt gct cca gcc aat ttg 4944 Ala Ser Thr Gln Glu Pro Leu His Leu Gly Gly Ala Pro Ala Asn Leu 1635 1640 1645

acg aca ctg agg atc cct gtg tgg aaa tca ttc ttt ggc tgt ctg agg 4992
Thr Thr Leu Arg Ile Pro Val Trp Lys Ser Phe Phe Gly Cys Leu Arg
1650 1655 1660

aat att cat gtc aat cac atc cct gtc cct gtc act gaa gcc ttg gaa 5040 Asn Ile His Val Asn His Ile Pro Val Pro Val Thr Glu Ala Leu Glu 1665 1670 1675 1680


gtc cag ggg cct gtc agt ctg aat ggt tgt cct gac cag taacccaagc 5089 Val Gln Gly Pro Val Ser Leu Asn Gly Cys Pro Asp Gln 1685 1690

ctatttcaca gcaaggaaat tcaccttcaa aagcactgat tacccaatgc acctccctcc 5149
ccagctcgag atcattcttc aattaggaca caaaccagac aggtttaata gcgaatctaa 5209
ttttgaattc tgaccatgga tacccatcac tttggcattc agtgctacat gtgtatttta 5269
tataaaaaatc ccatttcttg aagataaaaa aattgttatt caaattgtta tgcacagaat 5329
gtttttggta atattaattt ccactaaaaa attaaatgtc tttt 5373

<210> 8 <211> 1693 <212> PRT <213> Homo sapiens

<400> 8
Gln Gln Arg Val Pro Phe Leu Gln Pro Pro Gly Gln Ser Gln Leu Gln
1 5 10 15

Ala Ser Tyr Val Glu Phe Arg Pro Ser Gln Gly Cys Ser Pro Gly Tyr
20 25 30



Val Pro Ser Gly Asp Phe Ser Arg Glu Trp Ala Glu Ala Gln Arg Met

Met Arg Glu Leu Arg Asn Arg Asn Phe Gly Lys His Leu Arg Glu Ala

WO 00/6673 i 355 360 365 Trp Gln Lys Thr His Gln Gly Glu Asn Asn Gly Leu Ala Asn Ser Ile - 375 Arg Asp Ser Leu Asn Glu Tyr Glu Ala Lys Leu Ser Asp Leu Arg Ala Arg Leu Gln Glu Ala Ala Ala Gln Ala Lys Gln Ala Asn Gly Leu Asn Gln Glu Asn Glu Arg Ala Leu Gly Ala Ile Gln Arg Gln Val Lys Glu 425 Ile Asn Ser Leu Gln Ser Asp Phe Thr Lys Tyr Leu Thr Thr Ala Asp 440 435 Ser Ser Leu Leu Gln Thr Asn Ile Ala Leu Gln Leu Met Glu Lys Ser 455 Gln Lys Glu Tyr Glu Lys Leu Ala Ala Ser Leu Asn Glu Ala Arg Gln 470 475 Glu Leu Ser Asp Lys Val Arg Glu Leu Ser Arg Ser Ala Gly Lys Thr 490 Ser Leu Val Glu Glu Ala Glu Lys His Ala Arg Ser Leu Gln Glu Leu 505 Ala Lys Gln Leu Glu Glu Ile Lys Arg Asn Ala Ser Gly Asp Glu Leu

Val Arg Cys Ala Val Asp Ala Ala Thr Ala Tyr Glu Asn Ile Leu Asn

Ala Ile Lys Ala Ala Glu Asp Ala Ala Asn Arg Ala Ala Ser Ala Ser

Glu Ser Ala Leu Gln Thr Val Ile Lys Glu Asp Leu Pro Arg Lys Ala

Lys Thr Leu Ser Ser Asn Ser Asp Lys Leu Leu Asn Glu Ala Lys Met

Thr Gln Lys Lys Leu Lys Gln Glu Val Ser Pro Ala Leu Asn Asn Leu


Gln Gln Thr Leu Asn Ile Val Thr Val Gln Lys Glu Val Ile Asp Thr

Asn Leu Thr Thr Leu Arg Asp Gly Leu His Gly Ile Gln Arg Gly Asp 630

Ile Asp Ala Met Ile Ser Ser Ala Lys Ser Met Val Arg Lys Ala Asn

Asp Ile Thr Asp Glu Val Leu Asp Gly Leu Asn Pro Ile Gln Thr Asp 665

Val Glu Arg Ile Lys Asp Thr Tyr Gly Arg Thr Gln Asn Glu Asp Phe 675





- Ile Glu Asp Gly Lys Leu Met Val Arg Tyr Lys Leu Asn Ser Glu Leu 1010 1015 1020
- Pro Lys Glu Arg Gly Val Gly Asp Ala Ile Asn Asn Gly Arg Asp His 1025 1030 1035 1040
- Ser Ile Gln Ile Lys Ile Gly Lys Leu Gln Lys Arg Met Trp-Ile Asn 1045 1050 1055
- Val Asp Val Gln Asn Thr Ile Ile Asp Gly Glu Val Phe Asp Phe Ser 1060 1065 1070
- Thr Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg Glu Arg Phe Asn 1075 1080 1085
- Ile Ser Thr Pro Ala Phe Arg Gly Cys Met Lys Asn Leu Lys Lys Thr 1090 1095 1100
- Ser Gly Val Val Arg Leu Asn Asp Thr Val Gly Val Thr Lys Lys Cys 1105 1110 1115 1120
- Ser Glu Asp Trp Lys Leu Val Arg Ser Ala Ser Phe Ser Arg Gly Gly 1125 1130 1135
- Gln Leu Ser Phe Thr Asp Leu Gly Leu Pro Pro Thr Asp His Leu Gln 1140 1145 1150
- Ala Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly Ile Leu Leu Asp 1155 1160 1165
- His Gln Thr Trp Thr Arg Asn Leu Gln Val Thr Leu Glu Asp Gly Tyr 1170 1175 1180
- Ile Glu Leu Ser Thr Ser Asp Ser Gly Gly Pro Ile Phe Lys Ser Pro 1185 1190 1195 1200
- Gln Thr Tyr Met Asp Gly Leu Leu His Tyr Val Ser Val Ile Ser Asp 1205 1210 1215
- Asn Ser Gly Leu Arg Leu Leu Ile Asp Asp Gln Leu Leu Arg Asn Ser 1220 1225 1230
- Lys Arg Leu Lys His Ile Ser Ser Ser Arg Gln Ser Leu Arg Leu Gly 1235 1240 1245
- Gly Ser Asn Phe Glu Gly Cys Ile Ser Asn Val Phe Val Gln Arg Leu 1250 1255 1260
- Ser Leu Ser Pro Glu Val Leu Asp Leu Thr Ser Asn Ser Leu Lys Arg 1265 1270 1275 1280
- Asp Val Ser Leu Gly Gly Cys Ser Leu Asn Lys Pro Pro Phe Leu Met 1285 1290 1295
- Leu Leu Lys Gly Ser Thr Arg Phe Asn Lys Thr Lys Thr Phe Arg Ile 1300 1305 1310
- Asn Gln Leu Leu Gln Asp Thr Pro Val Ala Ser Pro Arg Ser Val Lys 1315 1320 1325
- Val Trp Gln Asp Ala Cys Ser Pro Leu Pro Lys Thr Gln Ala Asn His

1330 1335 1340

Gly Ala Leu Gln Phe Gly Asp Ile Pro Thr Ser His Leu Leu Phe Lys 1345 1350 1355 1360


- Leu Pro Gln Glu Leu Lys Pro Arg Ser Gln Phe Ala Val Asp Met
  1365 1370 1375
- Gln Thr Thr Ser Ser Arg Gly Leu Val Phe His Thr Gly Thr Lys Asn 1380 1385 1390
- Ser Phe Met Ala Leu Tyr Leu Ser Lys Gly Arg Leu Val Phe Ala Leu 1395 1400 1405
- Gly Thr Asp Gly Lys Lys Leu Arg Ile Lys Ser Lys Glu Lys Cys Asn 1410 1415 1420
- Asp Gly Lys Trp His Thr Val Val Phe Gly His Asp Gly Glu Lys Gly 1425 1430 1435 1440
- Arg Leu Val Val Asp Gly Leu Arg Ala Arg Glu Gly Ser Leu Pro Gly 1445 1450 1455
- Asn Ser Thr Ile Ser Ile Arg Ala Pro Val Tyr Leu Gly Ser Pro Pro 1460 1465 1470
- Ser Gly Lys Pro Lys Ser Leu Pro Thr Asn Ser Phe Val Gly Cys Leu 1475 1480 1485
- Lys Asn Phe Gln Leu Asp Ser Lys Pro Leu Tyr Thr Pro Ser Ser Ser 1490 1495 1500
- Phe Gly Val Ser Ser Cys Leu Gly Gly Pro Leu Glu Lys Gly Ile Tyr 1505 1510 1515 1520
- Phe Ser Glu Glu Gly Gly His Val Val Leu Ala His Ser Val Leu Leu 1525 1530 1535
- Gly Pro Glu Phe Lys Leu Val Phe Ser Ile Arg Pro Arg Ser Leu Thr
- Gly Ile Leu Ile His Ile Gly Ser Gln Pro Gly Lys His Leu Cys Val 1555 1560 1565
- Tyr Leu Glu Ala Gly Lys Val Thr Ala Ser Met Asp Ser Gly Ala Gly 1570 1575 1580
- Gly Thr Ser Thr Ser Val Thr Pro Lys Gln Ser Leu Cys Asp Gly Gln 1585 1590 1595 1600
- Trp His Ser Val Ala Val Thr Ile Lys Gln His Ile Leu His Leu Glu 1605 1610 1615
- Leu Asp Thr Asp Ser Ser Tyr Thr Ala Gly Gln Ile Pro Phe Pro Pro 1620 1625 1630
- Ala Ser Thr Gln Glu Pro Leu His Leu Gly Gly Ala Pro Ala Asn Leu 1635 1640 1645
- Thr Thr Leu Arg Ile Pro Val Trp Lys Ser Phe Phe Gly Cys Leu Arg 1650 1655 1660



Asn Ile His Val Asn His Ile Pro Val Pro Val Thr Glu Ala Leu Glu 1665 1670 1675 1680

Val Gln Gly Pro Val Ser Leu Asn Gly Cys Pro Asp Gln 1685 1690

<212	> 9 .> 52 :> DN :> Ra	A	nor	vegi	cus											
	)> .> CD !> (5		(523	3)												
	)> .> si !> (5															
<400 gtat		igg a	agaa	caca	a ag	gttt	gcag	g cag	gccag	gca	gaac	acca	ag g	gato	aag	58
											aca Thr					106
atc Ile	ttt Phe	ggg Gly	gca Ala 20	gct Ala	ctg Leu	ggc Gly	cag Gln	tgc Cys 25	ctg Leu	ggg Gly	tat Tyr	ggc Gly	tca Ser 30	gag Glu	cag Gln	154
											aac Asn					202
agt Ser	tat Tyr 50	atg Met	gag Glu	ctt Leu	aga Arg	ccc Pro 55	agc Ser	cag Gln	ggc Gly	tgt Cys	cgc Arg 60	cca Pro	gga Gly	tac Tyr	tat Tyr	250
											gtt Val					298
aac Asn	gga Gly	cat His	tca Ser	aat Asn 85	aga Arg	tgc Cys	caa Gln	gac Asp	ggc Gly 90	tcg Ser	gga Gly	gtg Val	tgc Cys	att Ile 95	aac Asn	346
tgt Cys	cag Gln	cac His	aac Asn 100	aca Thr	gct Ala	gly ggg	gag Glu	cac His 105	tgt Cys	g <b>a</b> g Glu	cgt Arg	tgc Cys	aag Lys 110	agg Arg	ggt Gly	394
tac Tyr	tat Tyr	gga Gly 115	agc Ser	gcc Ala	atc Ile	cat His	gga Gly 120	tcc Ser	tgc Cys	agg Arg	gtt Val	tgc Cys 125	ccc Pro	tgt Cys	cct Pro	442
cac His	acc Thr 130	aac Asn	agc Ser	ttt Phe	gcc Ala	act Thr 135	ggc Gly	tgt Cys	gct Ala	gtg Val	gat Asp 140	gga Gly	gga Gly	gct Ala	gtg Val	490
agg	tgt	gcc	tgc	aaa	ccc	gga	tac	aca	gga	gca	cag	tgt	gag	agg	tgt	538



Ala Gln Lys Met Glu Ala Gln Leu Leu Leu Asn Arg Ile Arg Thr Trp



385	390	395	400
ctg gaa tcc cac cag Leu Glu Ser His Gln 405	Val Glu Asn Asn (	gga ctg cta aag aat at Gly Leu Leu Lys Asn Il #10 41	e Arg
gat tca tta aat gat Asp Ser Leu Asn Asp 420	tat gaa gcc aaa c Tyr Glu Ala Lys I 425	ctt cag gac ctg cgt to Leu Gln Asp Leu Arg Se 430	c gtg 1354 r Val
ctt cag gag gcg gca Leu Gln Glu Ala Ala 435	gcc cag gga aag o Ala Gln Gly Lys o 440	cag gct aca ggc ctc aa Gln Ala Thr Gly Leu As 445	c cac 1402 n His
gaa aat gag ggg gtc Glu Asn Glu Gly Val 450	cta gga gcc atc o Leu Gly Ala Ile o 455	cag aga caa atg aag ga Gln Arg Gln Met Lys Gl 460	a atg 1450 u Met
gat tcc ctg aag aag Asp Ser Leu Lys Lys 465	tac ctc acc gag o Tyr Leu Thr Glu H 470	cac ctg gcc aca gca ga His Leu Ala Thr Ala As 475	c gct 1498 p Ala 480
tcc ctg ctg caa acc Ser Leu Leu Gln Thr 485	Asn Ser Leu Leu (	cag cgg atg gac acg ag Gln Arg Met Asp Thr Se 490 49	r Gln
aag gag tat gaa agc Lys Glu Tyr Glu Ser 500	tta gct gct gct ( Leu Ala Ala Ala 1 505	tta aac gga gca aga ca Leu Asn Gly Ala Arg Gl 510	g gaa 1594 n Glu
ctg aat gac caa gtg Leu Asn Asp Gln Val 515	g cgg gaa ctc tcc a . Arg Glu Leu Ser a 520	aga too gga ggo aaa go Arg Ser Gly Gly Lys Al 525	a ccc 1642 a Pro
ctg gtg gct gag gcc Leu Val Ala Glu Ala 530	gag aag cac gct ( Glu Lys His Ala ( 535	cag tot tta cag gag ot Gln Ser Leu Gln Glu Le 540	g gca 1690 u Ala
aag cag ctg gaa gag Lys Gln Leu Glu Glu 545	g ata aag aga aac a 1 Ile Lys Arg Asn ' 550	acc agt ggg gat gag to Thr Ser Gly Asp Glu Se 555	g gtg 1738 r Val 560
cgc tgt gtc gtg gac Arg Cys Val Val Asp 565	Ala Ala Thr Ala	tat gag agc atc ctc aa Tyr Glu Ser Ile Leu As 570 57	in Ala
atc cga gca gca gag Ile Arg Ala Ala Glu 580	g gat gca gcc ggc 1 Asp Ala Ala Gly 585	aag gcc gac agt gcc to Lys Ala Asp Ser Ala Se 590	er Glu
tcc gcc ttc cag aca Ser Ala Phe Gln Thr 595	a gtg ata aag gaa r Val Ile Lys Glu 600	gat ctt ccg aga aga go Asp Leu Pro Arg Arg A 605	cc aaa 1882 la Lys
acc ctg agt tct gad Thr Leu Ser Ser Asp 610	e age gag gaa etg o Ser Glu Glu Leu 615	tta aac gag gcc aag at Leu Asn Glu Ala Lys Me 620	g aca 1930 et Thr
cgg aaa agg cta cag Arg Lys Arg Leu Gli 625	g caa gaa atc aat n Gln Glu Ile Asn 630	cca gct ctc aac agc c Pro Ala Leu Asn Ser Le 635	ca cag 1978 eu Gln 640



				act Thr 645												2026
-		_	_	cgt Arg		-		_								2074
gac Asp	agt Ser	gtg Val 675	gtg Val	agt Ser	gga Gly	gcg Ala	aag Lys 680	agc Ser	atg Met	gtc Val	agg Arg	aaa Lys 685	gcc Ala	aat Asn	gly	2122
				gtc Val												2170
gga Gly 705	agg Arg	att Ile	aag Lys	gac Asp	agc Ser 710	tac Tyr	ggg Gly	agc Ser	aca Thr	cgg Arg 715	cat His	gag Glu	gac Asp	ttc Phe	aac Asn 720	2218
				gac Asp 725												2266
				ttt Phe												2314
				atc Ile												2362
acg Thr	cag Gln 770	gcc Ala	aga Arg	gat Asp	gct Ala	gcg Ala 775	aac Asn	aag Lys	gtt Val	gca Ala	att Ile 780	ccc Pro	atg Met	agg Arg	ttc Phe	2410
aat Asn 785	ggt Gly	aaa Lys	tct Ser	ggt Gly	gtt Val 790	gaa Glu	gtc Val	cgt Arg	ctg Leu	cca Pro 795	aat Asn	gac Asp	cta Leu	gaa Glu	gac Asp 800	2458
ttg Leu	aag Lys	gga Gly	tac Tyr	acg Thr 805	tct Ser	ctg Leu	tct Ser	ttg Leu	ttc Phe 810	ctc Leu	caa Gln	aga Arg	cca Pro	gac Asp 815	tta Leu	2506
aga Arg	gag Glu	aat Asn	gga Gly 820	ggc Gly	act Thr	g <b>a</b> g Glu	gac Asp	atg Met 825	ttt Phe	gta Val	atg Met	tac Tyr	ctt Leu 830	gga Gly	aac Asn	2554
aag Lys	gat Asp	gcc Ala 835	tcc Ser	aag Lys	gac Asp	tac Tyr	atc Ile 840	ggc Gly	atg Met	gcg Ala	gtt Val	gta Val 845	gat Asp	ggc Gly	cag Gln	2602
ctg Leu	acg Thr 850	tgt Cys	gtc Val	tac Tyr	aac Asn	ctg Leu 855	ggg Gly	gac Asp	cga Arg	g <b>aa</b> Glu	gct Ala 860	gaa Glu	gtt Val	cag Gln	atc Ile	2650
				acg Thr												2698

gtg aag ttc cag aga ata tat caa ttt gcc aag ctt aat tac ac Val Lys Phe Gln Arg Ile Tyr Gln Phe Ala Lys Leu Asn Tyr Ti 885 890 8	
gaa gcc acg tcc aat aaa ccc aaa gct ccc gcg gtc tac gac c Glu Ala Thr Ser Asn Lys Pro Lys Ala Pro Ala Val Tyr Asp Lo 900 905 910	
ggt ggc agt agc aac acg ctc ctt aat ttg gat ccc gag gac gc Gly Gly Ser Ser Asn Thr Leu Leu Asn Leu Asp Pro Glu Asp A 915 920 925	-
ttt tat gtc gga ggt tac cca ccg gat ttt gaa ctt cct agc ag Phe Tyr Val Gly Gly Tyr Pro Pro Asp Phe Glu Leu Pro Ser Ar 930 935 940	
cgg ttc cct cca tac aaa ggc tgt atc gaa cta gat gac ctc aa Arg Phe Pro Pro Tyr Lys Gly Cys Ile Glu Leu Asp Asp Leu As 945 950 955	_
aac gtt cta agc ttg tac aat ttc aag aca act ttc aat ctc aa Asn Val Leu Ser Leu Tyr Asn Phe Lys Thr Thr Phe Asn Leu As 965 970 97	
acg gag gtg gag cct tgt agg agg aga aag gaa gag tca gac ag Thr Glu Val Glu Pro Cys Arg Arg Arg Lys Glu Glu Ser Asp Ly 980 985 990	
tac ttt gaa ggt aca ggc tat gct cgc atc cct act caa cca act tyr Phe Glu Gly Thr Gly Tyr Ala Arg Ile Pro Thr Gln Pro Act 1000 1005	
CCC ttc cca aac ttc ata cag acc atc cag act act gtg gac ag Pro Phe Pro Asn Phe Ile Gln Thr Ile Gln Thr Thr Val Asp An 1010 1015 1020	
tta ctg ttc ttc gca gaa aac cag gat aac ttc ata tct ctg aa Leu Leu Phe Phe Ala Glu Asn Gln Asp Asn Phe Ile Ser Leu As 1025 1030 1035	
gaa gat ggc aat ctc atg gtg aga tac aaa cta aat tca gag co Glu Asp Gly Asn Leu Met Val Arg Tyr Lys Leu Asn Ser Glu Pr 1045 1050 105	ro Pro
aaa gag aag gga att cga gac acc atc aac gat ggg aaa gat ca Lys Glu Lys Gly Ile Arg Asp Thr Ile Asn Asp Gly Lys Asp Hi 1060 1065 1070	<del>-</del>
atc tta atc aca att gga aaa cta caa aaa cgc atg tgg ata aa Ile Leu Ile Thr Ile Gly Lys Leu Gln Lys Arg Met Trp Ile As 1075 1080 1085	
aac gaa cgc agt gta cga atc gaa ggg gaa ata ttt gat ttc ag Asn Glu Arg Ser Val Arg Ile Glu Gly Glu Ile Phe Asp Phe Se 1090 1095 1100	_
tat tat ttg ggc gga att cca att gca atc aga gaa agg ttt aa Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg Glu Arg Phe Aa 1105 1110 1115	
tca acg cct gct ttc caa ggc tgc atg aag aat ctg aag aaa ac	cc agt 3466



Ser Thr Pro Ala Phe Gln Gly Cys Met Lys Asn Leu Lys Lys Thr Ser 1125 1130 1135	
ggg gtt gtc agg ttg aat gat act gtg ggt gta acc aag aag tgc tca Gly Val Val Arg Leu Asn Asp Thr Val Gly Val Thr Lys Lys Cys Ser 1140 1145 1150	3514
gaa gac tgg aag ctt gtg cga acc gcc tcg ttc tcc aga gga ggg cag Glu Asp Trp Lys Leu Val Arg Thr Ala Ser Phe Ser Arg Gly Gly Gln 1155 1160 1165	3562
atg agc ttt aca aac ttg gac gtg ccc tcg act gac cgc ttc cag ctc Met Ser Phe Thr Asn Leu Asp Val Pro Ser Thr Asp Arg Phe Gln Leu 1170 1175 1180	3610
tcc ttt ggg ttt cag acc ttt caa ccc agt ggc aca ctg ctc aat cat Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly Thr Leu Leu Asn His 1185 1190 1195 1200	3658
cag acg cgg aca agc agc ctg ctg gtc acc ctg gaa gat ggg cac att Gln Thr Arg Thr Ser Ser Leu Leu Val Thr Leu Glu Asp Gly His Ile 1205 1210 1215	3706
gag ttg agc act agg gac agc aac atc cca att ttc aag tct cca ggg Glu Leu Ser Thr Arg Asp Ser Asn Ile Pro Ile Phe Lys Ser Pro Gly 1220 1225 1230	3754
acc tac atg gac ggt tta ctg cat cat gta tct gta ata agt gac acc Thr Tyr Met Asp Gly Leu Leu His His Val Ser Val Ile Ser Asp Thr 1235 1240 1245	3802
tca ggt ctc cgc ctt ctc atc gat gac cag gtc ctg aga agg aac cag Ser Gly Leu Arg Leu Leu Ile Asp Asp Gln Val Leu Arg Arg Asn Gln 1250 1255 1260	3850
agg ctt cct agc ttc tct aac gcc cag cag tcg ctc cgc ctt gga gga Arg Leu Pro Ser Phe Ser Asn Ala Gln Gln Ser Leu Arg Leu Gly Gly 1265 1270 1275 1280	3898
ggt cat ttc gag ggt tgt atc agc aat gtt tta gtc caa agg ttt tca Gly His Phe Glu Gly Cys Ile Ser Asn Val Leu Val Gln Arg Phe Ser 1285 1290 1295	3946
cag agt cca gaa gtc ctg gat ctg gcc agt aaa tct acc aag aag gat Gln Ser Pro Glu Val Leu Asp Leu Ala Ser Lys Ser Thr Lys Lys Asp 1300 1305 1310	3994
gca tcc cta gga ggc tgc agt tta aac aag cca cct ttt ctt atg ttg Ala Ser Leu Gly Gly Cys Ser Leu Asn Lys Pro Pro Phe Leu Met Leu 1315 1320 1325	4042
ttt aaa agt ccc aag aga ttt aac aag ggc cgg att ttc aat gtt aat Phe Lys Ser Pro Lys Arg Phe Asn Lys Gly Arg Ile Phe Asn Val Asn 1330 1335 1340	4090
cag ctg atg caa gat gca cct cag gcc aca agg agc aca gag gct tgg Gln Leu Met Gln Asp Ala Pro Gln Ala Thr Arg Ser Thr Glu Ala Trp 1345 1350 1355 1360	4138
caa gat ggg agg too tgo ota oca oot otg aac acc aag goo tot cac Gln Asp Gly Arg Ser Cys Leu Pro Pro Leu Asn Thr Lys Ala Ser His	4186




13	03	1370	23.3	
aga gcc ctg cag t Arg Ala Leu Gln P 1380	he Gly Asp Ser	ccc acc agc cac Pro Thr Ser His	ttg cta ctc aag Leu Leu Leu Lys 1390	4234
ctt ccc cag gaa c Leu Pro Gln Glu L 1395	etg ctg aaa cct eu Leu Lys Pro 1400	Arg Ser Gln Phe	tct tta gac ata Ser Leu Asp Ile 1405	4282
cag aca act tcc c Gln Thr Thr Ser P 1410	cc aaa gga ctg Pro Lys Gly Leu 1415	gtg ttt tac gca Val Phe Tyr Ala 1420	ggc acc aag gac Gly Thr Lys Asp	4330
tcc ttc ctg gct c Ser Phe Leu Ala I 1425	ett tat gtc gca Seu Tyr Val Ala 1430	gat ggc cgt gtt Asp Gly Arg Val 1435	gtc ttt gct ttg Val Phe Ala Leu 1440	4378
ggg gca gga ggg a Gly Ala Gly Gly I 14	ag aaa ctg aga ys Lys Leu Arg .45	ctc agg agc aag Leu Arg Ser Lys 1450	gag aga tac cat Glu Arg Tyr His 1455	4426
gac ggg aag tgg c Asp Gly Lys Trp H 1460	is Thr Val Val	ttc gga cta aat Phe Gly Leu Asn 1465	gga gga aag gca Gly Gly Lys Ala 1470	4474
cgc ctg gtt gtg g Arg Leu Val Val A 1475	gat ggg cta agg Asp Gly Leu Arg 1480	Ala Gln Glu Gly	agt ttg cct gga Ser Leu Pro Gly 1485	4522
aat tot acc atc a Asn Ser Thr Ile S 1490	igc ccc aga gaa Ser Pro Arg Glu 1495	cag gtt tac cta Gln Val Tyr Leu 1500	ggg ttg ccg cta Gly Leu Pro Leu	4570
tca aga aag cca a Ser Arg Lys Pro I 1505	aag agc cta ccc Lys Ser Leu Pro 1510	cag cac agt ttt Gln His Ser Phe 1515	gtg ggg tgc ctg Val Gly Cys Leu 1520	4618
aga gat ttc cag t Arg Asp Phe Gln I	ttg aac tcg aaa Leu Asn Ser Lys 525	ccc ctg gat tct Pro Leu Asp Ser 1530	cct tct gcg agg Pro Ser Ala Arg 1535	4666
ttt ggg gta tct o Phe Gly Val Ser I 1540	Pro Cys Leu Gly	ggc tct tta gag Gly Ser Leu Glu 1545	aaa ggc att tat Lys Gly Ile Tyr 1550	4714
ttc tcc caa gga g Phe Ser Gln Gly G 1555	gga ggc cat gtg 3ly Gly His Val 1560	Ile Leu Ala Asn	tct gtg tcc ttg Ser Val Ser Leu 1565	4762
ggg cca gag ctt a Gly Pro Glu Leu I 1570	aag ctc act ttc Lys Leu Thr Phe 1575	agc att cgc cca Ser Ile Arg Pro 1580	Arg Ser Leu Thr	4810
ggg gtc tta ata o Gly Val Leu Ile ! 1585	cac gtc gga agt His Val Gly Ser 1590	caa tct gga cag Gln Ser Gly Gln 1595	cgc tta agt gtg Arg Leu Ser Val 1600	4858
tac atg gag gca g Tyr Met Glu Ala (	gga aag gtc aca Gly Lys Val Thr 605	acc tct gtg agc Thr Ser Val Ser 1610	agt gat gca gga Ser Asp Ala Gly 1615	4906

gga Gly	agt Ser	Val	aca Thr 620	tca Ser	att Ile	aca Thr	Pro	aag Lys .625	cag Gln	tct Ser	ctg Leu	Cys	gat Asp .630	gga Gly	cag Gln	4954
tgg Trp	His	tcg Ser 635	gtg Val	gca Ala	gtc Val	Ser	att Ile 640	aaa Lys	cag Gln	cgc Arg	Ile	ctg Leu .645	cat His	cta Leu	gaa Glu	5002
Leu	gat Asp .650	aca Thr	gac Asp	agt Ser	Ser	tac Tyr .655	aca Thr	gtc Val	gca Ala	Pro	ctt Leu .660	tcc Ser	ttc Phe	tca Ser	cca Pro	5050
aac Asn 1665	Ser	acc Thr	cga Arg	Gly	tca Ser .670	ctg Leu	cac His	gtc Val	Gly	ggt Gly .675	gtc Val	cca Pro	gac Asp	Lys	ttg Leu .680	5098
aaa Lys	atg Met	ctt Leu	Thr	ctc Leu .685	cct Pro	gtg Val	tgg Trp	aac Asn	tca Ser 690	ttt Phe	ttt Phe	ggc Gly	Cys	ctg Leu .695	aag Lys	5146
aat Asn	att Ile	Gln	gtc Val .700	aac Asn	cat His	gtc Val	Pro	gtc Val 1705	ccc Pro	atc Ile	aca Thr	Glu	gcc Ala 1710	aca Thr	gaa Glu	5194
	Gln					Leu		ggc Gly			Asp		taac	ccta	ıca	5243
cago	caaga	att o	acct	ttgg	ga g											5264
<210> 10 <211> 1725 <212> PRT <213> Rattus norvegicus																
<213 <213	l> 17 2> PF	725 RT	s noi	cveg:	icus											
<213 <213 <213	l> 17 2> PF 3> Ra	725 RT attus	s noi	cveg	icus											
<213 <213 <213	1> 17 2> PF 3> Ra 0> 10	725 RT attus				Trp	Ser	Ala	Trp 10	Cys	Thr	Gly	Trp	Leu 15	Trp	
<213 <213 <213 <400 Met	1> 17 2> PF 3> Ra 0> 10 Pro	725 RT attus O Pro	Thr	Val 5	Arg			Ala Cys 25	10					15		
<213 <213 <213 <400 Met 1	1> 17 2> PF 3> Ra 0> 10 Pro	725 RT attus O Pro	Thr Ala 20	Val 5 Ala	Arg Leu	Gly	Gln	Cys	10 Leu	Gly	Tyr	Gly	Ser 30	15 Glu	Gln	
<211 <211 <211 <400 Met 1 Ile	1> 17 2> PF 3> Ra 0> 10 Pro Phe	725 RT attus 0 Pro Gly Val 35 Met	Thr Ala 20 Ala	Val 5 Ala Phe	Arg Leu Leu	Gly	Gln His 40	Cys 25	10 Leu Gly	Gly	Tyr Asn	Gly His 45	Ser 30 Leu	15 Glu Gln	Gln Ala	
<21: <21: <21: <400 Met 1 Ile Gln	1 > 10 2 > PP 3 > Rz 0 > 10 Pro Phe Arg Tyr 50 Asp	725 RT attus O Pro Gly Val 35 Met	Thr Ala 20 Ala Glu	Val 5 Ala Phe Leu	Arg Leu Leu Arg	Gly Gln Pro 55	Gln His 40 Ser	Cys 25 Pro	10 Leu Gly Gly	Gly Gln Cys	Tyr Asn Arg 60	Gly His 45	Ser 30 Leu Gly	Glu Gln Tyr	Gln Ala Tyr	
<21: <21: <400 Met 1 Ile Gln Ser Arg 65	1 > 10 2 > PF 3 > Ra 0 > 10 Pro Phe Arg Tyr 50 Asp	725 RT attus O Pro Gly Val 35 Met	Thr Ala 20 Ala Glu Lys	Val 5 Ala Phe Leu Ser	Arg Leu Arg Phe	Gly Gln Pro 55 Pro	Gln His 40 Ser	Cys 25 Pro Gln	10 Leu Gly Gly Arg	Gly Gln Cys Ser 75	Tyr Asn Arg 60 Val	Gly His 45 Pro	Ser 30 Leu Gly Cys	Glu Gln Tyr Asn	Gln Ala Tyr Cys 80	
<21: <21: <400 Met 1 Ile Gln Ser Arg 65 Asn	1 > 10 2 > PF 3 > Ra 0 > 10 Pro Phe Arg Tyr 50 Asp	725 RT attus O Pro Gly Val 35 Met Ile	Thr Ala 20 Ala Glu Lys Ser	Val 5 Ala Phe Leu Ser Asn 85	Arg Leu Arg Phe 70 Arg	Gly Gln Pro 55 Pro	Gln His 40 Ser Ala Gln	Cys 25 Pro Gln	Gly Gly Arg Gly 90	Gly Gln Cys Ser 75	Tyr Asn Arg 60 Val	Gly His 45 Pro Pro	Ser 30 Leu Gly Cys	Glu Gln Tyr Asn Ile 95	Gln Ala Tyr Cys 80 Asn	



- His Thr Asn Ser Phe Ala Thr Gly Cys Ala Val Asp Gly Gly Ala Val 130 135 140
- Arg Cys Ala Cys Lys Pro Gly Tyr Thr Gly Ala Gln Cys Glu Arg Cys 145 150 155 160
- Ala Pro Gly Tyr Phe Gly Asn Pro Gln Lys Phe Gly Gly Ser Cys Gln 165 170 175
- Pro Cys Asn Cys Asn Ser Asn Gly Gln Phe Gly Thr Cys Asp Pro Leu 180 185 190
- Thr Gly Asp Cys Val Ser Gln Glu Pro Lys Asp Gly Ser Pro Ala Glu 195 200 205
- Glu Cys Asp Asp Cys Asp Ser Cys Val Met Thr Leu Leu Asn Asp Leu 210 215 220
- Val Pro Met Gly Glu Glu Leu Ala Leu Val Lys Ser Lys Leu Gln Gly 225 230 235 240
- Leu Ser Val Asn Thr Gly Ser Leu Glu Gln Ile Arg His Val Glu Met
  245 250 255
- Gln Ala Lys Asp Leu Arg Asn Gln Leu Leu Gly Phe Arg Ser Ala Ile 260 265 270
- Ser Ser His Gly Ser Gln Met Asp Gly Leu Glu Lys Glu Leu Ser His 275 280 285
- Leu Tyr Gln Glu Phe Glu Thr Leu Gln Glu Lys Ala Gln Val Asn Ser 290 295 300
- Arg Lys Ala Gln Thr Leu Tyr Asn Asn Ile Asp Thr Thr Ile Gln Asn 305 310 315
- Ala Lys Glu Leu Asp Met Lys Ile Lys Asn Ile Leu Thr Asn Val His 325 330 335
- Ile Leu Leu Lys Gln Ile Ala Arg Pro Gly Gly Glu Gly Met Asp Leu 340 345 350
- Pro Val Gly Asp Trp Ser Arg Glu Ser Ala Glu Ala Gln Arg Met Leu 355 360 365
- Arg Glu Leu Arg Gly Arg Asp Phe Lys Lys His Leu Gln Glu Ala Glu 370 375 380
- Ala Gln Lys Met Glu Ala Gln Leu Leu Leu Asn Arg Ile Arg Thr Trp 385 390 395 400
- Leu Glu Ser His Gln Val Glu Asn Asn Gly Leu Leu Lys Asn Ile Arg
  405 410 415
- Asp Ser Leu Asn Asp Tyr Glu Ala Lys Leu Gln Asp Leu Arg Ser Val 420 425 430
- Leu Gln Glu Ala Ala Ala Gln Gly Lys Gln Ala Thr Gly Leu Asn His
  435
  440
  445



Glu Asn Glu Gly Val Leu Gly Ala Ile Gln Arg Gln Met Lys Glu Met 450 455 460

Asp Ser Leu Lys Lys Tyr Leu Thr Glu His Leu Ala Thr Ala Asp Ala 465 470 475 480

Ser Leu Leu Gln Thr Asn Ser Leu Leu Gln Arg Met Asp Thr Ser Gln 485 490 495

Lys Glu Tyr Glu Ser Leu Ala Ala Leu Asn Gly Ala Arg Gln Glu 500 505 510

Leu Asn Asp Gln Val Arg Glu Leu Ser Arg Ser Gly Gly Lys Ala Pro 515 520 525

Leu Val Ala Glu Ala Glu Lys His Ala Gln Ser Leu Gln Glu Leu Ala 530 540

Lys Gln Leu Glu Glu Ile Lys Arg Asn Thr Ser Gly Asp Glu Ser Val 545 550 555 560

Arg Cys Val Val Asp Ala Ala Thr Ala Tyr Glu Ser Ile Leu Asn Ala
565 570 575

Ile Arg Ala Ala Glu Asp Ala Ala Gly Lys Ala Asp Ser Ala Ser Glu 580 585 590

Ser Ala Phe Gln Thr Val Ile Lys Glu Asp Leu Pro Arg Arg Ala Lys
595 600 605

Thr Leu Ser Ser Asp Ser Glu Glu Leu Leu Asn Glu Ala Lys Met Thr 610 615 620

Arg Lys Arg Leu Gln Gln Glu Ile Asn Pro Ala Leu Asn Ser Leu Gln 625 630 635 640

Gln Thr Leu Lys Thr Val Ser Val Gln Lys Asp Leu Leu Asp Ala Asn 645 650 655

Val Thr Ala Val Arg Asn Asp Leu Arg Gly Ile Gln Arg Gly Asp Ile 660 665 670

Asp Ser Val Val Ser Gly Ala Lys Ser Met Val Arg Lys Ala Asn Gly 675 680 685

Ile Thr Ser Glu Val Leu Asp Gly Leu Ser Pro Ile Gln Thr Asp Leu 690 695 700

Gly Arg Ile Lys Asp Ser Tyr Gly Ser Thr Arg His Glu Asp Phe Asn 705 710 715 720

Lys Ala Leu Ile Asp Ala Asn Asn Ser Val Lys Lys Leu Thr Lys Lys 725 730 730

Leu Pro Asp Leu Phe Val Lys Ile Glu Ser Ile Asn Gln Gln Leu Leu 740 745 750

Pro Leu Gly Asn Ile Ser Asp Asn Val Asp Arg Ile Arg Glu Leu Ile 755 760 765

Thr Gln Ala Arg Asp Ala Ala Asn Lys Val Ala Ile Pro Met Arg Phe



770 775 780

Asn Gly Lys Ser Gly Val Glu Val Arg Leu Pro Asn Asp Leu Glu Asp 785 790. 795 800

Leu Lys Gly Tyr Thr Ser Leu Ser Leu Phe Leu Gln Arg Pro Asp Leu
805 810 815

Arg Glu Asn Gly Gly Thr Glu Asp Met Phe Val Met Tyr Leu Gly Asn 820 825 830

Lys Asp Ala Ser Lys Asp Tyr Ile Gly Met Ala Val Val Asp Gly Gln 835 840 845

Leu Thr Cys Val Tyr Asn Leu Gly Asp Arg Glu Ala Glu Val Gln Ile 850 855 860

Asp Gln Val Leu Thr Glu Ser Glu Ser Gln Glu Ala Val Met Asp Arg 865 870 875 880

Val Lys Phe Gln Arg Ile Tyr Gln Phe Ala Lys Leu Asn Tyr Thr Lys 885 890 895

Glu Ala Thr Ser Asn Lys Pro Lys Ala Pro Ala Val Tyr Asp Leu Glu 900 905 910

Gly Gly Ser Ser Asn Thr Leu Leu Asn Leu Asp Pro Glu Asp Ala Val 915 920 925

Phe Tyr Val Gly Gly Tyr Pro Pro Asp Phe Glu Leu Pro Ser Arg Leu 930 935 940

Arg Phe Pro Pro Tyr Lys Gly Cys Ile Glu Leu Asp Asp Leu Asn Glu 945 950 955 960

Asn Val Leu Ser Leu Tyr Asn Phe Lys Thr Thr Phe Asn Leu Asn Thr 965 970 975

Thr Glu Val Glu Pro Cys Arg Arg Arg Lys Glu Glu Ser Asp Lys Asn 980 985 990

Tyr Phe Glu Gly Thr Gly Tyr Ala Arg Ile Pro Thr Gln Pro Asn Ala

Pro Phe Pro Asn Phe Ile Gln Thr Ile Gln Thr Thr Val Asp Arg Gly 1010 1015 1020

Leu Leu Phe Phe Ala Glu Asn Gln Asp Asn Phe Ile Ser Leu Asn Ile 1025 1030 1035 1040

Glu Asp Gly Asn Leu Met Val Arg Tyr Lys Leu Asn Ser Glu Pro Pro 1045 1050 1055


Lys Glu Lys Gly Ile Arg Asp Thr Ile Asn Asp Gly Lys Asp His Ser 1060 1065 1070

Ile Leu Ile Thr Ile Gly Lys Leu Gln Lys Arg Met Trp Ile Asn Val 1075 1080 1085

Asn Glu Arg Ser Val Arg Ile Glu Gly Glu Ile Phe Asp Phe Ser Thr 1090 1095 1100



- Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg Glu Arg Phe Asn Ile 1105 1110 1115 1120
- Ser Thr Pro Ala Phe Gln Gly Cys Met Lys Asn Leu Lys Lys Thr Ser 1125 1130 1135
- Gly Val Val Arg Leu Asn Asp Thr Val Gly Val Thr Lys Lys Cys Ser 1140 1145 1150
- Glu Asp Trp Lys Leu Val Arg Thr Ala Ser Phe Ser Arg Gly Gln 1155 1160 1165
- Met Ser Phe Thr Asn Leu Asp Val Pro Ser Thr Asp Arg Phe Gln Leu 1170 1180
- Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly Thr Leu Leu Asn His 1185 1190 1195 1200
- Gln Thr Arg Thr Ser Ser Leu Leu Val Thr Leu Glu Asp Gly His Ile 1205 1210 1215
- Glu Leu Ser Thr Arg Asp Ser Asn Ile Pro Ile Phe Lys Ser Pro Gly
  1220 1225 1230
- Thr Tyr Met Asp Gly Leu Leu His His Val Ser Val Ile Ser Asp Thr
  1235 1240 1245
- Ser Gly Leu Arg Leu Leu Ile Asp Asp Gln Val Leu Arg Arg Asn Gln 1250 1260
- Arg Leu Pro Ser Phe Ser Asn Ala Gln Gln Ser Leu Arg Leu Gly Gly 1265 1270 1275 1280
- Gly His Phe Glu Gly Cys Ile Ser Asn Val Leu Val Gln Arg Phe Ser 1285 1290 1295
- Gln Ser Pro Glu Val Leu Asp Leu Ala Ser Lys Ser Thr Lys Lys Asp 1300 1305 1310
- Ala Ser Leu Gly Gly Cys Ser Leu Asn Lys Pro Pro Phe Leu Met Leu 1315 1320 1325
- Phe Lys Ser Pro Lys Arg Phe Asn Lys Gly Arg Ile Phe Asn Val Asn 1330 1335 1340
- Gln Leu Met Gln Asp Ala Pro Gln Ala Thr Arg Ser Thr Glu Ala Trp 1345 1350 1355 1360
- Gln Asp Gly Arg Ser Cys Leu Pro Pro Leu Asn Thr Lys Ala Ser His  $1365 \hspace{1cm} 1370 \hspace{1cm} 1375$
- Arg Ala Leu Gln Phe Gly Asp Ser Pro Thr Ser His Leu Leu Leu Lys 1380 1385 1390
- Leu Pro Gln Glu Leu Leu Lys Pro Arg Ser Gln Phe Ser Leu Asp Ile 1395 1400 1405
- Gln Thr Thr Ser Pro Lys Gly Leu Val Phe Tyr Ala Gly Thr Lys Asp 1410 1415 1420



1435

Gly Ala Gly Gly Lys Leu Arg Leu Arg Ser Lys Glu Arg Tyr His 1445 1450 1455

1430

- Asp Gly Lys Trp His Thr Val Val Phe Gly Leu Asn Gly Gly Lys Ala 1460 1465 1470
- Arg Leu Val Val Asp Gly Leu Arg Ala Gln Glu Gly Ser Leu Pro Gly 1475 1480 1485
- Asn Ser Thr Ile Ser Pro Arg Glu Gln Val Tyr Leu Gly Leu Pro Leu 1490 1495 1500
- Ser Arg Lys Pro Lys Ser Leu Pro Gln His Ser Phe Val Gly Cys Leu 1505 1510 1515 1520
- Arg Asp Phe Gln Leu Asn Ser Lys Pro Leu Asp Ser Pro Ser Ala Arg 1525 1530 1535
- Phe Gly Val Ser Pro Cys Leu Gly Gly Ser Leu Glu Lys Gly Ile Tyr 1540 1545 1550
- Phe Ser Gln Gly Gly His Val Ile Leu Ala Asn Ser Val Ser Leu 1555 1560 1565
- Gly Pro Glu Leu Lys Leu Thr Phe Ser Ile Arg Pro Arg Ser Leu Thr 1570 1575 1580
- Gly Val Leu Ile His Val Gly Ser Gln Ser Gly Gln Arg Leu Ser Val 1585 1590 1595 1600
- Tyr Met Glu Ala Gly Lys Val Thr Thr Ser Val Ser Ser Asp Ala Gly 1605 1610 1615
- Gly Ser Val Thr Ser Ile Thr Pro Lys Gln Ser Leu Cys Asp Gly Gln 1620 1625 1630
- Trp His Ser Val Ala Val Ser Ile Lys Gln Arg Ile Leu His Leu Glu 1635 1640 1645
- Leu Asp Thr Asp Ser Ser Tyr Thr Val Ala Pro Leu Ser Phe Ser Pro 1650 1655 1660
- Asn Ser Thr Arg Gly Ser Leu His Val Gly Gly Val Pro Asp Lys Leu 1665 1670 1675 1680
- Lys Met Leu Thr Leu Pro Val Trp Asn Ser Phe Phe Gly Cys Leu Lys 1685 1690 1695
- Asn Ile Gln Val Asn His Val Pro Val Pro Ile Thr Glu Ala Thr Glu 1700 1705 1710
- Val Gln Gly Ser Val Ser Leu Asn Gly Cys Pro Asp His 1715 1720 1725

<210> 11

<211> 5113

<212> DNA



<213	> Ra	ttus	nor	vegi	.cus											
<221	<220> <221> CDS <222> (1)(5082)  <400> 11 cag caa agg gta gca ttt ctt cag cat cca ggg caa aac cat ctg caa 48															
cag	caa	agg	gta Val	gca Ala 5	ttt Phe	ctt Leu	cag Gln	cat His	cca Pro 10	Gly aaa	caa Gln	aac Asn	cat His	ctg Leu 15	caa Gln	48
														gga Gly		96
tat Tyr	cga Arg	gac Asp 35	atc Ile	aaa Lys	agc Ser	ttc Phe	cct Pro 40	gcg Ala	gga Gly	agg Arg	tct Ser	gtt Val 45	ccc Pro	tgc Cys	aat Asn	144
tgc Cys	aac Asn 50	gga Gly	cat His	tca Ser	aat Asn	aga Arg 55	tgc Cys	caa Gln	gac Asp	ggc Gly	tcg Ser 60	gga Gly	gtg Val	tgc Cys	att Ile	192
aac Asn 65	tgt Cys	cag Gln	cac His	aac Asn	aca Thr 70	gct Ala	ggg Gly	g <b>ag</b> Glu	cac His	tgt Cys 75	gag Glu	cgt Arg	cys Cys	aag Lys	agg Arg 80	240
ggt Gly	tac Tyr	tat Tyr	gga Gly	agc Ser 85	gcc Ala	atc Ile	cat His	gga Gly	tcc Ser 90	tgc Cys	agg Arg	gtt Val	tgc Cys	ccc Pro 95	tgt Cys	288
														gga Gly		336
gtg Val	agg Arg	tgt Cys 115	gcc Ala	tgc Cys	aaa Lys	ccc Pro	gga Gly 120	tac Tyr	aca Thr	gga Gly	gca Ala	cag Gln 125	tgt Cys	gag Glu	agg Arg	384
tgt Cys	gca Ala 130	cca Pro	gga Gly	tat Tyr	ttt Phe	ggg Gly 135	aac Asn	ccc Pro	cag Gln	aaa Lys	ttt Phe 140	gga Gly	ggt Gly	agc Ser	tgc Cys	432
caa Gln 145	cca Pro	tgc Cys	aat Asn	tgc Cys	aac Asn 150	agt Ser	aat Asn	ggc Gly	cag Gln	ttt Phe 155	ggc Gly	act Thr	tgt Cys	gat Asp	ccc Pro 160	480
cta	act	gga	gac	tgt	gta	agc	çaa	gaa	ccc	aaa	gat	ggc	agc	cct	gca	528

Cys	130	Pro	GIĄ	Tyr	Pne	135	ASII	PIO	GIN	nys	140	GIY	Gly	361	Суз	
caa Gln 145	cca Pro	tgc Cys	aat Asn	tgc Cys	aac Asn 150	agt Ser	aat Asn	ggc Gly	cag Gln	ttt Phe 155	ggc Gly	act Thr	tgt Cys	gat Asp	ccc Pro 160	480
cta Leu	act Thr	gga Gly	gac Asp	tgt Cys 165	gta Val	agc Ser	caa Gln	gaa Glu	ccc Pro 170	aaa Lys	gat Asp	ggc Gly	agc Ser	cct Pro 175	gca Ala	528
gaa Glu	g <b>aa</b> Glu	tgt Cys	gat Asp 180	gac Asp	tgt Cys	gac Asp	agc Ser	tgt Cys 185	gtg Val	atg Met	act Thr	ctc Leu	cta Leu 190	aat Asn	gac Asp	576
ttg Leu	gtc Val	ccc Pro 195	atg Met	ggt Gly	gag Glu	gaa Glu	ctc Leu 200	gcc Ala	ctg Leu	gtg Val	aaa Lys	tca Ser 205	aaa Lys	ctt Leu	cag Gln	624
ggg Gly	ctg Leu	agt Ser	gtg Val	aac Asn	act Thr	ggt Gly	tct Ser	ctg Leu	gaa Glu	cag Gln	atc Ile	cgg Arg	cat His	gtg Val	gag Glu	672



215 220 210 atg cag gcc aag gac ctg agg aac cag ctg ctt ggc ttc cgt tcc gcc 720 Met Gln Ala Lys Asp L u Arg Asn Gln Leu Leu Gly Phe Arg Ser Ala 230 atc tcc agt cac ggg tcc caa atg gac ggc ctg gaa aaa gaa ctc agt 768 Ile Ser Ser His Gly Ser Gln Met Asp Gly Leu Glu Lys Glu Leu Ser 250 245 816 cat ttg tac cag gaa ttc gaa act ttg caa gaa aag gcg cag gtc aat His Leu Tyr Gln Glu Phe Glu Thr Leu Gln Glu Lys Ala Gln Val Asn 260 tcc aga aaa gca caa aca tta tat aac aac atc gat acg aca atc caa 864 Ser Arg Lys Ala Gln Thr Leu Tyr Asn Asn Ile Asp Thr Thr Ile Gln 280 aac gcc aaa gag ttg gac atg aag att aaa aac ata ctt acg aat gtg 912 Asn Ala Lys Glu Leu Asp Met Lys Ile Lys Asn Ile Leu Thr Asn Val cac att ctc ctg aag cag atc gct cgg cca ggt gga gaa gga atg gac 960 His Ile Leu Leu Lys Gln Ile Ala Arg Pro Gly Gly Glu Gly Met Asp 305 310 315 1008 ttg ccg gtg ggc gac tgg tcc agg gag tcg gcg gaa gct cag cgc atg Leu Pro Val Gly Asp Trp Ser Arg Glu Ser Ala Glu Ala Gln Arg Met 330 1056 ttg cgg gag ctg cga ggc cga gac ttt aaa aag cac ctc caa gaa gca Leu Arg Glu Leu Arg Gly Arg Asp Phe Lys Lys His Leu Gln Glu Ala gag gcc cag aaa atg gaa gcc cag ctc tta ctg aac cga atc agg acc 1104 Glu Ala Gln Lys Met Glu Ala Gln Leu Leu Leu Asn Arg Ile Arg Thr 360 tgg ctg gaa tcc cac cag gtg gag aac aat gga ctg cta aag aat att 1152 Trp Leu Glu Ser His Gln Val Glu Asn Asn Gly Leu Leu Lys Asn Ile 375 370 cgg gat toa tta aat gat tat gaa goo aaa ott cag gac otg cgt too 1200 Arg Asp Ser Leu Asn Asp Tyr Glu Ala Lys Leu Gln Asp Leu Arg Ser 395 390 385 gtg ctt cag gag gcg gca gcc cag gga aag cag gct aca ggc ctc aac Val Leu Gln Glu Ala Ala Ala Gln Gly Lys Gln Ala Thr Gly Leu Asn 405 cac gaa aat gag ggg gtc cta gga gcc atc cag aga caa atg aag gaa 1296 His Glu Asn Glu Gly Val Leu Gly Ala Ile Gln Arg Gln Met Lys Glu atg gat tee etg aag aag tae etc ace gag cae etg gee aca gea gae Met Asp Ser Leu Lys Lys Tyr Leu Thr Glu His Leu Ala Thr Ala Asp 435 gct tcc ctg ctg caa acc aac agt cta ctg cag cgg atg gac acg agc Ala Ser Leu Leu Gln Thr Asn Ser Leu Leu Gln Arg Met Asp Thr S r 455 450



														aga Arg		1440
														aaa Lys 495		1488
														gag Glu		1536
														gag Glu		1584
gtg Val	cgc Arg 530	tgt Cys	gtc Val	gtg Val	gac Asp	gct Ala 535	gcc Ala	act Thr	gcc Ala	tat Tyr	gag Glu 540	agc Ser	atc Ile	ctc Leu	aac Asn	1632
gcc Ala 545	atc Ile	cga Arg	gca Ala	gca Ala	gag Glu 550	gat Asp	gca Ala	gcc Ala	ggc Gly	aag Lys 555	gcc Ala	gac Asp	agt Ser	gcc Ala	tca Ser 560	1680
														aga Arg 575		1728
														aag Lys		1776
aca Thr	cgg Arg	aaa Lys 595	agg Arg	cta Leu	cag Gln	caa Gln	gaa Glu 600	atc Ile	aat Asn	cca Pro	gct Ala	ctc Leu 605	aac Asn	agc Ser	cta Leu	1824
cag Gln	caa Gln 610	acc Thr	ctg Leu	aag Lys	act Thr	gta Val 615	tca Ser	gtt Val	cag Gln	aag Lys	gac Asp 620	ctg Leu	cta Leu	gat Asp	gcc Ala	1872
aat Asn 625	gtc Val	act Thr	gct Ala	gtc Val	cgt Arg 630	aat Asn	gac Asp	ctt Leu	cgt Arg	ggg Gly 635	atc Ile	cag Gln	aga Arg	ggt Gly	gat Asp 640	1920
att Ile	gac Asp	agt Ser	gtg Val	gtg Val 645	agt Ser	gga Gly	gcg Ala	aag Lys	agc Ser 650	atg Met	gtc Val	agg Arg	aaa Lys	gcc Ala 655	aat Asn	1968
gly	ata Ile	acg Thr	agc Ser 660	gag Glu	gtc Val	ctg Leu	gac Asp	999 Gly 665	ctc Leu	agc Ser	ccc Pro	atc Ile	cag Gln 670	acg Thr	gat Asp	2016
ttg Leu	g <b>ga</b> Gly	agg Arg 675	att Ile	aag Lys	gac Asp	agc Ser	tac Tyr 680	ggg Gly	agc Ser	aca Thr	cgg Arg	cat His 685	gag Glu	gac Asp	ttc Phe	2064
aac Asn	aaa Lys 690	gct Ala	ctg Leu	att Ile	gac Asp	gcc Ala 695	aat Asn	aac Asn	tca Ser	gta Val	aag Lys 700	aaa Lys	tta Leu	acc Thr	aag Lys	2112



aag Lys 705	ttg Leu	cct Pro	gat Asp	ctt Leu	ttt Phe 710	gtc Val	aag Lys	att Ile	gaa Glu	agc Ser 715	atc Ile	aat Asn	caa Gln	cag Gln	ttg Leu 720	2160
ctg Leu	ccc Pro	ctg Leu	gga Gly	aac Asn 725	atc Ile	tct Ser	gac Asp	aat Asn	gta Val 730	gac Asp	cga Arg	atc Ile	cga Arg	gag Glu 735	ctc Leu	2208
att Ile	acg Thr	cag Gln	gcc Ala 740	aga Arg	gat Asp	gct Ala	gcg Ala	aac Asn 745	aag Lys	gtt Val	gca Ala	att Ile	ccc Pro 750	atg Met	agg Arg	2256
ttc Phe	aat Asn	ggt Gly 755	aaa Lys	tct Ser	ggt Gly	gtt Val	gaa Glu 760	gtc Val	cgt Arg	ctg Leu	cca Pro	aat Asn 765	gac Asp	cta Leu	gaa Glu	2304
gac Asp	ttg Leu 770	aag Lys	gga Gly	tac Tyr	acg Thr	tct Ser 775	ctg Leu	tct Ser	ttg Leu	ttc Phe	ctc Leu 780	c <b>aa</b> Gln	aga Arg	cca Pro	gac Asp	2352
tta Leu 785	aga Arg	gag Glu	aat Asn	gga Gly	ggc Gly 790	act Thr	gag Glu	gac Asp	atg Met	ttt Phe 795	gta Val	atg Met	tac Tyr	ctt Leu	gga Gly 800	2400
aac Asn	aag Lys	gat Asp	gcc Ala	tcc Ser 805	aag Lys	gac Asp	tac Tyr	atc Ile	ggc Gly 810	atg Met	gcg Ala	gtt Val	gta Val	gat Asp 815	ggc Gly	2448
cag Gln	ctg Leu	acg Thr	tgt Cys 820	gtc Val	tac Tyr	aac Asn	ctg Leu	999 Gly 825	gac Asp	cga Arg	gaa Glu	gct Ala	gaa Glu 830	gtt Val	c <b>ag</b> Gln	2496
atc Ile	gat Asp	cag Gln 835	gtc Val	ctg L <b>e</b> u	acg Thr	gag Glu	agt Ser 840	gag Glu	tct Ser	cag Gln	gag Glu	gca Ala 845	gtt Val	atg Met	gac Asp	2544
cgg Arg	gtg Val 850	aag Lys	ttc Phe	cag Gln	aga Arg	ata Ile 855	tat Tyr	caa Gln	ttt Phe	gcc Ala	aag Lys 860	ctt Leu	aat Asn	tac Tyr	acc Thr	2592
										ccc Pro 875						2640
g <b>ag</b> Glu	ggt Gly	ggc Gly	agt Ser	agc Ser 885	aac Asn	acg Thr	ctc Leu	ctt Leu	aat Asn 890	ttg Leu	gat Asp	ccc Pro	gag Glu	gac Asp 895	gct Ala	2688
gtg Val	ttt Phe	tat Tyr	gtc Val 900	gga Gly	ggt Gly	tac Tyr	cca Pro	ccg Pro 905	gat Asp	ttt Phe	g <b>aa</b> Glu	ctt L <b>eu</b>	cct Pro 910	agc Ser	aga Arg	2736
ctg Leu	cgg Arg	ttc Phe 915	Pro	cca Pro	tac Tyr	aaa Lys	ggc Gly 920	tgt Cys	atc Ile	gaa Glu	cta Leu	gat Asp 925	gac Asp	ctc Leu	aat Asn	2784
gaa Glu	aac Asn 930	Val	cta Leu	agc Ser	ttg Leu	tac Tyr 935	aat Asn	ttc Phe	aag Lys	aca Thr	act Thr 940	ttc Phe	aat Asn	ctc Leu	aac Asn	2832
acc	acg	gag	gtg	gag	cct	tgt	agg	agg	aga	aag	gaa	gag	tca	gac	aaa	2880




Thr Thr Glu Val Glu Pro Cys Arg Arg Arg Lys Glu Glu Ser Asp L 945 950 955 9	y <b>s</b> 60
aat tac ttt gaa ggt aca ggc tat gct cgc atc cct act caa cca a Asn Tyr Phe Glu Gly Thr Gly Tyr Ala Arg Ile Pro Thr Gln Pro A 965 970 975	at 2928 sn
gct ccc ttc cca aac ttc ata cag acc atc cag act act gtg gac a Ala Pro Phe Pro Asn Phe Ile Gln Thr Ile Gln Thr Thr Val Asp A 980 985 990	
ggt tta ctg ttc ttc gca gaa aac cag gat aac ttc ata tct ctg a Gly Leu Leu Phe Phe Ala Glu Asn Gln Asp Asn Phe Ile Ser Leu A 995 1000 1005	ac 3024 sn
ata gaa gat ggc aat ctc atg gtg aga tac aaa cta aat tca gag c Ile Glu Asp Gly Asn Leu Met Val Arg Tyr Lys Leu Asn Ser Glu P 1010 1015 1020	ca 3072 ro
ccc aaa gag aag gga att cga gac acc atc aac gat ggg aaa gat cPro Lys Glu Lys Gly Ile Arg Asp Thr Ile Asn Asp Gly Lys Asp H1025103010351035	at 3120 is 40
tcg atc tta atc aca att gga aaa cta caa aaa cgc atg tgg ata a Ser Ile Leu Ile Thr Ile Gly Lys Leu Gln Lys Arg Met Trp Ile A 1045 1050 1055	at 3168 .sn
gtg aac gaa cgc agt gta cga atc gaa ggg gaa ata ttt gat ttc a Val Asn Glu Arg Ser Val Arg Ile Glu Gly Glu Ile Phe Asp Phe S 1060 1065 1070	gc 3216 er
aca tat tat ttg ggc gga att cca att gca atc aga gaa agg ttt a Thr Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg Glu Arg Phe A 1075 1080 1085	ac 3264 .sn
atc tca acg cct gct ttc caa ggc tgc atg aag aat ctg aag aaa a Ile Ser Thr Pro Ala Phe Gln Gly Cys Met Lys Asn Leu Lys Lys T 1090 1095 1100	cc 3312 Thr
agt ggg gtt gtc agg ttg aat gat act gtg ggt gta acc aag aag t Ser Gly Val Val Arg Leu Asn Asp Thr Val Gly Val Thr Lys Lys C 1105 1110 1115	:ys
tca gaa gac tgg aag ctt gtg cga acc gcc tcg ttc tcc aga gga g Ser Glu Asp Trp Lys Leu Val Arg Thr Ala Ser Phe Ser Arg Gly G 1125 1130 1135	gg 3408 Sly
cag atg agc tit aca aac tig gac gig ccc tig act gac igc tit of Gln Met Ser Phe Thr Asn Leu Asp Val Pro Ser Thr Asp Arg Phe Gln 1140 1145 1150	ag 3456 31n
ctc tcc ttt ggg ttt cag acc ttt caa ccc agt ggc aca ctg ctc a Leu Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly Thr Leu Leu F	at 3504 Asn
1155 1160 1165	
	ac 3552

WO 00/06/31			<u> </u>	1 € 1/0300/114
1185	1190	119	5	1200
ggg acc tac as	tg gac ggt tta et Asp Gly Leu 1205	ctg cat cat gt Leu His His Va 1210	l Ser Val Ile	agt gac 3648 Ser Asp 215
acc tca ggt control thr Ser Gly Lo	tc cgc ctt ctc eu Arg Leu Leu 20	atc gat gac ca Ile Asp Asp Gl 1225	g gtc ctg aga n Val Leu Arg 1230	agg aac 3696 Arg Asn
cag agg ctt co Gln Arg Leu P 1235	ct agc ttc tct ro Ser Phe Ser	aac gcc cag ca Asn Ala Gln Gl 1240	g tcg ctc cgc n Ser Leu Arg 1245	ctt gga 3744 Leu Gly
gga ggt cat to Gly Gly His Pi 1250	tc gag ggt tgt he Glu Gly Cys 1255	atc agc aat gt Ile Ser Asn Va	t tta gtc caa l Leu Val Gln 1260	agg ttt 3792 Arg Phe
tca cag agt co Ser Gln Ser P 1265	ca gaa gtc ctg ro Glu Val Leu 1270	gat ctg gcc ag Asp Leu Ala Se 127	r Lys Ser Thr	aag aag 3840 Lys Lys 1280
gat gca tcc c Asp Ala Ser L	ta gga ggc tgc eu Gly Gly Cys 1285	agt tta aac aa Ser Leu Asn Ly 1290	s Pro Pro Phe	ctt atg 3888 Leu Met 295
ttg ttt aaa a Leu Phe Lys S 13	gt ccc aag aga er Pro Lys Arg 00	ttt aac aag gg Phe Asn Lys Gl 1305	c cgg att ttc y Arg Ile Phe 1310	aat gtt 3936 Asn Val
aat cag ctg a Asn Gln Leu M 1315	tg caa gat gca et Gln Asp Ala	cct cag gcc ac Pro Gln Ala Th 1320	a agg agc aca or Arg Ser Thr 1325	gag gct 3984 Glu Ala
tgg caa gat g Trp Gln Asp G 1330	gg agg tcc tgc ly Arg Ser Cys 1335	cta cca cct ct Leu Pro Pro Le	g aac acc aag u Asn Thr Lys 1340	gcc tct 4032 Ala Ser
cac aga gcc c His Arg Ala L 1345	tg cag ttt gga eu Gln Phe Gly 1350	gac agc ccc ac Asp Ser Pro Th	r Ser His Leu	cta ctc 4080 Leu Leu 1360
aag ctt ccc c Lys Leu Pro G	ag gaa ctg ctg In Glu Leu Leu 1365	aaa cct agg to Lys Pro Arg Se 1370	er Gln Phe Ser	tta gac 4128 Leu Asp .375
Ile Gln Thr T	ct tcc ccc aaa Thr Ser Pro Lys 80	gga ctg gtg tt Gly Leu Val Ph 1385	t tac gca ggc ne Tyr Ala Gly 1390	acc aag 4176 Thr Lys
gac tcc ttc c Asp Ser Phe I 1395	tg gct ctt tat Leu Ala Leu Tyr	gtc gca gat gg Val Ala Asp Gl 1400	gc cgt gtt gtc Ly Arg Val Val 1405	ttt gct 4224 Phe Ala
ttg ggg gca g Leu Gly Ala G	gga ggg aag aaa Bly Gly Lys Lys 1415	ctg aga ctc ag Leu Arg Leu A	gg agc aag gag cg Ser Lys Glu 1420	aga tac 4272 Arg Tyr

cat gac ggg aag tgg cac acg gtg gtg ttc gga cta aat gga gga aag His Asp Gly Lys Trp His Thr Val Val Phe Gly Leu Asn Gly Gly Lys

1430

1425



WO 00/66731

## PCT/US00/11459

gaa gtc caa ggt tct gtc agc ctg aat ggc tgc cct gac cac Glu Val Gln Gly Ser Val Ser Leu Asn Gly Cys Pro Asp His 1685

5082

taaccctaca cagcaagatt cacctttgga g

5113

<210> 12 <211> 1694

<212> PRT

<213> Rattus norvegicus

<400> 12

Gln Gln Arg Val Ala Phe Leu Gln His Pro Gly Gln Asn His Leu Gln
1 5 10 15

Ala Ser Tyr Met Glu Leu Arg Pro Ser Gln Gly Cys Arg Pro Gly Tyr
20 25 30

Tyr Arg Asp Ile Lys Ser Phe Pro Ala Gly Arg Ser Val Pro Cys Asn 40 45

Cys Asn Gly His Ser Asn Arg Cys Gln Asp Gly Ser Gly Val Cys Ile 50 60

Asn Cys Gln His Asn Thr Ala Gly Glu His Cys Glu Arg Cys Lys Arg

Gly Tyr Tyr Gly Ser Ala Ile His Gly Ser Cys Arg Val Cys Pro Cys 85 90 95

Pro His Thr Asn Ser Phe Ala Thr Gly Cys Ala Val Asp Gly Gly Ala 100 105 110

Val Arg Cys Ala Cys Lys Pro Gly Tyr Thr Gly Ala Gln Cys Glu Arg 115 120 125

Cys Ala Pro Gly Tyr Phe Gly Asn Pro Gln Lys Phe Gly Gly Ser Cys 130 135 140

Gln Pro Cys Asn Cys Asn Ser Asn Gly Gln Phe Gly Thr Cys Asp Pro 145 150 155 160

Leu Thr Gly Asp Cys Val Ser Gln Glu Pro Lys Asp Gly Ser Pro Ala 165 170 175

Glu Glu Cys Asp Asp Cys Asp Ser Cys Val Met Thr Leu Leu Asn Asp 180 185 190

Leu Val Pro Met Gly Glu Glu Leu Ala Leu Val Lys Ser Lys Leu Gln
195 200 205

Gly Leu Ser Val Asn Thr Gly Ser Leu Glu Gln Ile Arg His Val Glu 210 215 220

Met Gln Ala Lys Asp Leu Arg Asn Gln Leu Leu Gly Phe Arg Ser Ala 225 230 235 240

Ile Ser Ser His Gly Ser Gln Met Asp Gly Leu Glu Lys Glu Leu Ser 245 250 255



His Leu Tyr Gln Glu Phe Glu Thr Leu Gln Glu Lys Ala Gln Val Asn 260 265 270

Ser Arg Lys Ala Gln Thr Leu Tyr Asn Asn Ile Asp Thr Thr Ile Gln 275 280 285

Asn Ala Lys Glu Leu Asp Met Lys Ile Lys Asn Ile Leu Thr Asn Val 290 295 300

His Ile Leu Leu Lys Gln Ile Ala Arg Pro Gly Gly Glu Gly Met Asp 305 310 315 320

Leu Pro Val Gly Asp Trp Ser Arg Glu Ser Ala Glu Ala Gln Arg Met 325 330 335

Leu Arg Glu Leu Arg Gly Arg Asp Phe Lys Lys His Leu Gln Glu Ala 340 345 350

Glu Ala Gln Lys Met Glu Ala Gln Leu Leu Leu Asn Arg Ile Arg Thr 355 360 365

Trp Leu Glu Ser His Gln Val Glu Asn Asn Gly Leu Leu Lys Asn Ile 370 375 380

Arg Asp Ser Leu Asn Asp Tyr Glu Ala Lys Leu Gln Asp Leu Arg Ser 385 390 395 400

Val Leu Gln Glu Ala Ala Ala Gln Gly Lys Gln Ala Thr Gly Leu Asn 405 410 415

His Glu Asn Glu Gly Val Leu Gly Ala Ile Gln Arg Gln Met Lys Glu
420 425 430

Met Asp Ser Leu Lys Lys Tyr Leu Thr Glu His Leu Ala Thr Ala Asp

Ala Ser Leu Leu Gln Thr Asn Ser Leu Leu Gln Arg Met Asp Thr Ser 450 455 460

Gln Lys Glu Tyr Glu Ser Leu Ala Ala Ala Leu Asn Gly Ala Arg Gln
465 470 475 480

Glu Leu Asn Asp Gln Val Arg Glu Leu Ser Arg Ser Gly Gly Lys Ala 485 490 495

Pro Leu Val Ala Glu Ala Glu Lys His Ala Gln Ser Leu Gln Glu Leu
500 510

Ala Lys Gln Leu Glu Glu Ile Lys Arg Asn Thr Ser Gly Asp Glu Ser
515 520 525

Val Arg Cys Val Val Asp Ala Ala Thr Ala Tyr Glu Ser Ile Leu Asn 530 535 540

Ala Ile Arg Ala Ala Glu Asp Ala Ala Gly Lys Ala Asp Ser Ala Ser 545 550 555 560

Glu Ser Ala Phe Gln Thr Val Ile Lys Glu Asp Leu Pro Arg Arg Ala 565 570 575

Lys Thr Leu Ser Ser Asp Ser Glu Glu Leu Leu Asn Glu Ala Lys Met

580 585 590

Thr Arg Lys Arg Leu Gln Gln Glu Ile Asn Pro Ala Leu Asn Ser Leu 595 600 605

Gln Gln Thr Leu Lys Thr Val Ser Val Gln Lys Asp Leu Leu Asp Ala 610 615 620

Asn Val Thr Ala Val Arg Asn Asp Leu Arg Gly Ile Gln Arg Gly Asp 625 630 635 640

Ile Asp Ser Val Val Ser Gly Ala Lys Ser Met Val Arg Lys Ala Asn
645 650 655

Gly Ile Thr Ser Glu Val Leu Asp Gly Leu Ser Pro Ile Gln Thr Asp
660 665 670

Leu Gly Arg Ile Lys Asp Ser Tyr Gly Ser Thr Arg His Glu Asp Phe 675 680 685

Asn Lys Ala Leu Ile Asp Ala Asn Asn Ser Val Lys Lys Leu Thr Lys 690 695 700

Lys Leu Pro Asp Leu Phe Val Lys Ile Glu Ser Ile Asn Gln Gln Leu 705 710 715 720

Leu Pro Leu Gly Asn Ile Ser Asp Asn Val Asp Arg Ile Arg Glu Leu 725 730 735

Ile Thr Gln Ala Arg Asp Ala Ala Asn Lys Val Ala Ile Pro Met Arg 740 745 750

Phe Asn Gly Lys Ser Gly Val Glu Val Arg Leu Pro Asn Asp Leu Glu
755 760 765

Asp Leu Lys Gly Tyr Thr Ser Leu Ser Leu Phe Leu Gln Arg Pro Asp 770 775 780

Leu Arg Glu Asn Gly Gly Thr Glu Asp Met Phe Val Met Tyr Leu Gly 785 790 795 800

Asn Lys Asp Ala Ser Lys Asp Tyr Ile Gly Met Ala Val Val Asp Gly 805 810 815

Gln Leu Thr Cys Val Tyr Asn Leu Gly Asp Arg Glu Ala Glu Val Gln 820 825 830


Ile Asp Gln Val Leu Thr Glu Ser Glu Ser Gln Glu Ala Val Met Asp 835 840 845

Arg Val Lys Phe Gln Arg Ile Tyr Gln Phe Ala Lys Leu Asn Tyr Thr 850 855 860

Lys Glu Ala Thr Ser Asn Lys Pro Lys Ala Pro Ala Val Tyr Asp Leu 865 870 875 886

Glu Gly Gly Ser Ser Asn Thr Leu Leu Asn Leu Asp Pro Glu Asp Ala 885 890 895

Val Phe Tyr Val Gly Gly Tyr Pro Pro Asp Phe Glu Leu Pro Ser Arg 900 905 910



- Glu Asn Val Leu Ser Leu Tyr Asn Phe Lys Thr Thr Phe Asn Leu Asn 930 935 940
- Thr Thr Glu Val Glu Pro Cys Arg Arg Arg Lys Glu Glu Ser Asp Lys 945 950 955 960
- Asn Tyr Phe Glu Gly Thr Gly Tyr Ala Arg Ile Pro Thr Gln Pro Asn 965 970 975
- Ala Pro Phe Pro Asn Phe Ile Gln Thr Ile Gln Thr Thr Val Asp Arg 980 985 990
- Gly Leu Leu Phe Phe Ala Glu Asn Gln Asp Asn Phe Ile Ser Leu Asn 995 1000 1005
- Ile Glu Asp Gly Asn Leu Met Val Arg Tyr Lys Leu Asn Ser Glu Pro 1010 1015 1020
- Pro Lys Glu Lys Gly Ile Arg Asp Thr Ile Asn Asp Gly Lys Asp His 1025 1030 1035 1040
- Ser Ile Leu Ile Thr Ile Gly Lys Leu Gln Lys Arg Met Trp Ile Asn 1045 1050 1055
- Val Asn Glu Arg Ser Val Arg Ile Glu Gly Glu Ile Phe Asp Phe Ser 1060 1065 1070
- Thr Tyr Tyr Leu Gly Gly Ile Pro Ile Ala Ile Arg Glu Arg Phe Asn 1075 1080 1085
- Ile Ser Thr Pro Ala Phe Gln Gly Cys Met Lys Asn Leu Lys Lys Thr 1090 1095 1100
- Ser Gly Val Val Arg Leu Asn Asp Thr Val Gly Val Thr Lys Lys Cys 1105 1110 1115 1120
- Ser Glu Asp Trp Lys Leu Val Arg Thr Ala Ser Phe Ser Arg Gly Gly 1125 1130 1135
- Gln Met Ser Phe Thr Asn Leu Asp Val Pro Ser Thr Asp Arg Phe Gln 1140 1145 1150
- Leu Ser Phe Gly Phe Gln Thr Phe Gln Pro Ser Gly Thr Leu Leu Asn 1155 1160 1165
- His Gln Thr Arg Thr Ser Ser Leu Leu Val Thr Leu Glu Asp Gly His 1170 1180
- Ile Glu Leu Ser Thr Arg Asp Ser Asn Ile Pro Ile Phe Lys Ser Pro 1185 1190 1195 1200
- Gly Thr Tyr Met Asp Gly Leu Leu His His Val Ser Val Ile Ser Asp 1205 1210 1215
- Thr Ser Gly Leu Arg Leu Leu Ile Asp Asp Gln Val Leu Arg Asn 1220 1225 1230



- Gln Arg Leu Pro Ser Phe Ser Asn Ala Gln Gln Ser Leu Arg Leu Gly 1235 1240 1245
- Gly Gly His Phe Glu Gly Cys Ile Ser Asn Val Leu Val Gln Arg Phe 1250 1255 1260
- Ser Gln Ser Pro Glu Val Leu Asp Leu Ala Ser Lys Ser Thr Lys Lys 1265 1270 1275 1280
- Asp Ala Ser Leu Gly Gly Cys Ser Leu Asn Lys Pro Pro Phe Leu Met 1285 1290 1295
- Leu Phe Lys Ser Pro Lys Arg Phe Asn Lys Gly Arg Ile Phe Asn Val
- Asn Gln Leu Met Gln Asp Ala Pro Gln Ala Thr Arg Ser Thr Glu Ala 1315 1320 1325
- Trp Gln Asp Gly Arg Ser Cys Leu Pro Pro Leu Asn Thr Lys Ala Ser 1330 1335 1340
- His Arg Ala Leu Gln Phe Gly Asp Ser Pro Thr Ser His Leu Leu Leu 1345 1350 1355 1360
- Lys Leu Pro Gln Glu Leu Leu Lys Pro Arg Ser Gln Phe Ser Leu Asp 1365 1370 1375
- Ile Gln Thr Thr Ser Pro Lys Gly Leu Val Phe Tyr Ala Gly Thr Lys 1380 1385 1390
- Asp Ser Phe Leu Ala Leu Tyr Val Ala Asp Gly Arg Val Val Phe Ala 1395 1400 1405
- Leu Gly Ala Gly Gly Lys Lys Leu Arg Leu Arg Ser Lys Glu Arg Tyr
- His Asp Gly Lys Trp His Thr Val Val Phe Gly Leu Asn Gly Gly Lys 1425 1430 1435 1440
- Ala Arg Leu Val Val Asp Gly Leu Arg Ala Gln Glu Gly Ser Leu Pro 1445 1450 1455
- Gly Asn Ser Thr Ile Ser Pro Arg Glu Gln Val Tyr Leu Gly Leu Pro 1460 1465 1470
- Leu Ser Arg Lys Pro Lys Ser Leu Pro Gln His Ser Phe Val Gly Cys
- Leu Arg Asp Phe Gln Leu Asn Ser Lys Pro Leu Asp Ser Pro Ser Ala 1490 1495 1500
- Arg Phe Gly Val Ser Pro Cys Leu Gly Gly Ser Leu Glu Lys Gly Ile 1505 1510 1515 1520
- Tyr Phe Ser Gln Gly Gly Gly His Val Ile Leu Ala Asn Ser Val Ser 1525 1530 1535
- Leu Gly Pro Glu Leu Lys Leu Thr Phe Ser Ile Arg Pro Arg Ser Leu 1540 1545 1550
- Thr Gly Val Leu Ile His Val Gly Ser Gln Ser Gly Gln Arg Leu Ser



1565

Val Tyr Met Glu Ala Gly Lys Val Thr Thr Ser Val Ser Ser Asp Ala 1570 - 1575 1580

Gly Gly Ser Val Thr Ser Ile Thr Pro Lys Gln Ser Leu Cys Asp Gly 1585 1590 1595 1600

Gln Trp His Ser Val Ala Val Ser Ile Lys Gln Arg Ile Leu His Leu 1605 1610 1615

Glu Leu Asp Thr Asp Ser Ser Tyr Thr Val Ala Pro Leu Ser Phe Ser 1620 1625 1630

Pro Asn Ser Thr Arg Gly Ser Leu His Val Gly Gly Val Pro Asp Lys 1635 1640 1645

Leu Lys Met Leu Thr Leu Pro Val Trp Asn Ser Phe Phe Gly Cys Leu 1650 1660

Lys Asn Ile Gln Val Asn His Val Pro Val Pro Ile Thr Glu Ala Thr 1665 1670 1675 1680

Glu Val Gln Gly Ser Val Ser Leu Asn Gly Cys Pro Asp His 1685 1690

<210> 13

<211> 3930

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (121) . . (3630)

<220>

<221> sig\_peptide

<222> (121) . . (171)

<400> 13


gggcgggagg aggactgtat ctctggatgc ctggggcctg gtttcagggc ctgatttatt 60

cetetteetg ggageteact caggaaaggt cetttetggg gateacecea ttggetgaag 120

gcc caa caa gcc tgc tcc cgt ggg gcc tgc tat cca cct gtt ggg gac 216 Ala Gln Gln Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val Gly Asp 20 25 30

ctg ctt gtt ggg agg acc cgg ttt ctc cga gct tca tct acc tgt gga 264 Leu Leu Val Gly Arg Thr Arg Phe Leu Arg Ala Ser Ser Thr Cys Gly 45

ctg acc aag cct gag acc tac tgc acc cag tat ggc gag tgg cag atg
Leu Thr Lys Pro Glu Thr Tyr Cys Thr Gln Tyr Gly Glu Trp Gln Met
50 55 60



aaa tgc tgc aag tgt gac tcc agg cag cct cac aac tac tac agt cac Lys Cys Cys Lys Cys Asp Ser Arg Gln Pro His Asn Tyr Tyr Ser His cga gta gag aat gtg gct tca tcc tcc ggc ccc atg cgc tgg tgg cag Arg Val Glu Asn Val Ala Ser Ser Ser Gly Pro Met Arg Trp Trp Gln 90 tee cag aat gat gtg aac eet gte tet etg cag etg gae etg gae agg Ser Gln Asn Asp Val Asn Pro Val Ser Leu Gln Leu Asp Leu Asp Arg aga ttc cag ctt caa gaa gtc atg atg gag ttc cga ggg ccc atg cct Arg Phe Gln Leu Gln Glu Val Met Met Glu Phe Arg Gly Pro Met Pro 120 gee gge atg etg att gag ege tee tea gae tte ggt aag ace tgg ega 552 Ala Gly Met Leu Ile Glu Arg Ser Ser Asp Phe Gly Lys Thr Trp Arg 135 gtg tac cag tac ctg gct gcc gac tgc acc tcc acc ttc cct cgg gtc 600 Val Tyr Gln Tyr Leu Ala Ala Asp Cys Thr Ser Thr Phe Pro Arg Val 150 155 ege cag ggt egg eet cag age tgg cag gat gtt egg tge cag tee etg 648 Arg Gln Gly Arg Pro Gln Ser Trp Gln Asp Val Arg Cys Gln Ser Leu 165 170 cct cag agg cct aat gca cgc cta aat ggg ggg aag gtc caa ctt aac 696 Pro Gln Arg Pro Asn Ala Arg Leu Asn Gly Gly Lys Val Gln Leu Asn 180 ctt atg gat tta gtg tct ggg att cca gca act caa agt caa aaa att 744 Leu Met Asp Leu Val Ser Gly Ile Pro Ala Thr Gln Ser Gln Lys Ile 195 200 792 caa gag gtg ggg gag atc aca aac ttg aga gtc aat ttc acc agg ctg Gln Glu Val Gly Glu Ile Thr Asn Leu Arg Val Asn Phe Thr Arg Leu 210 215 ged cet gtg ced daa agg ggd tad dad cet ced agd gdd tad tat gdt 840 Ala Pro Val Pro Gln Arg Gly Tyr His Pro Pro Ser Ala Tyr Tyr Ala 225 gtg tcc cag ctc cgt ctg cag ggg agc tgc ttc tgt cac ggc cat gct 888 Val Ser Gln Leu Arg Leu Gln Gly Ser Cys Phe Cys His Gly His Ala 245 gat ege tge gea eee aag eet ggg gee tet gea gge tee aee get gtg 936 Asp Arg Cys Ala Pro Lys Pro Gly Ala Ser Ala Gly Ser Thr Ala Val 260 cag gtc cac gat gtc tgc gtc tgc cag cac aac act gcc ggc cca aat 984 Gln Val His Asp Val Cys Val Cys Gln His Asn Thr Ala Gly Pro Asn 275 280 tgt gag ege tgt gea eee tte tae aac egg eee tgg aga eeg geg 1032 Cys Glu Arg Cys Ala Pro Phe Tyr Asn Asn Arg Pro Trp Arg Pro Ala 290 295 gad dgc cad gac qcc cat gaa tgc caa agg tgc gac tgc aat ggg cac



305	Gly	Gln	Asp	Ala	His 310	Glu	Cys	Gln	Arg	Cys 315	Asp	Cys	Asn	Gly	His 320	
				cac His 325												1128
gca Ala	tat Tyr	gga Gly	ggt Gly 340	gtg Val	tgt Cys	gac Asp	aat Asn	tgc Cys 345	cgg Arg	gac Asp	cac His	acc Thr	gaa Glu 350	ggc Gly	aag Lys	1176
aac Asn	tgt Cys	gag Glu 355	cgg Arg	tgt Cys	cag Gln	ctg Leu	cac His 360	tat Tyr	ttc Phe	cgg Arg	aac Asn	cgg Arg 365	cgc Arg	ccg Pro	gga Gly	1224
				gag Glu												1272
gca Ala 385	gtc Val	gca Ala	ggg Gly	gct Ala	ccc Pro 390	tgt Cys	gac Asp	cca Pro	gtg Val	acc Thr 395	ggg Gly	cag Gln	tgt Cys	gtg Val	tgc Cys 400	1320
aag Lys	gag Glu	cat His	gtg Val	cag Gln 405	gga Gly	gag Glu	cgc Arg	tgt Cys	gac Asp 410	cta Leu	tgc Cys	aag Lys	ccg Pro	ggc Gly 415	ttc Phe	1368
act Thr	gga Gly	ctc Leu	acc Thr 420	tac Tyr	gcc Ala	aac Asn	ccg Pro	cga Arg 425	cgg Arg	tgc Cys	cac His	cgc Arg	tgt Cys 430	gac Asp	tgc Cys	1416
aac Asn	atc	ctg	999	tcc	cgg	gag	atg	ccg	tgt	gac	gag	gag	agt	ggg	cgc	1464
	Ile	435	GIÀ	Ser	Arg	Glu	Met 440	Pro	Cys	Asp	GIU	445	Ser	Gly	Arg	
tgc	ctt	435 tgt	ctg	ccc Pro	aac	gtg	440 gtg	ggt	ccc	aaa	tgt	445 gac	cag	tgt	gct	1512
tgc Cys ccc	ctt Leu 450	tgt Cys	ctg Leu tgg	ccc Pro aag Lys	aac Asn ctg	gtg Val 455 gcc Ala	440 gtg Val	ggt Gly ggc Gly	ccc Pro cag Gln	aaa Lys ggc Gly	tgt Cys 460 tgt	gac Asp gaa Glu	cag Gln ccg Pro	tgt Cys tgt	gct Ala gcc Ala	1512 1560
tgc Cys ccc Pro 465	ctt Leu 450 tac Tyr	tgt Cys cac His	ctg Leu tgg Trp	ccc Pro aag Lys	aac Asn ctg Leu 470	gtg Val 455 gcc Ala	gtg Val agt Ser	ggt Gly ggc Gly	ccc Pro cag Gln	aaa Lys ggc Gly 475	tgt Cys 460 tgt Cys	gac Asp gaa Glu	cag Gln ccg Pro	tgt Cys tgt Cys	gct Ala gcc Ala 480	
tgc Cys ccc Pro 465 tgc Cys	ctt Leu 450 tac Tyr gac Asp	tgt Cys cac His ccg Pro	ctg Leu tgg Trp cac His	ccc Pro aag Lys aac	aac Asn ctg Leu 470 tcc Ser	gtg Val 455 gcc Ala ctc Leu	gtg Val agt ser agc ser	ggt Gly ggc Gly cca pro	ccc Pro cag Gln cag Gln 490	aaa Lys ggc Gly 475 tgc Cys	tgt Cys 460 tgt Cys aac Asn	gac Asp gaa Glu cag Gln	cag Gln ccg Pro ttc Phe	tgt Cys tgt Cys aca Thr 495	gct Ala gcc Ala 480 ggg Gly	1560
tgc Cys ccc Pro 465 tgc Cys cag Gln	ctt Leu 450 tac Tyr gac Asp tgc Cys	tgt Cys cac His ccg Pro	ctg Leu tgg Trp cac His tgt Cys 500 cag	ccc Pro aag Lys aac Asn 485	aac Asn ctg Leu 470 tcc ser gaa Glu	gtg Val 455 gcc Ala ctc Leu ggc Gly	gtg Val agt Ser agc Ser ttt Phe	ggt Gly ggc Gly cca pro ggt Gly 505	ccc Pro cag Gln cag Gln 490 ggc Gly	aaa Lys ggc Gly 475 tgc Cys ctg Leu	tgt Cys 460 tgt Cys aac Asn atg Met	gac Asp gaa Glu cag Gln tgc Cys	cag Gln ccg Pro ttc Phe agc ser 510	tgt Cys tgt Cys aca Thr 495 gct Ala	gct Ala gcc Ala 480 ggg Gly gca Ala	1560
tgc Cys ccc Pro 465 tgc Cys cag Gln gcc Ala	ctt Leu 450 tac Tyr gac Asp tgc Cys atc Ile	tgt Cys cac His ccg Pro ccc Pro	ctg Leu tgg Trp cac His tgt Cys 500 cag Gln	ccc Pro aag Lys aac Asn 485 cgg Arg	aac Asn ctg Leu 470 tcc Ser gaa Glu cca Pro	gtg Val 455 gcc Ala ctc Leu ggc Gly gac Asp	gtg Val agt Ser agc Ser ttt Phe cgg Arg 520	ggt Gly ggc Gly cca Pro ggt Gly 505 acc Thr	ccc Pro cag Gln 490 ggc Gly tat Tyr	aaa Lys ggc Gly 475 tgc Cys ctg Leu gga Gly	tgt Cys 460 tgt Cys aac Asn atg Met gac Asp	gac Asp gaa Glu cag Gln tgc Cys gtg Val 525 ggc	cag Gln ccg Pro ttc Phe agc ser 510 gcc Ala	tgt Cys tgt Cys aca Thr 495 gct Ala aca Thr	gct Ala gcc Ala 480 ggg Gly gca Ala gga Gly	1560 1608 1656



545	550	555	560
	s Gln Arg Gly Tyr	tgc aat cgc tac ccg Cys Asn Arg Tyr Pro 570	
		tat gat gcg gac ctc Tyr Asp Ala Asp Leu 590	Arg Glu
cag gcc ctg cgc tt Gln Ala Leu Arg Ph 595	t ggt aga ctc ccg e Gly Arg Leu Pro 600	aat gcc acc gcc agc Asn Ala Thr Ala Ser 605	ctg tgg 1944 Leu Trp
tca ggg cct ggg ct Ser Gly Pro Gly Le 610	g gag gac cgt ggc u Glu Asp Arg Gly 615	ctg gcc tcc cgg atc Leu Ala Ser Arg Ile 620	cta gat 1992 Leu Asp
gca aag agt aag at Ala Lys Ser Lys II 625	et gag cag atc cga e Glu Gln Ile Arg 630	gca gtt ctc agc agc Ala Val Leu Ser Ser 635	ccc gca 2040 Pro Ala 640
gtc aca gag cag ga Val Thr Glu Gln Gl 64	u Val Ala Gln Val	gcc agt gcc atc ctc Ala Ser Ala Ile Leu 650	tcc ctc 2088 Ser Leu 655
agg cga act ctc ca Arg Arg Thr Leu G 660	ng ggc ctg cag ctg n Gly Leu Gln Leu 665	ggat ctg ccc ctg gag Asp Leu Pro Leu Glu 670	Glu Glu
		g agt ctt gac aga agc n Ser Leu Asp Arg Ser 685	
ggt ctc ctt act at Gly Leu Leu Thr Me 690	g tat cag agg aag t Tyr Gln Arg Lys 695	agg gag cag ttt gaa Arg Glu Gln Phe Glu 700	aaa ata 2232 Lys Ile
agc agt gct gat co Ser Ser Ala Asp Pr 705	et tca gga gcc ttc co Ser Gly Ala Phe 710	cgg atg ctg agc aca Arg Met Leu Ser Thr 715	gcc tac 2280 Ala Tyr 720
Glu Gln Ser Ala G	ag gct gct cag cag in Ala Ala Gln Glr 25	g gtc tcc gac agc tcg Nal Ser Asp Ser Ser 730	cgc ctt 2328 Arg Leu 735
ttg gac cag ctc ag Leu Asp Gln Leu A 740	gg gac agc cgg aga gg Asp Ser Arg Arg 745	n gag gca gag agg ctg g Glu Ala Glu Arg Leu g 750	Val Arg
cag gcg gga gga g Gln Ala Gly Gly G 755	ga gga ggc acc ggo ly Gly Gly Thr Gly 760	c ago coo aag ott gtg / Ser Pro Lys Leu Val 765	ggcc ctg 2424 . Ala Leu
agg ttg gag atg t Arg Leu Glu Met S 770	ct tog ttg cct gad er Ser Leu Pro Asy 775	c ctg aca ccc acc tto Leu Thr Pro Thr Phe 780	aac aag 2472 Asn Lys
ctc tgt ggc aac t Leu Cys Gly Asn S 785	cc agg cag atg gct er Arg Gln Met Ala 790	tgc acc cca ata tca a Cys Thr Pro Ile Ser 795	tgc cct 2520 Cys Pro 800



											tgt Cys					2568
											ttg Leu					2616
											ctc Leu					2664
cag Gln	atg Met 850	att Ile	agg Arg	gca Ala	gcc Ala	gag Glu 855	g <b>aa</b> Glu	tct Ser	gcc Ala	tca Ser	cag Gln 860	att Ile	caa Gln	tcc Ser	agt Ser	2712
											cgc Arg					2760
gaa Glu	gat Asp	gtc Val	aga Arg	cgc Arg 885	aca Thr	cgg Arg	ctc Leu	cta Leu	atc Ile 890	cag Gln	cag Gln	gtc Val	cgg Arg	gac Asp 895	ttc Phe	2808
cta Leu	aca Thr	gac Asp	ccc Pro 900	gac Asp	act Thr	gat Asp	gca Ala	gcc Ala 905	act Thr	atc Ile	cag Gln	g <b>ag</b> Glu	gtc Val 910	agc Ser	gag Glu	2856
gcc Ala	gtg Val	ctg Leu 915	gcc Ala	ctg Leu	tgg Trp	ctg Leu	ccc Pro 920	aca Thr	gac Asp	tca Ser	gct Ala	act Thr 925	gtt Val	ctg Leu	cag Gln	2904
											ctc Leu 940					2952
ttg Leu 945	gtg Val	ctg Leu	tcc Ser	cag Gln	acc Thr 950	aag Lys	cag Gln	gac Asp	att Ile	gcg Ala 955	cgt Arg	gcc Ala	cgc Arg	cgg Arg	ttg Leu 960	3000
cag Gln	gct Ala	gag Glu	gct Ala	gag Glu 965	gaa Glu	gcc Ala	agg Arg	agc Ser	cga Arg 970	gcc Ala	cat His	gca Ala	gtg Val	gag Glu 975	ggc Gly	3048
cag Gln	gtg Val	g <b>ag</b> Glu	gat Asp 980	gtg Val	gtt Val	ggg Gly	aac Asn	ctg Leu 985	cgg Arg	cag Gln	GJA aaa	aca Thr	gtg Val 990	gca Ala	ctg Leu	3096
cag Gln	gaa Glu	gct Ala 995	cag Gln	gac Asp	acc Thr	Met	caa Gln 1000	ggc Gly	acc Thr	agc Ser	cgg Arg	tcc Ser 1005	ctt Leu	cgg	ctt Leu	3144
Ile	cag Gln 1010	gac Asp	agg Arg	gtt Val	Ala	gag Glu 1015	gtt Val	cag Gln	cag Gln	Val	ctg Leu 1020	cgg Arg	cca Pro	gca Ala	gaa Glu	3192
aag Lys 102	Leu	gtg Val	aca Thr	Ser	atg Met 1030	acc Thr	aag Lys	cag Gln	Leu	ggt Gly 1035	gac Asp	ttc Phe	tgg Trp	Thr	cgg Arg 1040	3240



atg gag gag ctc cgc cac caa gcc cgg cag cag ggg gca gag gca gtc Met Glu Glu Leu Arg His Gln Ala Arg Gln Gln Gly Ala Glu Ala Val 1045 1050 1055	3288
cag gcc cag cag ctt gcg gaa ggt gcc agc gag cag gca ttg agt gcc Gln Ala Gln Gln Leu Ala Glu Gly Ala Ser Glu Gln Ala Leu Ser Ala 1060 1065 1070	3336
caa gag gga ttt gag aga ata aaa caa aag tat gct gag ttg aag gac Gln Glu Gly Phe Glu Arg Ile Lys Gln Lys Tyr Ala Glu Leu Lys Asp 1075 1080 1085	3384
cgg ttg ggt cag agt tcc atg ctg ggt gag cag ggt gcc cgg atc cag Arg Leu Gly Gln Ser Ser Met Leu Gly Glu Gln Gly Ala Arg Ile Gln 1090 1095 1100	3432
agt gtg aag aca gag gca gag gtg ttt ggg gag acc atg gag atg Ser Val Lys Thr Glu Ala Glu Glu Leu Phe Gly Glu Thr Met Glu Met 1105 1110 1115 1120	3480
atg gac agg atg aaa gac atg gag ttg gag ctg ctg cgg ggc agc cag Met Asp Arg Met Lys Asp Met Glu Leu Glu Leu Leu Arg Gly Ser Gln 1125 1130 1135	3528
gcc atc atg ctg cgc tca gcg gac ctg aca gga ctg gag aag cgt gtg Ala Ile Met Leu Arg Ser Ala Asp Leu Thr Gly Leu Glu Lys Arg Val 1140 1145 1150	3576
gag cag atc cgt gac cac atc aat ggg cgc gtg ctc tac tat gcc acc Glu Gln Ile Arg Asp His Ile Asn Gly Arg Val Leu Tyr Tyr Ala Thr 1155 1160 1165	3624
tgc aag tgatgctaca cgttccagcc cgttgcccca ctcatctgcg cgctttgctt Cys Lys 1170	3680
ttggttgggg ggcagattgg gttggaatgc tttccatctc caggagactt tcatgtagcc	3740
caaagtacag cctggaccac ccctggtgtg tgtagctagt aagattaccc tgagctgcag	3800
ctgagcctga gccaatggga cagttacact tgacagacaa agatggtgga gattggcatg	3860
ccattgaaac taagagctct caagtcaagg aagctgggct gggcagtatc ccccgccttt	3920
agttctccac	3930
<210> 14 <211> 1170 <212> PRT <213> Homo sapiens	
<pre>&lt;400&gt; 14 Met Arg Pro Phe Phe Leu Leu Cys Phe Ala Leu Pro Gly Leu Leu His 1 5 10 15</pre>	
Ala Gln Gln Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val Gly Asp 20 25 30	
Leu Leu Val Gly Arg Thr Arg Phe L u Arg Ala Ser Ser Thr Cys Gly	

35

Leu	Thr 50	Lys	Pro	Glu	Thr	Tyr 55	Cys	Thr	Gln	Tyr	Gly 60	Glu	Trp	Gln	Met
Lys 65	Cys	Cys	Lys	Сув	Asp 70	Ser	Arg	Gln	Pro	His 75	Asn	Tyr	Tyr	Ser	His 80
Arg	Val	Glu	Asn	Val 85	Ala	Ser	Ser	Ser	Gly 90	Pro	Met	Arg	Trp	Trp 95	Glr
Ser	Gln	Asn	Asp 100	Val	Asn	Pro	Val	Ser 105	Leu	Gln	Leu	Asp	Leu 110	Asp	Arg
Arg	Phe	Gln 115	Leu	Gln	Glu	Val	Met 120	Met	Glu	Phe	Arg	Gly 125	Pro	Met	Pro
Ala	Gly 130	Met	Leu	Ile	Glu	Arg 135	Ser	Ser	Asp	Phe	Gly 140	Lys	Thr	Trp	Arg
Val 145	Tyr	Gln	Tyr	Leu	Ala 150	Ala	Asp	Cys	Thr	Ser 155	Thr	Phe	Pro	Arg	Va]
Arg	Gln	Gly	Arg	Pro 165	Gln	Ser	Trp	Gln	Asp 170	Val	Arg	Сув	Gln	Ser 175	Let
Pro	Gln	Arg	Pro 180	Asn	Ala	Arg	Leu	Asn 185	Gly	Gly	Lys	Val	Gln 190	Leu	Ası
		195					200					205	Gln		
	210					215					220		Thr		
225					230					235			Tyr		240
				245					250				Gly	255	
_			260					265					Thr 270		
		275					280					285	Gly		
	290					295					300		Arg		
305	_				310					315			Asn		32
				325					330				Ser	335	
Ala	Tyr	Gly	Gly 340		Cys	Asp	Asn	Cys 345	Arg	Asp	His	Thr	Glu 350	Gly	Lу

Asn Cys Glu Arg Cys Gln Leu His Tyr Phe Arg Asn Arg Arg Pro Gly 355 360 365



- Ala Ser Ile Gln Glu Thr Cys Ile Ser Cys Glu Cys Asp Pro Asp Gly 370 375 380
- Ala Val Ala Gly Ala Pro Cys Asp Pro Val Thr Gly Gln Cys Val Cys 385 390 395 400
- Lys Glu His Val Gln Gly Glu Arg Cys Asp Leu Cys Lys Pro Gly Phe
  405 410 415
- Thr Gly Leu Thr Tyr Ala Asn Pro Arg Arg Cys His Arg Cys Asp Cys 420 425 430
- Asn Ile Leu Gly Ser Arg Glu Met Pro Cys Asp Glu Glu Ser Gly Arg 435 440 445
- Cys Leu Cys Leu Pro Asn Val Val Gly Pro Lys Cys Asp Gln Cys Ala 450 455 460
- Pro Tyr His Trp Lys Leu Ala Ser Gly Gln Gly Cys Glu Pro Cys Ala 465 470 475 480
- Cys Asp Pro His Asn Ser Leu Ser Pro Gln Cys Asn Gln Phe Thr Gly 485 490 495
- Gln Cys Pro Cys Arg Glu Gly Phe Gly Gly Leu Met Cys Ser Ala Ala 500 505 510
- Ala Ile Arg Gln Cys Pro Asp Arg Thr Tyr Gly Asp Val Ala Thr Gly 515 520 525
- Cys Arg Ala Cys Asp Cys Asp Phe Arg Gly Thr Glu Gly Pro Gly Cys 530 535 540
- Asp Lys Ala Ser Gly Arg Cys Leu Cys Arg Pro Gly Leu Thr Gly Pro 545 550 555 560
- Arg Cys Asp Gln Cys Gln Arg Gly Tyr Cys Asn Arg Tyr Pro Val Cys 565 570 575
- Val Ala Cys His Pro Cys Phe Gln Thr Tyr Asp Ala Asp Leu Arg Glu 580 585 590
- Gln Ala Leu Arg Phe Gly Arg Leu Pro Asn Ala Thr Ala Ser Leu Trp 595 600 605
- Ser Gly Pro Gly Leu Glu Asp Arg Gly Leu Ala Ser Arg Ile Leu Asp
- Ala Lys Ser Lys Ile Glu Gln Ile Arg Ala Val Leu Ser Ser Pro Ala 625 630 635 640
- Val Thr Glu Gln Glu Val Ala Gln Val Ala Ser Ala Ile Leu Ser Leu 645 650 655
- Arg Arg Thr Leu Gln Gly Leu Gln Leu Asp Leu Pro Leu Glu Glu Glu 660 665 670
- Thr Leu Ser Leu Pro Arg Asp Leu Glu Ser Leu Asp Arg Ser Phe Asn 675 680 685
- Gly Leu Leu Thr Met Tyr Gln Arg Lys Arg Glu Gln Phe Glu Lys Ile

690 695 700

Ser Ser Ala Asp Pro Ser Gly Ala Phe Arg Met Leu Ser Thr Ala Tyr 705 710 715 720

- Glu Gln Ser Ala Gln Ala Ala Gln Gln Val Ser Asp Ser Ser Arg Leu
  725 730 735
- Leu Asp Gln Leu Arg Asp Ser Arg Arg Glu Ala Glu Arg Leu Val Arg
  740 745 750
- Gln Ala Gly Gly Gly Gly Gly Thr Gly Ser Pro Lys Leu Val Ala Leu
  755 760 765
- Arg Leu Glu Met Ser Ser Leu Pro Asp Leu Thr Pro Thr Phe Asn Lys
  770 780
- Leu Cys Gly Asn Ser Arg Gln Met Ala Cys Thr Pro Ile Ser Cys Pro
  785 790 795 800
- Gly Glu Leu Cys Pro Gln Asp Asn Gly Thr Ala Cys Ala Ser Arg Cys 805 810 815
- Arg Gly Val Leu Pro Arg Ala Gly Gly Ala Phe Leu Met Ala Gly Gln 820 825 830
- Val Ala Glu Gln Leu Arg Gly Phe Asn Ala Gln Leu Gln Arg Thr Arg 835 840 845
- Gln Met Ile Arg Ala Ala Glu Glu Ser Ala Ser Gln Ile Gln Ser Ser 850 855 860
- Ala Gln Arg Leu Glu Thr Gln Val Ser Ala Ser Arg Ser Gln Met Glu 865 870 875 880
- Glu Asp Val Arg Arg Thr Arg Leu Leu Ile Gln Gln Val Arg Asp Phe 885 890 895
- Leu Thr Asp Pro Asp Thr Asp Ala Ala Thr Ile Gln Glu Val Ser Glu 900 905 910
- Ala Val Leu Ala Leu Trp Leu Pro Thr Asp Ser Ala Thr Val Leu Gln 915 920 925
- Lys Met Asn Glu Ile Gln Ala Ile Ala Ala Arg Leu Pro Asn Val Asp 930 935 940
- Leu Val Leu Ser Gln Thr Lys Gln Asp Ile Ala Arg Ala Arg Arg Leu 945 950 955 960
- Gln Ala Glu Ala Glu Glu Ala Arg Ser Arg Ala His Ala Val Glu Gly 965 970 975
- Gln Val Glu Asp Val Val Gly Asn Leu Arg Gln Gly Thr Val Ala Leu 980 985 990
- Gln Glu Ala Gln Asp Thr Met Gln Gly Thr Ser Arg Ser Leu Arg Leu 995 1000 1005
- Ile Gln Asp Arg Val Ala Glu Val Gln Gln Val Leu Arg Pro Ala Glu 1010 1015 1020



Lys Leu Val Thr Ser Met Thr Lys Gln Leu Gly Asp Phe Trp Thr Arg 1025 1030 1035 1040

Met Glu Glu Leu Arg His Gln Ala Arg Gln Gln Gly Ala Glu Ala Val 1045 1050 1055 .

Gln Ala Gln Gln Leu Ala Glu Gly Ala Ser Glu Gln Ala Leu Ser Ala 1060 1065 1070

Gln Glu Gly Phe Glu Arg Ile Lys Gln Lys Tyr Ala Glu Leu Lys Asp 1075 1080 1085

Arg Leu Gly Gln Ser Ser Met Leu Gly Glu Gln Gly Ala Arg Ile Gln 1090 1095 1100

Ser Val Lys Thr Glu Ala Glu Glu Leu Phe Gly Glu Thr Met Glu Met 1105 1110 1115 1120

Met Asp Arg Met Lys Asp Met Glu Leu Glu Leu Arg Gly Ser Gln 1125 1130 1135

Ala Ile Met Leu Arg Ser Ala Asp Leu Thr Gly Leu Glu Lys Arg Val 1140 1145 1150

Glu Gln Ile Arg Asp His Ile Asn Gly Arg Val Leu Tyr Tyr Ala Thr 1155 1160 1165

Cys Lys 1170

<210> 15

<211> 3759

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(3459)

<400> 15

caa caa gcc tgc tcc cgt ggg gcc tgc tat cca cct gtt ggg gac ctg
Gln Gln Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val Gly Asp Leu

1 5 10 15

ctt gtt ggg agg acc cgg ttt ctc cga gct tca tct acc tgt gga ctg 96 Leu Val Gly Arg Thr Arg Phe Leu Arg Ala Ser Ser Thr Cys Gly Leu 20 25 30


acc aag cct gag acc tac tgc acc cag tat ggc gag tgg cag atg aaa 144
Thr Lys Pro Glu Thr Tyr Cys Thr Gln Tyr Gly Glu Trp Gln Met Lys
45

tgc tgc aag tgt gac tcc agg cag cct cac aac tac tac agt cac cga 192 Cys Cys Lys Cys Asp Ser Arg Gln Pro His Asn Tyr Tyr Ser His Arg 50 55 60

gta gag aat gtg gct tca tcc tcc ggc ccc atg cgc tgg tgg cag tcc 240
Val Glu Asn Val Ala Ser Ser Ser Gly Pro Met Arg Trp Trp Gln Ser
65 70 75 80




cag Gln	aat Asn	gat Asp	gtg Val	aac Asn 85	cct Pro	gtc Val	tct Ser	ctg Leu	cag Gln 90	ctg Leu	gac Asp	ctg Leu	gac Asp	agg Arg 95	aga Arg	288
ttc Phe	cag Gln	ctt Leu	caa Gln 100	gaa Glu	gtc Val	atg Met	atg Met	gag Glu 105	ttc Phe	cga Arg	G1y 999	ccc Pro	atg Met 110	cct Pro	gcc Ala	336
											aag Lys					384
tac Tyr	cag Gln 130	tac Tyr	ctg Leu	gct Ala	gcc Ala	gac Asp 135	tgc Cys	acc Thr	tcc Ser	acc Thr	ttc Phe 140	cct Pro	cgg Arg	gtc Val	cgc Arg	432
											tgc Cys					480
											gtc Val					528
atg Met	gat Asp	tta Leu	gtg Val 180	tct Ser	ggg Gly	att Ile	cca Pro	gca Ala 185	act Thr	caa Gln	agt Ser	caa Gln	aaa Lys 190	att Ile	caa Gln	576
											ttc Phe					624
cct Pro	gtg Val 210	ccc Pro	caa Gln	agg Arg	ggc Gly	tac Tyr 215	cac His	cct Pro	ccc Pro	agc Ser	gcc Ala 220	tac Tyr	tat Tyr	gct Ala	gtg Val	672
tcc Ser 225	cag Gln	ctc Leu	cgt Arg	ctg Leu	cag Gln 230	ggg Gly	agc Ser	tgc Cys	ttc Phe	tgt Cys 235	cac His	ggc Gly	cat His	gct Ala	gat Asp 240	720
cgc Arg	tgc Cys	gca Ala	ccc Pro	aag Lys 245	cct Pro	GJ y aga	gcc Ala	tct Ser	gca Ala 250	ggc Gly	tcc Ser	acc Thr	gct Ala	gtg Val 255	cag Gln	768
gtc Val	cac His	gat Asp	gtc Val 260	tgc Cys	gtc Val	tgc Cys	cag Gln	cac His 265	aac Asn	act Thr	gcc Ala	ggc Gly	cca Pro 270	aat Asn	tgt Cys	816
gag Glu	cgc Arg	tgt Cys 275	gca Ala	ccc Pro	ttc Phe	tac Tyr	aac Asn 280	aac Asn	cgg Arg	ccc Pro	tgg Trp	aga Arg 285	ccg Pro	gcg Ala	gag Glu	864
ggc Gly	cag Gln 290	gac Asp	gcc Ala	cat His	gaa Glu	tgc Cys 295	caa Gln	agg Arg	tgc Cys	gac Asp	tgc Cys 300	aat Asn	gly ggg	cac His	tca Ser	912
gag Glu 305	aca Thr	tgt Cys	cac His	ttt Phe	gac Asp 310	ccc Pro	gct Ala	gtg Val	ttt Phe	gcc Ala 315	gcc Ala	agc Ser	cag Gln	ggg Gly	gca Ala 320	960



tat gga ggt Tyr Gly Gly	gtg tgt gad Val Cys As 325	aat tgc Asn Cys	cgg gac Arg Asp 330	cac acc His Thr	gaa ggc Glu Gly	aag aac Lys Asn 335	1008
tgt gag cgg Cys Glu Arg	tgt cag ct Cys Gln Le 340	g cac tat 1 His Tyr	ttc cgg Phe Arg 345	aac cgg Asn Arg	cgc ccg Arg Pro 350	gga gct Gly Ala	1056
	gag acc tg Glu Thr Cy						1104
	gct ccc tg Ala Pro Cy						1152
gag cat gtg Glu His Val 385	cag gga ga Gln Gly Gl 39	Arg Cys	gac cta Asp Leu	tgc aag Cys Lys 395	ccg ggc Pro Gly	ttc act Phe Thr 400	1200
gga ctc acc Gly Leu Thr	tac gcc aa Tyr Ala As 405	c ccg cga n Pro Arg	cgg tgc Arg Cys 410	cac cgc His Arg	tgt gac Cys Asp	tgc aac Cys Asn 415	1248
atc ctg ggg Ile Leu Gly	tcc cgg ga Ser Arg Gl 420	g atg ccg 1 Met Pro	tgt gac Cys Asp 425	gag gag Glu Glu	agt ggg Ser Gly 430	cgc tgc Arg Cys	1296
ctt tgt ctg Leu Cys Leu 435	ccc aac gt Pro Asn Va	g gtg ggt l Val Gly 440	ccc aaa Pro Lys	tgt gac Cys Asp	cag tgt Gln Cys 445	gct ccc Ala Pro	1344
tac cac tgg Tyr His Trp 450	aag ctg gc Lys Leu Al	agt ggc Ser Gly 455	cag ggc Gln Gly	tgt gaa Cys Glu 460	ccg tgt Pro Cys	gcc tgc Ala Cys	1392
gac ccg cac Asp Pro His 465	aac tcc ct Asn Ser Le 47	ı Ser Pro	cag tgc Gln Cys	aac cag Asn Gln 475	ttc aca Phe Thr	ggg cag Gly Gln 480	1440
tgc ccc tgt Cys Pro Cys	cgg gaa gg Arg Glu Gl 485	ttt ggt y Phe Gly	ggc ctg Gly Leu 490	atg tgc Met Cys	agc gct Ser Ala	gca gcc Ala Ala 495	1488
atc cgc cag Ile Arg Glr	tgt cca ga Cys Pro As 500	c cgg acc p Arg Thr	tat gga Tyr Gly 505	gac gtg Asp Val	gcc aca Ala Thr 510	gga tgc Gly Cys	1536
cga gcc tgt Arg Ala Cys 515	gac tgt ga 3 Asp Cys As 5	t ttc cgg p Phe Arg 520	gga aca Gly Thr	gag ggc Glu Gly	ccg ggc Pro Gly 525	tgc gac Cys Asp	1584
aag gca tca Lys Ala Ser 530	a ggc cgc tg : Gly Arg Cy	c ctc tgc s Leu Cys 535	cgc cct Arg Pro	ggc ttg Gly Leu 540	acc ggg Thr Gly	ccc cgc Pro Arg	1632
tgt gac cag Cys Asp Glr 545	g tgc cag cg n Cys Gln Ar 55	g Gly Tyr	tgc aat Cys Asn	cgc tac Arg Tyr 555	ccg gtg Pro Val	tgc gtg Cys Val 560	1680
gcc tgc cad	c cct tgc tt	c cag acc	tat gat	gcg gac	ctc cgg	gag cag	1728





Gly Val Leu Pro Arg Ala Gly Gly Ala Phe Leu Met Ala Gly Gln Val

PCT/US00/11459

	805	8	10	815
gct gag cag ctg Ala Glu Gln Leu 820	cgg ggc ttc Arg Gly Phe	aat gcc ca Asn Ala G 825	ag ctc cag cgg a ln Leu Gln Arg S	acc agg cag 2496 Thr Arg Gln 330
atg att agg gca Met Ile Arg Ala 835	Ala Glu Glu	tct gcc to Ser Ala So 840	ca cag att caa t er Gln Ile Gln 9 845	ccc ag: gcc 2544 Ser Ser Ala
			gc cgc tcc cag a er Arg Ser Gln M 860	
gat gtc aga cgc Asp Val Arg Arg 865	aca cgg ctc Thr Arg Leu 870	cta atc ca Leu Ile G	ag cag gtc cgg g ln Gln Val Arg 1 875	gac ttc cta 2640 Asp Phe Leu 880
aca gac ccc gac Thr Asp Pro Asp	act gat gca Thr Asp Ala 885	Ala Thr I	tc cag gag gtc a le Gln Glu Val 9 90	agc gag gcc 2688 Ser Glu Ala 895
gtg ctg gcc ctg Val Leu Ala Leu 900	tgg ctg ccc Trp Leu Pro	aca gac to Thr Asp So 905	ca gct act gtt ( er Ala Thr Val 1	ctg cag aag 2736 Leu Gln Lys 910
atg aat gag atc Met Asn Glu Ile 915	cag gcc att Gln Ala Ile	gca gcc a Ala Ala A 920	gg ctc ccc aac o rg Leu Pro Asn v 925	gtg gac ttg 2784 Val Asp Leu
gtg ctg tcc cag Val Leu Ser Gln 930	acc aag cag Thr Lys Gln 935	gac att g Asp Ile A	cg cgt gcc cgc o la Arg Ala Arg A 940	egg ttg cag 2832 Arg Leu Gln
gct gag gct gag Ala Glu Ala Glu 945	gaa gcc agg Glu Ala Arg 950	agc cga g Ser Arg A	cc cat gca gtg ( la His Ala Val ( 955	gag ggc cag 2880 Glu Gly Gln 960
gtg gag gat gtg Val Glu Asp Val	gtt ggg aac Val Gly Asn 965	Leu Arg G	ag ggg aca gtg g In Gly Thr Val 2	gca ctg cag 2928 Ala Leu Gln 975
gaa gct cag gac Glu Ala Gln Asp 980	Thr Met Gln	ggc acc a Gly Thr S 985	gc cgg tcc ctt er Arg Ser Leu	cgg ctt atc 2976 Arg Leu Ile 990
cag gac agg gtt Gln Asp Arg Val 995	Ala Glu Val	cag cag g Gln Gln V 1000	ta ctg cgg cca ( Val Leu Arg Pro 1005	gca gaa aag 3024 Ala Glu Lys
ctg gtg aca ago Leu Val Thr Ser 1010	atg acc aag Met Thr Lys 1015	cag ctg g Gln Leu G	gt gac ttc tgg Sly Asp Phe Trp	aca cgg atg 3072 Thr Arg Met
gag gag ctc cgc Glu Glu Leu Arg 1025	cac caa gcc His Gln Ala 1030	cgg cag c Arg Gln G	ag ggg gca gag Sin Gly Ala Glu 1035	gca gtc cag 3120 Ala Val Gln 1040
gcc cag cag ctt Ala Gln Gln Leu	gcg gaa ggt Ala Glu Gly 1045	Ala Ser G	gag cag gca ttg Blu Gln Ala Leu D50	agt gcc caa 3168 Ser Ala Gln 1055



		lle Lys Gln 1		gag ttg aag Glu Leu Lys 1070					
ttg ggt ca Leu Gly Gl 107	n Ser Ser M	atg ctg ggt o Met Leu Gly ( 1080	gag cag ggt Glu Gln Gly	gcc cgg atc Ala Arg Ile 1085	cag agt 3264 Gln Ser				
			Phe Gly Glu	acc atg gag Thr Met Glu 100					
	t Lys Asp M			cgg ggc agc Arg Gly Ser					
				gag aag cgt Glu Lys Arg :					
cag atc cg Gln Ile Ar	t gac cac a g Asp His 1 1140	[le Asn Gly A	cgc gtg ctc Arg Val Leu 145	tac tat gcc Tyr Tyr Ala 1150	acc tgc 3456 Thr Cys				
aag tgatgo Lys	taca cgttco	cagee egttge	ccca ctcatct	gcg cgctttgo	3509				
ttggttgggg	ggcagattg	g gttggaatgc	tttccatctc	caggagactt t	catgtagcc 3569				
caaagtacag	cctggacca	ccctggtgtg	tgtagctagt	aagattaccc t	gagctgcag 3629				
ctgagcctga	gccaatggga	a cagttacact	tgacagacaa	agatggtgga g	gattggcatg 3689				
ccattgaaac	: taagagetet	t caagtcaagg	aagctgggct	gggcagtatc	eccgccttt 3749				
agttctccac	:				3759				
<210> 16 <211> 1153 <212> PRT <213> Homo sapiens									
<400> 16 Gln Gln Al	a Cvs Ser A	Arg Gly Ala	Cys Tyr Pro	Pro Val Gly	Asp Leu				
1	5		10	-	15				
Leu Val Gl	y Arg Thr 2	Arg Phe Leu	Arg Ala Ser 25	Ser Thr Cys	Gly Leu				
	o Glu Thr	Tyr Cys Thr	Gln Tyr Gly	Glu Trp Gln 45	Met Lys				
Cys Cys Ly 50	vs Cys Asp	Ser Arg Gln 55	Pro His Asn	Tyr Tyr Ser 60	His Arg				

Val Glu Asn Val Ala Ser Ser Ser Gly Pro Met Arg Trp Trp Gln Ser

Gln Asn Asp Val Asn Pro Val S r Leu Gln Leu Asp Leu Asp Arg Arg

85 90

Phe Gln Leu Gln Glu Val Met Met Glu Phe Arg Gly Pro Met Pro Ala 100 105 110

Gly Met Leu Ile Glu Arg Ser Ser Asp Phe Gly Lys Thr Trp Arg Val 115 120 125

Tyr Gln Tyr Leu Ala Ala Asp Cys Thr Ser Thr Phe Pro Arg Val Arg 130 135 140

Gln Gly Arg Pro Gln Ser Trp Gln Asp Val Arg Cys Gln Ser Leu Pro 145 150 155 160

Gln Arg Pro Asn Ala Arg Leu Asn Gly Gly Lys Val Gln Leu Asn Leu 165 170 175

Met Asp Leu Val Ser Gly Ile Pro Ala Thr Gln Ser Gln Lys Ile Gln 180 185 190

Glu Val Gly Glu Ile Thr Asn Leu Arg Val Asn Phe Thr Arg Leu Ala 195 200 205

Pro Val Pro Gln Arg Gly Tyr His Pro Pro Ser Ala Tyr Tyr Ala Val 210 215 220

Ser Gln Leu Arg Leu Gln Gly Ser Cys Phe Cys His Gly His Ala Asp 225 230 235 240

Arg Cys Ala Pro Lys Pro Gly Ala Ser Ala Gly Ser Thr Ala Val Gln
245 250 255

Val His Asp Val Cys Val Cys Gln His Asn Thr Ala Gly Pro Asn Cys 260 265 270

Glu Arg Cys Ala Pro Phe Tyr Asn Asn Arg Pro Trp Arg Pro Ala Glu 275 280 285

Gly Gln Asp Ala His Glu Cys Gln Arg Cys Asp Cys Asn Gly His Ser

Glu Thr Cys His Phe Asp Pro Ala Val Phe Ala Ala Ser Gln Gly Ala 305 310 315 320

Tyr Gly Gly Val Cys Asp Asn Cys Arg Asp His Thr Glu Gly Lys Asn 325 330 335

Cys Glu Arg Cys Gln Leu His Tyr Phe Arg Asn Arg Arg Pro Gly Ala 340 345 350

Ser Ile Gln Glu Thr Cys Ile Ser Cys Glu Cys Asp Pro Asp Gly Ala 355 360 365

Val Ala Gly Ala Pro Cys Asp Pro Val Thr Gly Gln Cys Val Cys Lys 370 375 380

Glu His Val Gln Gly Glu Arg Cys Asp Leu Cys Lys Pro Gly Phe Thr 385 390 395 400

Gly L u Thr Tyr Ala Asn Pro Arg Arg Cys His Arg Cys Asp Cys Asn 405 410 415



- Ile Leu Gly Ser Arg Glu Met Pro Cys Asp Glu Glu Ser Gly Arg Cys 420 425 430
- Leu Cys Leu Pro Asn Val Val Gly Pro Lys Cys Asp Gln Cys Ala Pro
  435 440 445
- Tyr His Trp Lys Leu Ala Ser Gly Gln Gly Cys Glu Pro Cys Ala Cys 450 455 460
- Asp Pro His Asn Ser Leu Ser Pro Gln Cys Asn Gln Phe Thr Gly Gln 465 470 475 480
- Cys Pro Cys Arg Glu Gly Phe Gly Gly Leu Met Cys Ser Ala Ala Ala 485 490 495
- Ile Arg Gln Cys Pro Asp Arg Thr Tyr Gly Asp Val Ala Thr Gly Cys 500 505 510
- Arg Ala Cys Asp Cys Asp Phe Arg Gly Thr Glu Gly Pro Gly Cys Asp 515 520 525
- Lys Ala Ser Gly Arg Cys Leu Cys Arg Pro Gly Leu Thr Gly Pro Arg 530 535 540
- Cys Asp Gln Cys Gln Arg Gly Tyr Cys Asn Arg Tyr Pro Val Cys Val 545 550 555 560
- Ala Cys His Pro Cys Phe Gln Thr Tyr Asp Ala Asp Leu Arg Glu Gln 565 570 575
- Ala Leu Arg Phe Gly Arg Leu Pro Asn Ala Thr Ala Ser Leu Trp Ser
- Gly Pro Gly Leu Glu Asp Arg Gly Leu Ala Ser Arg Ile Leu Asp Ala 595 600 605
- Lys Ser Lys Ile Glu Gln Ile Arg Ala Val Leu Ser Ser Pro Ala Val 610 620
- Thr Glu Gln Glu Val Ala Gln Val Ala Ser Ala Ile Leu Ser Leu Arg 625 630 635 640
- Arg Thr Leu Gln Gly Leu Gln Leu Asp Leu Pro Leu Glu Glu Glu Thr 645 650 655
- Leu Ser Leu Pro Arg Asp Leu Glu Ser Leu Asp Arg Ser Phe Asn Gly 660 665 670
- Leu Leu Thr Met Tyr Gln Arg Lys Arg Glu Gln Phe Glu Lys Ile Ser 675 680 685
- Ser Ala Asp Pro Ser Gly Ala Phe Arg Met Leu Ser Thr Ala Tyr Glu
- Gln Ser Ala Gln Ala Ala Gln Gln Val Ser Asp Ser Ser Arg Leu Leu 705 710 715 720
- Asp Gln Leu Arg Asp Ser Arg Arg Glu Ala Glu Arg Leu Val Arg Gln 725 730 735



- Ala Gly Gly Gly Gly Thr Gly Ser Pro Lys Leu Val Ala Leu Arg
  740 745 750
- Leu Glu Met Ser Ser Leu Pro Asp Leu Thr Pro Thr Phe Asn Lys Leu 755 760 765
- Cys Gly Asn Ser Arg Gln Met Ala Cys Thr Pro Ile Ser Cys Pro Gly
  770 780
- Glu Leu Cys Pro Gln Asp Asn Gly Thr Ala Cys Ala Ser Arg Cys Arg 785 790 795 800
- Gly Val Leu Pro Arg Ala Gly Gly Ala Phe Leu Met Ala Gly Gln Val 805 810 815
- Ala Glu Gln Leu Arg Gly Phe Asn Ala Gln Leu Gln Arg Thr Arg Gln 820 825 830
- Met Ile Arg Ala Ala Glu Glu Ser Ala Ser Gln Ile Gln Ser Ser Ala 835 840 845
- Gln Arg Leu Glu Thr Gln Val Ser Ala Ser Arg Ser Gln Met Glu Glu 850 855 860
- Asp Val Arg Arg Thr Arg Leu Leu Ile Gln Gln Val Arg Asp Phe Leu 865 870 875 880
- Thr Asp Pro Asp Thr Asp Ala Ala Thr Ile Gln Glu Val Ser Glu Ala 885 890 895
- Val Leu Ala Leu Trp Leu Pro Thr Asp Ser Ala Thr Val Leu Gln Lys 900 905 910
- Met Asn Glu Ile Gln Ala Ile Ala Ala Arg Leu Pro Asn Val Asp Leu 915 920 925
- Val Leu Ser Gln Thr Lys Gln Asp Ile Ala Arg Ala Arg Arg Leu Gln 930 935 940
- Ala Glu Ala Glu Glu Ala Arg Ser Arg Ala His Ala Val Glu Gly Gln 945 950 955 960
- Val Glu Asp Val Val Gly Asn Leu Arg Gln Gly Thr Val Ala Leu Gln 965 970 975
- Glu Ala Gln Asp Thr Met Gln Gly Thr Ser Arg Ser Leu Arg Leu Ile 980 985 990
- Gln Asp Arg Val Ala Glu Val Gln Gln Val Leu Arg Pro Ala Glu Lys 995 1000 1005
- Leu Val Thr Ser Met Thr Lys Gln Leu Gly Asp Phe Trp Thr Arg Met 1010 1015 1020
- Glu Glu Leu Arg His Gln Ala Arg Gln Gln Gly Ala Glu Ala Val Gln 1025 1030 1035 1040
- Ala Gln Gln Leu Ala Glu Gly Ala Ser Glu Gln Ala Leu Ser Ala Gln
  1045 1050 1055
- Glu Gly Phe Glu Arg Ile Lys Gln Lys Tyr Ala Glu Leu Lys Asp Arg

1065

1070

Leu Gly Gln Ser Ser Met Leu Gly Glu Gln Gly Ala Arg Ile Gln Ser 1075 1080 1085

Val Lys Thr Glu Ala Glu Glu Leu Phe Gly Glu Thr Met Glu Met Met 1090 1095 1100

Asp Arg Met Lys Asp Met Glu Leu Glu Leu Leu Arg Gly Ser Gln Ala 1105 1110 1115 1120

Ile Met Leu Arg Ser Ala Asp Leu Thr Gly Leu Glu Lys Arg Val Glu 1125 1130 1135

Gln Ile Arg Asp His Ile Asn Gly Arg Val Leu Tyr Tyr Ala Thr Cys 1140 1145 1150

Lys

<210> 17

<211> 3621

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (60)..(3617)

<220>

<221> sig\_peptide

<222> (60)..(110)

<220>

<221> misc\_feature

<222> (123) . . (146)

<400> 17

gtttaaactt aagcttctgc ctgccgcctg cctgcctgcc actgagggtt cccagcacc 59

atg agg gcc tgg atc ttc ttt ctc ctt tgc ctg gcc ggg agg gct ctg 107
Met Arg Ala Trp Ile Phe Phe Leu Leu Cys Leu Ala Gly Arg Ala Leu
1 5 10 15

gca gcc cca cta gcc gac tac aag gac gac gat gac aag cta gcc caa 155
Ala Ala Pro Leu Ala Asp Tyr Lys Asp Asp Asp Asp Lys Leu Ala Gln
20 25 30


caa gcc tgc tcc cgt ggg gcc tgc tat cca cct gtt ggg gac ctg ctt 203 Gln Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val Gly Asp Leu Leu 35 40 45

gtt ggg agg acc cgg ttt ctc cga gct tca tct acc tgt gga ctg acc 251
Val Gly Arg Thr Arg Phe Leu Arg Ala Ser Ser Thr Cys Gly Leu Thr
50 60

aag cct gag acc tac tgc acc cag tat ggc gag tgg cag atg aaa tgc 299
Lys Pro Glu Thr Tyr Cys Thr Gln Tyr Gly Glu Trp Gln Met Lys Cys
65 70 75 80

WO 00/66731

										tac Tyr						347
			_							cgc Arg						395
										gac Asp						443
										ggg Gly						491
_	_			_			_			aag Lys 155			_			539
										ttc Phe						587
										tgc Cys						635
agg Arg	cct Pro	aat Asn 195	gca Ala	cgc Arg	cta Leu	aat Asn	999 Gly 200	ggg Gly	aag Lys	gtc Val	caa Gln	ctt Leu 205	aac Asn	ctt Leu	atg Met	683
										agt Ser						731
										ttc Phe 235						779
Val	Pro	Gln	Arg	Gly 245	Tyr	His	Pro	Pro	Ser 250	gcc Ala	Tyr	Tyr	Ala	Val 255	Ser	827
										cac His						875
tgc Cys	gca Ala	ccc Pro 275	aag Lys	cct Pro	ggg Gly	gcc Ala	tct Ser 280	gca Ala	ggc Gly	ccc Pro	tcc Ser	acc Thr 285	gct Ala	gtg Val	cag Gln	923
										act Thr						971
										ccc Pro 315						1019
ggc	cag	gac	gcc	cat	gaa	tgc	caa	agg	tgc	gac	tgc	aat	999	cac	tca	1067





ggt gag cta Gly Glu Leu	tgt ccc caa Cys Pro Gln 820	gac aat ggc Asp Asn Gly 825	aca gcc tgt Thr Ala Cys	ggc tcc cgc Gly Ser Arg 830	tgc 2555 Cys
	ctt ccc agg Leu Pro Arg				
gtg gct gag Val Ala Glu 850	cag ctg cgg Gln Leu Arg	ggc ttc aat Gly Phe Asn 855	gcc cag ctc Ala Gln Leu 860	cag cgg acc Gln Arg Thr	agg 2651 Arg
cag atg att Gln Met Ile 865	agg gca gcc Arg Ala Ala 870	gag gaa tct Glu Glu Ser	gcc tca cag Ala Ser Gln 875	att caa tcc Ile Gln Ser	agt 2699 Ser 880
gcc cag cgc Ala Gln Arg	ttg gag acc Leu Glu Thr 885	cag gtg agc Gln Val Ser	gcc agc cgc Ala Ser Arg 890	tcc cag atg Ser Gln Met 895	Glu
gaa gat gtc Glu Asp Val	aga cgc aca Arg Arg Thr 900	cgg ctc cta Arg Leu Leu 905	Ile Gln Gln	gtc cgg gac Val Arg Asp 910	ttc 2795 Phe
cta aca gac Leu Thr Asp 915	ccc gac act Pro Asp Thr	gat gca gcc Asp Ala Ala 920	act atc cag Thr Ile Gln	gag gtc ago Glu Val Ser 925	gag 2843 Glu
gcc gtg ctg Ala Val Leu 930	gcc ctg tgg Ala Leu Trp	ctg ccc aca Leu Pro Thr 935	gac tca gct Asp Ser Ala 940	act gtt ctg Thr Val Leu	cag 2891 Gln
aag atg aat Lys Met Asn 945	gag atc cag Glu Ile Gln 950	gcc att gca Ala Ile Ala	gcc agg ctc Ala Arg Leu 955	ccc aac gtg Pro Asn Val	gac 2939 Asp 960
ttg gtg ctg Leu Val Leu	tcc cag acc Ser Gln Thr 965	aag cag gac Lys Gln Asp	att gcg cgt Ile Ala Arg 970	gcc cgc cgc Ala Arg Arg 975	Leu
cag gct gag Gln Ala Glu	gct gag gaa Ala Glu Glu 980	gcc agg agc Ala Arg Ser 985	Arg Ala His	gca gtg gag Ala Val Glu 990	ggc 3035 Gly
cag gtg gaa Gln Val Glu 995	gat gtg gtt Asp Val Val	ggg aac ctg Gly Asn Leu 1000	Arg Gln Gly	aca gtg gca Thr Val Ala 1005	ctg 3083 Leu
cag gaa gct Gln Glu Ala 1010	cag gac acc Gln Asp Thr	atg caa ggo Met Gln Gly 1015	e acc agc cgc Thr Ser Arg 1020	Ser Leu Arg	g ctt 3131 g Leu
Ile Gln Asp 1025	agg gtt gct Arg Val Ala 1030	Glu Val Glr	n Gln Val Leu 1035	Arg Pro Ala	1040
aag ctg gtg Lys Leu Val	aca agc atg Thr Ser Met 1045	acc aag cag Thr Lys Glr	g ctg ggt gac n Leu Gly Asp 1050	ttc tgg aca Phe Trp Thi	r Arg

**	00/0	U / I										$\overline{}$			
atg g Met G	ag gag lu Gl	g ctc 1 Leu 1060	cgc Arg	cac His	caa Gln	Ala	cgg Arg 065	cag Gln	cag Gln	ggg Gly	Ala	gag Glu 1070	gca Ala	gtc Val	3275
cag g Gln A	cc caq la Gli 107	n Gln	ctt Leu	gcg Ala	Glu	ggt Gly .080	gcc Ala	agc Ser	gag Glu	Gln	gca Ala 1085	ttg Leu	agt Ser	gcc Ala	3323
Gln G	ag gg lu Gl 90	a ttt y Phe	gag Glu	Arg	ata Ile 095	aaa Lys	caa Gln	aag Lys	Tyr	gct Ala 100	gag Glu	ttg Leu	aag Lys	gac Asp	3371
cgg t Arg L 1105	tg gg eu Gl	t cag y Gln	Ser	tcc Ser L110	atg Met	ctg Leu	ggt Gly	Glu	cag Gln 1115	ggt Gly	gcc Ala	cgg Arg	Ile	cag Gln 120	3419
agt g Ser V	tg aa al Ly	s Thr	g <b>ag</b> Glu 1125	gca Ala	gag Glu	gag Glu	Leu	ttt Phe 1130	Gly aaa	gag Glu	acc Thr	Met	gag Glu 1135	atg Met	3467
atg g Met A	ac ag sp Ar	g atg g Met 1140	Lys	gac Asp	atg Met	Glu	ttg Leu 145	gag Glu	ctg Leu	ctg Leu	Arg	ggc Gly 1150	agc Ser	cag Gln	3515
gcc a Ala I	itc at le Me 115	t Leu	cgc Arg	tca Ser	Ala	gac Asp 1160	ctg Leu	aca Thr	gga Gly	Leu	gag Glu 1165	aag Lys	cgt Arg	gtg Val	3563
Glu G	ag at In Il	c cgt e Arg	gac Asp	His	atc Ile 1175	aat Asn	Gly 999	cgc Arg	Val	ctc Leu 1180	tac Tyr	tat Tyr	gcc Ala	acc Thr	3611
tgc a Cys I 1185	ıys	at													3621
<212>	> 18 > 1186 > PRT > Homo		ens												
<400: Met <i>I</i>	> 18 Arg Al	a Trp	Ile 5		Phe	Leu	Leu	Cys 10	Leu	Ala	Gly	Arg	Ala 15	Leu	
Ala 1	Ala Pr	o Lev		Asp	Tyr	Lys	Asp 25	Asp	Asp	Asp	Lys	Leu 30	Ala	Gln	
Gln i	Ala Cy 3	s Ser 5	Arg	Gly	Ala	Cys 40	Tyr	Pro	Pro	Val	Gly 45		Leu	Leu	
Val (	Gly Ar 50	g Thi	Arg	Phe	Leu 55		Ala	Ser	Ser	Thr 60		Gly	Leu	Thr	
Lys :	Pro G	u Thi	Tyr	Cys 70		Gln	Tyr	Gly	Glu 75		Gln	Met	ГХв	Cys 80	

Cys Lys Cys Asp Ser Arg Gln Pro His Asn Tyr Tyr Ser His Arg Val 85 90 95



Glu	Asn	Val	Ala	Ser	Ser	Ser	Gly	Pro	Met	Arg	Trp	Trp	Gln	Ser	Gln
			100					105					110		

- Asn Asp Val Asn Pro Val Ser Leu Gln Leu Asp Leu Asp Arg Arg Phe 115 120 125
- Gln Leu Gln Glu Val Met Met Glu Phe Gln Gly Pro Met Pro Ala Gly 130 135 140
- Met Leu Ile Glu Arg Ser Ser Asp Phe Gly Lys Thr Trp Arg Val Tyr 145 150 155 160
- Gln Tyr Leu Ala Ala Asp Cys Thr Ser Thr Phe Pro Arg Val Arg Gln 165 170 175
- Gly Arg Pro Gln Ser Trp Gln Asp Val Arg Cys Gln Ser Leu Pro Gln 180 185 190
- Arg Pro Asn Ala Arg Leu Asn Gly Gly Lys Val Gln Leu Asn Leu Met 195 200 205
- Asp Leu Val Ser Gly Ile Pro Ala Thr Gln Ser Gln Lys Ile Gln Glu 210 215 220
- Val Gly Glu Ile Thr Asn Leu Arg Val Asn Phe Thr Arg Leu Ala Pro 225 230 235 240
- Val Pro Gln Arg Gly Tyr His Pro Pro Ser Ala Tyr Tyr Ala Val Ser 245 250 255
- Gln Leu Arg Leu Gln Gly Ser Cys Phe Cys His Gly His Ala Asp Arg 260 265 270
- Cys Ala Pro Lys Pro Gly Ala Ser Ala Gly Pro Ser Thr Ala Val Gln 275 280 285
- Val His Asp Val Cys Val Cys Gln His Asn Thr Ala Gly Pro Asn Cys 290 295 300
- Glu Arg Cys Ala Pro Phe Tyr Asn Asn Arg Pro Trp Arg Pro Ala Glu 305 310 315 320
- Gly Gln Asp Ala His Glu Cys Gln Arg Cys Asp Cys Asn Gly His Ser 325 330 335
- Glu Thr Cys His Phe Asp Pro Ala Val Phe Ala Ala Ser Gln Gly Ala 340 345 350
- Tyr Gly Gly Val Cys Asp Asn Cys Arg Asp His Thr Glu Gly Lys Asn 355 360 365
- Cys Glu Arg Cys Gln Leu His Tyr Phe Arg Asn Arg Arg Pro Gly Ala 370 375 380
- Ser Ile Gln Glu Thr Cys Ile Ser Cys Glu Cys Asp Pro Asp Gly Ala 385 390 395 400
- Val Pro Gly Ala Pro Cys Asp Pro Val Thr Gly Gln Cys Val Cys Lys
  405 410 415
- Glu His Val Gln Gly Glu Arg Cys Asp Leu Cys Lys Pro Gly Phe Thr

420

430

425

Gly Leu Thr Tyr Ala Asn Pro Gln Gly Cys His Arg Cys Asp Cys Asn 435 440 445

Ile Leu Gly Ser Arg Arg Asp Met Pro Cys Asp Glu Glu Ser Gly Arg
450 460

Cys Leu Cys Leu Pro Asn Val Val Gly Pro Lys Cys Asp Gln Cys Ala 465 470 475 480

Pro Tyr His Trp Lys Leu Ala Ser Gly Gln Gly Cys Glu Pro Cys Ala 485 490 495

Cys Asp Pro His Asn Ser Leu Ser Pro Gln Cys Asn Gln Phe Thr Gly 500 505 510

Gln Cys Pro Cys Arg Glu Gly Phe Gly Gly Leu Met Cys Ser Ala Ala 515 520 525

Ala Ile Arg Gln Cys Pro Asp Arg Thr Tyr Gly Asp Val Ala Thr Gly 530 540

Cys Arg Ala Cys Asp Cys Asp Phe Arg Gly Thr Glu Gly Pro Gly Cys 545 550 555

Asp Lys Ala Ser Gly Arg Cys Leu Cys Arg Pro Gly Leu Thr Gly Pro 565 570 575

Arg Cys Asp Gln Cys Gln Arg Gly Tyr Cys Asn Arg Tyr Pro Val Cys 580 585 590

Val Ala Cys His Pro Cys Phe Gln Thr Tyr Asp Ala Asp Leu Arg Glu 595 600 605

Gln Ala Leu Arg Phe Gly Arg Leu Arg Asn Ala Thr Ala Ser Leu Trp 610 615 620

Ser Gly Pro Gly Leu Glu Asp Arg Gly Leu Ala Ser Arg Ile Leu Asp 625 630 635 640

Ala Lys Ser Lys Ile Glu Gln Ile Arg Ala Val Leu Ser Ser Pro Ala
645 650 655

Val Thr Glu Glu Val Ala Gln Val Ala Ser Ala Ile Leu Ser Leu 660 665 670

Arg Arg Thr Leu Gln Gly Leu Gln Leu Asp Leu Pro Leu Glu Glu Glu 675 680 685

Thr Leu Ser Leu Pro Arg Asp Leu Glu Ser Leu Asp Arg Ser Phe Asn 690 695 700

Gly Leu Leu Thr Met Tyr Gln Arg Lys Arg Glu Gln Phe Glu Lys Ile 705 710 715 720

Ser Ser Ala Asp Pro Ser Gly Ala Phe Arg Met Leu Ser Thr Ala Tyr 725 730 735

Glu Gln Ser Ala Gln Ala Ala Gln Gln Val Ser Asp Ser Ser Arg Leu 740 745 750



Leu Asp Gln Leu Arg Asp Ser Arg Arg Glu Ala Glu Arg Leu Val Arg 755 760 765

Gln Ala Gly Gly Gly Gly Thr Gly Ser Pro Lys Leu Val Ala Leu
770 780

Arg Leu Glu Met Ser Ser Leu Pro Asp Leu Thr Pro Thr Phe Asn Lys
785 790 795 800

Leu Cys Gly Asn Ser Arg Gln Met Ala Cys Thr Pro Ile Ser Cys Pro 805 810 815

Gly Glu Leu Cys Pro Gln Asp Asn Gly Thr Ala Cys Gly Ser Arg Cys 820 825 830

Arg Gly Val Leu Pro Arg Ala Gly Gly Ala Phe Leu Met Ala Gly Gln 835 840 845

Val Ala Glu Gln Leu Arg Gly Phe Asn Ala Gln Leu Gln Arg Thr Arg 850 855 860

Gln Met Ile Arg Ala Ala Glu Glu Ser Ala Ser Gln Ile Gln Ser Ser 865 870 875 880

Ala Gln Arg Leu Glu Thr Gln Val Ser Ala Ser Arg Ser Gln Met Glu 885 890 895

Glu Asp Val Arg Arg Thr Arg Leu Leu Ile Gln Gln Val Arg Asp Phe 900 905 910

Leu Thr Asp Pro Asp Thr Asp Ala Ala Thr Ile Gln Glu Val Ser Glu
915 920 925

Ala Val Leu Ala Leu Trp Leu Pro Thr Asp Ser Ala Thr Val Leu Gln
930 940

Lys Met Asn Glu Ile Gln Ala Ile Ala Ala Arg Leu Pro Asn Val Asp 945 950 955 960

Leu Val Leu Ser Gln Thr Lys Gln Asp Ile Ala Arg Ala Arg Arg Leu 965 970 975

Gln Ala Glu Ala Glu Glu Ala Arg Ser Arg Ala His Ala Val Glu Gly 980 985 990

Gln Val Glu Asp Val Val Gly Asn Leu Arg Gln Gly Thr Val Ala Leu 995 1000 1005

Gln Glu Ala Gln Asp Thr Met Gln Gly Thr Ser Arg Ser Leu Arg Leu 1010 1015 1020

Ile Gln Asp Arg Val Ala Glu Val Gln Gln Val Leu Arg Pro Ala Glu 1025 1030 1035 1040

Lys Leu Val Thr Ser Met Thr Lys Gln Leu Gly Asp Phe Trp Thr Arg 1045 1050 1055

M t Glu Glu Leu Arg His Gln Ala Arg Gln Gln Gly Ala Glu Ala Val 1060 1065 1070



Gln Ala Gln Gln Leu Ala Glu Gly Ala Ser Glu Gln Ala Leu Ser Ala 1075 1080 1085

Gln Glu Gly Phe Glu Arg Ile Lys Gln Lys Tyr Ala Glu Leu Lys Asp 1090 1095 1100

Arg Leu Gly Gln Ser Ser Met Leu Gly Glu Gln Gly Ala Arg Ile Gln 1105 1110 1115 1120

Ser Val Lys Thr Glu Ala Glu Glu Leu Phe Gly Glu Thr Met Glu Met
1125 1130 1135

Met Asp Arg Met Lys Asp Met Glu Leu Glu Leu Arg Gly Ser Gln 1140 1145 1150

Ala Ile Met Leu Arg Ser Ala Asp Leu Thr Gly Leu Glu Lys Arg Val 1155 1160 1165

Glu Gln Ile Arg Asp His Ile Asn Gly Arg Val Leu Tyr Tyr Ala Thr 1170 1175 1180

Cys Lys

<210> 19

<211> 3511

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (7)..(3507)

<220>

<221> misc\_feature

<222> (13)..(36)

<400> 19

gcccca cta gcc gac tac aag gac gac gat gac aag cta gcc caa caa 48
Leu Ala Asp Tyr Lys Asp Asp Asp Lys Leu Ala Gln Gln
1 5

gcc tgc tcc cgt ggg gcc tgc tat cca cct gtt ggg gac ctg ctt gtt
Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val Gly Asp Leu Leu Val
15 20 25 30

ggg agg acc cgg ttt ctc cga gct tca tct acc tgt gga ctg acc aag 144 Gly Arg Thr Arg Phe Leu Arg Ala Ser Ser Thr Cys Gly Leu Thr Lys 35 40 45

cct gag acc tac tgc acc cag tat ggc gag tgg cag atg aaa tgc tgc 192 Pro Glu Thr Tyr Cys Thr Gln Tyr Gly Glu Trp Gln Met Lys Cys Cys 50 60

aag tgt gac tcc agg cag cct cac aac tac tac agt cac cga gta gag 240 Lys Cys Asp Ser Arg Gln Pro His Asn Tyr Tyr Ser His Arg Val Glu 65 70 75

aat gtg gct tca tcc tcc ggc ccc atg cgc tgg tgg cag tcc cag aat 288 Asn Val Ala Ser Ser Ser Gly Pro Met Arg Trp Trp Gln Ser Gln Asn

00/66731	$\bigcirc$		PC::/US00/11459
	_		

wo

90 80 85 gat gtg aac cot gto tot otg cag otg gac otg gac agg aga tto cag Asp Val Asn Pro Val Ser Leu Gln Leu Asp Leu Asp Arg Arg Phe Gln ctt caa gaa gtc atg atg gag ttc cag ggg ccc atg cct gcc ggc atg Leu Gln Glu Val Met Met Glu Phe Gln Gly Pro Met Pro Ala Gly Met 115 ctg att gag ege tee tea gae tte ggt aag ace tgg ega gtg tae eag 432 Leu Ile Glu Arg Ser Ser Asp Phe Gly Lys Thr Trp Arg Val Tyr Gln 135 130 480 tac ctg gct gcc gac tgc acc tcc acc ttc cct cgg gtc cgc cag ggt Tyr Leu Ala Ala Asp Cys Thr Ser Thr Phe Pro Arg Val Arg Gln Gly 145 150 egg eet eag age tgg eag gat gtt egg tge eag tee etg eet eag agg 528 Arg Pro Gln Ser Trp Gln Asp Val Arg Cys Gln Ser Leu Pro Gln Arg 165 cet aat qea ege eta aat ggg ggg aag gte caa ett aac ett atg gat 576 Pro Asn Ala Arq Leu Asn Gly Gly Lys Val Gln Leu Asn Leu Met Asp 175 180 185 tta gtg tct ggg att cca gca act caa agt caa aaa att caa gag gtg 624 Leu Val Ser Gly Ile Pro Ala Thr Gln Ser Gln Lys Ile Gln Glu Val 200 ggg gag atc aca aac ttg aga gtc aat ttc acc agg ctg gcc cct gtg 672 Gly Glu Ile Thr Asn Leu Arg Val Asn Phe Thr Arg Leu Ala Pro Val 215 210 ccc caa agg ggc tac cac cct ccc agc gcc tac tat gct gtg tcc cag 720 Pro Gln Arg Gly Tyr His Pro Pro Ser Ala Tyr Tyr Ala Val Ser Gln ctc cgt ctg cag ggg agc tgc ttc tgt cac ggc cat gct gat cgc tgc 768 Leu Arg Leu Gln Gly Ser Cys Phe Cys His Gly His Ala Asp Arg Cys 816 qca ccc aag cct ggg gcc tct gca ggc ccc tcc acc gct gtg cag gtc Ala Pro Lys Pro Gly Ala Ser Ala Gly Pro Ser Thr Ala Val Gln Val 260 255 cac gat gtc tgc gtc tgc cag cac aac act gcc ggc cca aat tgt gag His Asp Val Cys Val Cys Gln His Asn Thr Ala Gly Pro Asn Cys Glu cgc tgt gca ccc ttc tac aac cgg ccc tgg aga ccg gcg gag ggc 912 Arg Cys Ala Pro Phe Tyr Asn Asn Arg Pro Trp Arg Pro Ala Glu Gly 295 290 cag gac gcc cat gaa tgc caa agg tgc gac tgc aat ggg cac tca gag 960 Gln Asp Ala His Glu Cys Gln Arg Cys Asp Cys Asn Gly His Ser Glu 305 aca tgt cac ttt gac ccc gct gtg ttt gcc gcc agc cag ggg gca tat Thr Cys His Phe Asp Pro Ala Val Phe Ala Ala Ser Gln Gly Ala Tyr 325 320



						tgc Cys									1056
		_	_	-		tat Tyr					-	_	 _		1104
	_			_		tcc Ser	_		_	_	_	_	 _		1152
						cca Pro									1200
		_			_	tgt Cys 405	-		_					_	1248
						cag Gln									1296
						atg Met									1344
						gtg Val									1392
						agt Ser									1440
_	_					agc Ser 485		_	_		_			_	1488
						ttt Phe									1536
						cgg Arg									1584
						ttc Phe									1632
						ctc Leu									1680
						ggc Gly 565									1728



													cgg Arg			1776
					_						-		ctg Leu			1824
			-		-	_		_	_				cta Leu 620	_	_	1872
_	_	_		-	_		_	_	-		-	_	ccc Pro	_	•	1920
													tcc Ser			1968
													gag Glu			2016
_			•	-	_	_		_		_	-	-	ttc Phe			2064
			_		_		_			_		_	aaa Lys 700		_	2112
													gcc Ala			2160
_		_	_	_	_	_	_	_		-	_	_	cgc Arg		_	2208
													gtg Val			2256
													gcc Ala			2304
													aac Asn 780			2352
													tgc Cys			2400
		_			_				_	_			cgc Arg	-		2448
ggt	gtc	ctt	ccc	agg	gcc	ggt	999	gcc	ttc	ttg	atg	gcg	ggg	cag	gtg	2496



Gly 815	Val	Leu	Pro	Arg	Ala 820	Gly	Gly	Ala	Phe	Leu 825	Met	Ala	Gly	Gln	Val 830	
gct Ala	gag Glu	cag Gln	ctg Leu	cgg Arg 835	ggc Gly	ttc Phe	aat Asn	gcc Ala	cag Gln 840	ctc Leu	cag Gln	cgg Arg	acc Thr	agg Arg 845	cag Gln	2544
atg Met	att Ile	agg Arg	gca Ala 850	gcc Ala	gag Glu	gaa Glu	tct Ser	gcc Ala 855	tca Ser	cag Gln	att Ile	caa Gln	tcc Ser 860	agt Ser	gcc Ala	2592
cag Gln	cgc Arg	ttg Leu 865	gag Glu	acc Thr	cag Gln	gtg Val	agc Ser 870	gcc Ala	agc Ser	cgc Arg	tcc Ser	cag Gln 875	atg Met	gag Glu	gaa Glu	2640
gat Asp	gtc Val 880	aga Arg	cgc Arg	aca Thr	cgg Arg	ctc Leu 885	cta Leu	atc Ile	cag Gln	cag Gln	gtc Val 890	cgg Arg	gac Asp	ttc Phe	cta Leu	2688
aca Thr 895	gac Asp	ccc Pro	gac Asp	act Thr	gat Asp 900	gca Ala	gcc Ala	act Thr	atc Ile	cag Gln 905	gag Glu	gtc Val	agc Ser	gag Glu	gcc Ala 910	2736
gtg Val	ctg Leu	gcc Ala	ctg Leu	tgg Trp 915	ctg Leu	ccc Pro	aca Thr	gac Asp	tca Ser 920	gct Ala	act Thr	gtt Val	ctg Leu	cag Gln 925	aag Lys	2784
				cag Gln												2832
gtg Val	ctg Leu	tcc Ser 945	cag Gln	acc Thr	aag Lys	cag Gln	gac Asp 950	att Ile	gcg Ala	cgt Arg	gcc Ala	cgc Arg 955	cgg Arg	ttg Leu	cag Gln	2880
gct Ala	gag Glu 960	gct Ala	gag Glu	gaa Glu	gcc Ala	agg Arg 965	agc Ser	cga Arg	gcc Ala	cat His	gca Ala 970	gtg Val	gag Glu	ggc Gly	cag Gln	2928
gtg Val 975	gaa Glu	gat Asp	gtg Val	gtt Val	980 939	aac Asn	ctg L <b>e</b> u	cgg Arg	Gln	ggg Gly 985	Thr	gtg Val	gca Ala	ctg Leu	cag Gln 990	2976
g <b>aa</b> Glu	gct Ala	cag Gln	gac Asp	acc Thr 995	atg Met	caa Gln	ggc Gly	Thr	agc Ser 1000	cgc Arg	tcc Ser	ctt Leu	Arg	ctt Leu 1005	atc Ile	3024
cag Gln	gac Asp	Arg	gtt Val 1010	gct Ala	gag Glu	gtt Val	Gln	cag Gln 1015	gta Val	ctg Leu	cgg Arg	Pro	gca Ala 1020	gaa Glu	aag Lys	3072
ctg Leu	Val	aca Thr 1025	agc Ser	atg Met	acc Thr	Lys	cag Gln 1030	ctg Leu	ggt Gly	gac Asp	Phe	tgg Trp 1035	aca Thr	cgg Arg	atg Met	3120
Glu	gag Glu 1040	Leu	cgc Arg	cac His	Gln	gcc Ala 1045	cgg Arg	cag Gln	cag Gln	Gly	gca Ala 1050	gag Glu	gca Ala	gtc Val	cag Gln	3168
gcc Ala	cag Gln	cag Gln	ctt Leu	gcg Ala	gaa Glu	ggt Gly	gcc Ala	agc Ser	gag Glu	cag Gln	gca Ala	ttg Leu	agt Ser	gcc Ala	caa Gln	3216

1055	1060 1	065 1070	
gag gga ttt gag aga	ata aaa caa aag tat	gct gag ttg aag gac cgg Ala Glu Leu Lys Asp Arg 1085	3264
		ggt gcc cgg atc cag agt Gly Ala Arg Ile Gln Ser 1100	3312
		gag acc atg gag atg atg Glu Thr Met Glu Met Met 1115	3360
gac agg atg aaa gac Asp Arg Met Lys Asp 1120	atg gag ttg gag ctg Met Glu Leu Glu Leu 1125	ctg cgg ggc agc cag gcc Leu Arg Gly Ser Gln Ala 1130	3408
atc atg ctg cgc tca Ile Met Leu Arg Ser 1135	Ala Asp Leu Thr Gly	ctg gag aag cgt gtg gag Leu Glu Lys Arg Val Glu 145	3456
cag atc cgt gac cac Gln Ile Arg Asp His 1155	Ile Asn Gly Arg Val	ctc tac tat gcc acc tgc Leu Tyr Tyr Ala Thr Cys 1165	3504
aag tgat Lys			3511
Був			
<210> 20 <211> 1167 <212> PRT <213> Homo sapiens			
<210> 20 <211> 1167 <212> PRT <213> Homo sapiens <400> 20		Leu Ala Gln Gln Ala Cys 15	
<210> 20 <211> 1167 <212> PRT <213> Homo sapiens <400> 20 Leu Ala Asp Tyr Lys 1	10		
<210> 20 <211> 1167 <212> PRT <213> Homo sapiens <400> 20 Leu Ala Asp Tyr Lys 1 5 Ser Arg Gly Ala Cys 20	Tyr Pro Pro Val Gly 25	15 Asp Leu Leu Val Gly Arg	
<pre>&lt;210&gt; 20 &lt;211&gt; 1167 &lt;212&gt; PRT &lt;213&gt; Homo sapiens &lt;400&gt; 20 Leu Ala Asp Tyr Lys 1</pre>	Tyr Pro Pro Val Gly 25 Ala Ser Ser Thr Cys 40	Asp Leu Leu Val Gly Arg 30 Gly Leu Thr Lys Pro Glu	
<pre> &lt;210&gt; 20 &lt;211&gt; 1167 &lt;212&gt; PRT &lt;213&gt; Homo sapiens  &lt;400&gt; 20 Leu Ala Asp Tyr Lys</pre>	Tyr Pro Pro Val Gly 25 Ala Ser Ser Thr Cys 40 Tyr Gly Glu Trp Gln 55	Asp Leu Leu Val Gly Arg 30  Gly Leu Thr Lys Pro Glu 45  Met Lys Cys Cys Lys Cys	
<pre> &lt;210&gt; 20 &lt;211&gt; 1167 &lt;212&gt; PRT &lt;213&gt; Homo sapiens  &lt;400&gt; 20 Leu Ala Asp Tyr Lys</pre>	Tyr Pro Pro Val Gly 25 Ala Ser Ser Thr Cys 40 Tyr Gly Glu Trp Gln 55 His Asn Tyr Tyr Ser 70 Pro Met Arg Trp Trp	Asp Leu Leu Val Gly Arg 30  Gly Leu Thr Lys Pro Glu 45  Met Lys Cys Cys Lys Cys 60  His Arg Val Glu Asn Val	
<pre>&lt;210&gt; 20 &lt;211&gt; 1167 &lt;212&gt; PRT &lt;213&gt; Homo sapiens &lt;400&gt; 20 Leu Ala Asp Tyr Lys 1</pre>	Tyr Pro Pro Val Gly 25  Ala Ser Ser Thr Cys 40  Tyr Gly Glu Trp Gln 55  His Asn Tyr Tyr Ser 70  Pro Met Arg Trp Trp 90	Asp Leu Leu Val Gly Arg 30  Gly Leu Thr Lys Pro Glu 45  Met Lys Cys Cys Lys Cys 60  His Arg Val Glu Asn Val 75  Gln Ser Gln Asn Asp Val	

Glu Arg Ser Ser Asp Phe Gly Lys Thr Trp Arg Val Tyr Gln Tyr Leu

130 135 140

Ala Ala Asp Cys Thr Ser Thr Phe Pro Arg Val Arg Gln Gly Arg Pro 145 150 155 160

Gln Ser Trp Gln Asp Val Arg Cys Gln Ser Leu Pro Gln Arg Pro Asn 165 170 175

Ala Arg Leu Asn Gly Gly Lys Val Gln Leu Asn Leu Met Asp Leu Val 180 185 190

Ser Gly Ile Pro Ala Thr Gln Ser Gln Lys Ile Gln Glu Val Gly Glu 195 200 205

Ile Thr Asn Leu Arg Val Asn Phe Thr Arg Leu Ala Pro Val Pro Gln 210 215 220

Arg Gly Tyr His Pro Pro Ser Ala Tyr Tyr Ala Val Ser Gln Leu Arg 225 230 235 240

Leu Gln Gly Ser Cys Phe Cys His Gly His Ala Asp Arg Cys Ala Pro 245 250 255

Lys Pro Gly Ala Ser Ala Gly Pro Ser Thr Ala Val Gln Val His Asp 260 265 270

Val Cys Val Cys Gln His Asn Thr Ala Gly Pro Asn Cys Glu Arg Cys 275 280 285

Ala Pro Phe Tyr Asn Asn Arg Pro Trp Arg Pro Ala Glu Gly Gln Asp 290 295 300

Ala His Glu Cys Gln Arg Cys Asp Cys Asn Gly His Ser Glu Thr Cys 305 310 315 320

His Phe Asp Pro Ala Val Phe Ala Ala Ser Gln Gly Ala Tyr Gly Gly
325 330 335

Val Cys Asp Asn Cys Arg Asp His Thr Glu Gly Lys Asn Cys Glu Arg
340 345 350

Cys Gln Leu His Tyr Phe Arg Asn Arg Pro Gly Ala Ser Ile Gln 355 360 365

Glu Thr Cys Ile Ser Cys Glu Cys Asp Pro Asp Gly Ala Val Pro Gly 370 375 380

Ala Pro Cys Asp Pro Val Thr Gly Gln Cys Val Cys Lys Glu His Val 385 390 395 400

Gln Gly Glu Arg Cys Asp Leu Cys Lys Pro Gly Phe Thr Gly Leu Thr 405 410 415


Tyr Ala Asn Pro Gln Gly Cys His Arg Cys Asp Cys Asn Ile Leu Gly
420 425 430

Ser Arg Arg Asp Met Pro Cys Asp Glu Glu Ser Gly Arg Cys Leu Cys
435 440 445

Leu Pro Asn Val Val Gly Pro Lys Cys Asp Gln Cys Ala Pro Tyr His
450 455 460



Trp Lys Le	ı Ala Se	Gly 470	Gln	Gly	Суз	Glu	Pro 475	Cys	Ala	Cys	Asp	Pro 480
His Asn Se	Leu Se:		Gln	Cys	Asn	Gln 490	Phe	Thr	Gly	Gln	Cys 495	Pro
Cys Arg Gl	Gly Pho	e Gly	Gly	Leu	Met 505	Cys	Ser	Ala	Ala	Ala 510	Ile	Arg
Gln Cys Pro		g Thr	Tyr	Gly 520	Asp	Val	Ala	Thr	Gly 525	Сув	Arg	Ala
Cys Asp Cys	s Asp Phe	e Arg	Gly 535	Thr	Glu	Gly	Pro	Gly 540	Cys	Asp	Lys	Ala
Ser Gly Ar	g Cys Let	Cys 550	Arg	Pro	Gly	Leu	Thr 555	Gly	Pro	Arg	Cys	Asp 560
Gln Cys Gl	n Arg Gly 56!	_	Cys	Asn	Arg	Tyr 570	Pro	Val	Сув	Val	Ala 575	Cys
His Pro Cy	580		-	_	585			_		590		
Arg Phe Gly	5			600					605			
Gly Leu Gl			615					620				
Lys Ile Gl	ı Gln Ile	λra e	Δla	Val.	T.em	CAT	Car	DYO	בומ	17-3	Th	~1··
625		630					635					640
625 Gln Glu Va	l Ala Gli 649	630 n Val	Ala	Ser	Ala	Ile 650	635 Leu	Ser	Leu	Arg	Arg 655	640 Thr
625 Gln Glu Va Leu Gln Gl	l Ala Gli 64! / Leu Gli 660	630 n Val 5 n Leu	Ala Asp	Ser Leu	Ala Pro 665	Ile 650 Leu	635 Leu Glu	Ser Glu	Leu Glu	Arg Thr 670	Arg 655 Leu	640 Thr Ser
Gln Glu Va Leu Gln Gl Leu Pro Arc	L Ala Gli 649 Leu Gli 660 J Asp Lev	630 1 Val 5 1 Leu 1 Glu	Ala Asp Ser	Ser Leu Leu 680	Ala Pro 665 Asp	Ile 650 Leu Arg	635 Leu Glu Ser	Ser Glu Phe	Leu Glu Asn 685	Arg Thr 670	Arg 655 Leu Leu	640 Thr Ser Leu
Gln Glu Va Leu Gln Gl Leu Pro Arc 67 Thr Met Ty 690	Leu Gli 649 Leu Gli 660 Asp Leu Gln Arg	630  1 Val  3 Leu  1 Glu  Lys	Ala Asp Ser Arg 695	Ser Leu Leu 680 Glu	Ala Pro 665 Asp	Ile 650 Leu Arg	635 Leu Glu Ser Glu	Ser Glu Phe Lys 700	Leu Glu Asn 685 Ile	Arg Thr 670 Gly Ser	Arg 655 Leu Leu Ser	640 Thr Ser Leu
Gln Glu Va  Leu Gln Gl  Leu Pro Arc 67  Thr Met Ty 690  Asp Pro Se 705	Leu Gli 649 Leu Gli 660 Asp Lei Gln Arg	630  1 Val  2 Leu  2 Glu  4 Lys  4 Phe  710	Ala Asp Ser Arg 695	Ser Leu Leu 680 Glu Met	Ala Pro 665 Asp Gln Leu	Ile 650 Leu Arg Phe Ser	Glu Ser Glu Thr 715	Ser Glu Phe Lys 700 Ala	Leu Glu Asn 685 Ile Tyr	Arg Thr 670 Gly Ser	Arg 655 Leu Leu Ser	640 Thr Ser Leu Ala Ser 720
Gln Glu Va  Leu Gln Gl  Leu Pro Arc 67  Thr Met Ty 690  Asp Pro Se 705  Ala Gln Al	Leu Gli 649 Leu Gli 660 Asp Leu Gln Arg	630  Val  Leu  Glu  Lys  Phe 710  Gln	Ala Asp Ser Arg 695 Arg	Ser Leu Leu 680 Glu Met	Ala Pro 665 Asp Gln Leu Asp	Ile 650 Leu Arg Phe Ser 730	Glu Ser Glu Thr 715 Ser	Ser Glu Phe Lys 700 Ala	Leu Glu Asn 685 Ile Tyr	Arg Thr 670 Gly Ser Glu Leu	Arg 655 Leu Leu Ser Gln Asp 735	640 Thr Ser Leu Ala Ser 720 Gln
Gln Glu Va Leu Gln Gl Leu Pro Arc 67 Thr Met Ty 690 Asp Pro Se 705 Ala Gln Al Leu Arg As	Leu Gli 649 Leu Gli 660 Asp Leu Gln Arg Gly Ala Ala Gli 729 Ser Arg	630  1 Val  2 Lys  2 Phe 710  3 Arg	Ala Asp Ser Arg 695 Arg Val	Ser Leu Leu 680 Glu Met Ser	Ala Pro 665 Asp Gln Leu Asp Glu 745	Ile 650 Leu Arg Phe Ser 730 Arg	Glu Ser Glu Thr 715 Ser Leu	Ser Glu Phe Lys 700 Ala Arg	Leu Glu Asn 685 Ile Tyr Leu	Arg Thr 670 Gly Ser Glu Leu Gln 750	Arg 655 Leu Leu Ser Gln Asp 735 Ala	640 Thr Ser Leu Ala Ser 720 Gln Gly
Gln Glu Va  Leu Gln Gl  Leu Pro Arc 67  Thr Met Ty 690  Asp Pro Se 705  Ala Gln Al	Leu Gli 649 Leu Gli 660 Asp Leu Gln Arg Gly Ala Ala Gli 729 Ser Arg 740 Gly The	630  1 Val  2 Lys  2 Phe 710  3 Arg	Ala Asp Ser Arg 695 Arg Val Glu Ser	Ser Leu Leu 680 Glu Met Ser Ala Pro 760	Ala Pro 665 Asp Gln Leu Asp Glu 745 Lys	Ile 650 Leu Arg Phe Ser 730 Arg	Glu Ser Glu Thr 715 Ser Leu Val	Ser Glu Phe Lys 700 Ala Arg Val	Leu Glu Asn 685 Ile Tyr Leu Arg Leu 765	Arg Thr 670 Gly Ser Glu Leu Gln 750 Arg	Arg 655 Leu Leu Ser Gln Asp 735 Ala	640 Thr Ser Leu Ala Ser 720 Gln Gly Glu



- Cys Pro Gln Asp Asn Gly Thr Ala Cys Gly Ser Arg Cys Arg Gly Val 805 810 815
- Leu Pro Arg Ala Gly Gly Ala Phe Leu Met Ala Gly Gln Val Ala Glu 820 825 830
- Gln Leu Arg Gly Phe Asn Ala Gln Leu Gln Arg Thr Arg Gln Met Ile 835 840 845
- Arg Ala Ala Glu Glu Ser Ala Ser Gln Ile Gln Ser Ser Ala Gln Arg 850 860
- Leu Glu Thr Gln Val Ser Ala Ser Arg Ser Gln Met Glu Glu Asp Val 865 870 875 880
- Arg Arg Thr Arg Leu Leu Ile Gln Gln Val Arg Asp Phe Leu Thr Asp 885 890 895
- Pro Asp Thr Asp Ala Ala Thr Ile Gln Glu Val Ser Glu Ala Val Leu
  900 905 910
- Ala Leu Trp Leu Pro Thr Asp Ser Ala Thr Val Leu Gln Lys Met Asn 915 920 925
- Glu Ile Gln Ala Ile Ala Ala Arg Leu Pro Asn Val Asp Leu Val Leu 930 935 940
- Ser Gln Thr Lys Gln Asp Ile Ala Arg Ala Arg Arg Leu Gln Ala Glu 945 950 955 960
- Ala Glu Glu Ala Arg Ser Arg Ala His Ala Val Glu Gly Gln Val Glu
  965 970 975
- Asp Val Val Gly Asn Leu Arg Gln Gly Thr Val Ala Leu Gln Glu Ala 980 985 990
- Gln Asp Thr Met Gln Gly Thr Ser Arg Ser Leu Arg Leu Ile Gln Asp 995 1000 1005
- Arg Val Ala Glu Val Gln Gln Val Leu Arg Pro Ala Glu Lys Leu Val 1010 1015 1020
- Thr Ser Met Thr Lys Gln Leu Gly Asp Phe Trp Thr Arg Met Glu Glu 025 1030 1035 1040
- Leu Arg His Gln Ala Arg Gln Gln Gly Ala Glu Ala Val Gln Ala Gln 1045 1050 1055
- Gln Leu Ala Glu Gly Ala Ser Glu Gln Ala Leu Ser Ala Gln Glu Gly 1060 1065 1070
- Phe Glu Arg Ile Lys Gln Lys Tyr Ala Glu Leu Lys Asp Arg Leu Gly 1075 1080 1085
- Gln Ser Ser Met Leu Gly Glu Gln Gly Ala Arg Ile Gln Ser Val Lys 1090 1095 1100
- Thr Glu Ala Glu Glu Leu Phe Gly Glu Thr Met Glu Met Met Asp Arg

105 1110 1115 1120

Met Lys Asp Met Glu Leu Glu Leu Leu Arg Gly Ser Gln Ala Ile Met 1125 1130 1135

Leu Arg Ser Ala Asp Leu Thr Gly Leu Glu Lys Arg Val Glu Gln Ile 1140 1145 1150

Arg Asp His Ile Asn Gly Arg Val Leu Tyr Tyr Ala Thr Cys Lys 1155 1160 1165

<210> 21

<211> 3585

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (60)..(3581)

<220>

<221> sig\_peptide

<222> (60)..(116)

<400> 21

gtttaaactt aagettetge etgeegeetg eetgeetgee aetgagggtt eecageace 59

- atg agg gcc tgg atc ttc ttt ctc ctt tgc ctg gcc ggg agg gct ctg 107
  Met Arg Ala Trp Ile Phe Phe Leu Leu Cys Leu Ala Gly Arg Ala Leu

  1 10 15
- gca gcc cca caa caa gcc tgc tcc cgt ggg gcc tgc tat cca cct gtt 155 Ala Ala Pro Gln Gln Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val 20 25 30
- ggg gac ctg ctt gtt ggg agg acc cgg ttt ctc cga gct tca tct acc 203 Gly Asp Leu Leu Val Gly Arg Thr Arg Phe Leu Arg Ala Ser Ser Thr 35 40 45
- tgt gga ctg acc aag cct gag acc tac tgc acc cag tat ggc gag tgg 251 Cys Gly Leu Thr Lys Pro Glu Thr Tyr Cys Thr Gln Tyr Gly Glu Trp 50 55 60
- cag atg aaa tgc tgc aag tgt gac tcc agg cag cct cac aac tac tac 299
  Gln Met Lys Cys Cys Lys Cys Asp Ser Arg Gln Pro His Asn Tyr Tyr
  65 70 75 80
- agt cac cga gta gag aat gtg gct tca tcc tcc ggc ccc atg cgc tgg 347 Ser His Arg Val Glu Asn Val Ala Ser Ser Ser Gly Pro Met Arg Trp 85 90 95
- tgg cag tcc cag aat gat gtg aac cct gtc tct ctg cag ctg gac ctg 395
  Trp Gln Ser Gln Asn Asp Val Asn Pro Val Ser Leu Gln Leu Asp Leu
  100 105 110
- gac agg aga ttc cag ctt caa gaa gtc atg atg gag ttc cag ggg ccc 443
  Asp Arg Arg Phe Gln Leu Gln Glu Val Met Met Glu Phe Gln Gly Pro
  115 120 125

atg cct gcc ggc atg ctg att gag cgc tcc tca gac ttc ggt aag acc 491


WO 00/66731


Met	Pro 130	Ala	Gly	Met	Leu	Ile 135	Glu	Arg	Ser	Ser	Asp 140	Phe	Gly	Lys	Thr	
	Arg				tac Tyr 150											539
					cgg Arg											587
					cct Pro											635
			_	_	tta Leu						_					683
aaa Lys	att Ile 210	caa Gln	gag Glu	gtg Val	G1Å aaa	gag Glu 215	atc Ile	aca Thr	aac Asn	ttg Leu	aga Arg 220	gtc Val	aat Asn	ttc Phe	acc Thr	731
	Leu				ccc Pro 230											779
					ctc Leu											827
cat His	gct Ala	gat Asp	cgc Arg 260	tgc Cys	gca Ala	ccc Pro	aag Lys	cct Pro 265	Gly ggg	gcc Ala	tct Ser	gca Ala	ggc Gly 270	ccc Pro	tcc Ser	875
					cac His											923
					cgc Arg											971
aga Arg 305	Pro	gcg Ala	gag Glu	ggc Gly	cag Gln 310	gac Asp	gcc Ala	cat His	gaa Glu	tgc Cys 315	caa Gln	agg Arg	tgc Cys	gac Asp	tgc Cys 320	1019
aat Asr	ggg Gly	cac His	tca Ser	gag Glu 325	aca Thr	tgt Cys	cac His	ttt Phe	gac Asp 330	ccc Pro	gct Ala	gtg Val	ttt Phe	gcc Ala 335	gcc Ala	1067
ago Sei	cag Gln	ggg ggg	gca Ala 340	tat Tyr	gga Gly	ggt Gly	gtg Val	tgt Cys 345	gac Asp	aat Asn	tgc Cys	cgg Arg	gac Asp 350	cac His	acc Thr	1115
gaa Glu	ggc Gly	aag Lys 355	aac Asn	tgt Cys	gag Glu	cgg Arg	tgt Cys 360	cag Gln	ctg Leu	cac His	tat Tyr	ttc Phe 365	cgg Arg	aac Asn	cgg Arg	1163
cgo	ccg Pro	gga Gly	gct Ala	tcc Ser	att Ile	cag Gln	gag Glu	acc Thr	tgc Cys	atc Ile	tcc Ser	tgc Cys	gag Glu	tgt Cys	gat Asp	1211



370 375 380

	370					3/5					300					
ccg Pro 385	gat Asp	gly ggg	gca Ala	gtg Val	cca Pro 390	ggg Gly	gct Ala	ccc Pro	tgt Cys	gac Asp 395	cca Pro	gtg Val	acc Thr	ggg Gly	cag Gln 400	1259
tgt Cys	gtg Val	tgc Cys	aag Lys	gag Glu 405	cat His	gtg Val	cag Gln	gga Gly	gag Glu 410	cg <b>c</b> Arg	tgt Cys	gac Asp	cta Leu	tgc Cys 415	aag Lys	1307
ccg Pro	ggc Gly	ttc Phe	act Thr 420	gga Gly	ctc L <b>e</b> u	acc Thr	tac Tyr	gcc Ala 425	aac Asn	ccg Pro	cag Gln	ggc Gly	tgc Cys 430	cac His	cgc Arg	1355
tgt Cys	gac Asp	tgc Cys 435	aac Asn	atc Ile	ctg Leu	gly ggg	tcc Ser 440	cgg Arg	agg Arg	gac Asp	atg Met	ccg Pro 445	tg <b>t</b> Cys	gac Asp	gag Glu	1403
g <b>ag</b> Glu	agt Ser 450	ggg Gly	cgc Arg	tgc Cys	ctt Leu	tgt Cys 455	ctg Leu	ccc Pro	aac Asn	gtg Val	gtg Val 460	ggt Gly	ccc Pro	aaa Lys	tgt Cys	1451
gac Asp 465	cag Gln	tgt Cys	gct Ala	ccc Pro	tac Tyr 470	cac His	tgg Trp	aag Lys	ctg L <b>e</b> u	gcc Ala 475	agt Ser	ggc Gly	cag Gln	ggc Gly	tgt Cys 480	1499
gaa Glu	ccg Pro	tgt Cys	gcc Ala	tgc Cys 485	gac Asp	ccg Pro	cac His	aac Asn	tcc Ser 490	ctc Leu	agc Ser	cca Pro	cag Gln	tgc Cys 495	aac Asn	1547
cag Gln	ttc Phe	aca Thr	999 Gly 500	cag Gln	tgc Cys	ccc Pro	tgt Cys	cgg Arg 505	gaa Glu	ggc Gly	ttt Phe	ggt Gly	ggc Gly 510	ctg Leu	atg Met	1595
tgc Cys	agc Ser	gct Ala 515	Ala	gcc Ala	atc Ile	cgc Arg	cag Gln 520	tgt Cys	cca Pro	gac Asp	cgg Arg	acc Thr 525	tat Tyr	gga Gly	gac Asp	1643
gtg Val	gcc Ala 530	Thr	gga Gly	tgc Cys	cga Arg	gcc Ala 535	tgt Cys	gac Asp	tgt Cys	gat Asp	Phe 540	Arg	gga Gly	aca Thr	gag Glu	1691
ggc Gly 545	Pro	ggc Gly	tgc Cys	gac Asp	aag Lys 550	gca Ala	tca Ser	ggc	cgc	tgc Cys 555	Leu	tgc Cys	cgc Arg	cct Pro	ggc Gly 560	1739
ttg Leu	acc Thr	999 Gl <sub>y</sub>	g ccc / Pro	cgc Arg 565	tgt Cys	gac Asp	cag Gln	tgc Cys	Gln 570	Arg	ggc Gly	tac Tyr	tgc Cys	aat Asn 575	Arg	1787
tac Tyr	e ccg	g gtg Val	g tgo L Cys 580	: Val	gcc Ala	tgc Cys	cac His	Pro 585	Cys	tto Phe	caç Glr	acc Thr	tat Tyr 590	Ash	gcg Ala	1835
gad	cto Lev	599 599	g Glu	g cag ı Glr	g gcc n Ala	ctg Lev	cgc Arg 600	, Phe	ggt Gly	aga Arg	tet Let	cgg Arg 605	l WRI	gcc Ala	acc Thr	1883
gco	a se:	r Le	g tgg u Trj	g tca p Sei	a ggg	Pro 615	Gly	g cto	g gag ı Glu	g gad 1 Asi	cgt Arg 620	3 GT	ctg Lev	gco Ala	tcc Ser	1931





Ala Arg Ile Gln Ser Val Lys Thr Glu Ala Glu Glu Leu Phe Gly Glu 1110 1115 1105 acc atg gag atg atg gac agg atg aaa gac atg gag ttg gag ctg ctg Thr Met Glu Met Met Asp Arg Met Lys Asp Met Glu Leu Glu Leu Leu 1130 cgg ggc agc cag gcc atc atg ctg cgc tca gcg gac ctg aca gga ctg 3515 Arg Gly Ser Gln Ala Ile Met Leu Arg Ser Ala Asp Leu Thr Gly Leu gag aag cgt gtg gag cag atc cgt gac cac atc aat ggg cgc gtg ctc Glu Lys Arg Val Glu Gln Ile Arg Asp His Ile Asn Gly Arg Val Leu 1155 3585 tac tat gcc acc tgc aag tgat Tyr Tyr Ala Thr Cys Lys 1170 <210> 22 <211> 1174 <212> PRT <213> Homo sapiens <400> 22 Met Arg Ala Trp Ile Phe Phe Leu Cys Leu Ala Gly Arg Ala Leu Ala Ala Pro Gln Gln Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val Gly Asp Leu Leu Val Gly Arg Thr Arg Phe Leu Arg Ala Ser Ser Thr Cys Gly Leu Thr Lys Pro Glu Thr Tyr Cys Thr Gln Tyr Gly Glu Trp Gln Met Lys Cys Cys Lys Cys Asp Ser Arg Gln Pro His Asn Tyr Tyr Ser His Arg Val Glu Asn Val Ala Ser Ser Ser Gly Pro Met Arg Trp Trp Gln Ser Gln Asn Asp Val Asn Pro Val Ser Leu Gln Leu Asp Leu Asp Arg Arg Phe Gln Leu Gln Glu Val Met Met Glu Phe Gln Gly Pro 120 115 Met Pro Ala Gly Met Leu Ile Glu Arg Ser Ser Asp Phe Gly Lys Thr 135 Trp Arg Val Tyr Gln Tyr Leu Ala Ala Asp Cys Thr Ser Thr Phe Pro 150 145 Arg Val Arg Gln Gly Arg Pro Gln Ser Trp Gln Asp Val Arg Cys Gln Ser Leu Pro Gln Arg Pro Asn Ala Arg Leu Asn Gly Gly Lys Val Gln

185

180



Leu Asn Leu Met Asp Leu Val Ser Gly Ile Pro Ala Thr Gln Ser Gln 195 200 205

Lys Ile Gln Glu Val Gly Glu Ile Thr Asn Leu Arg Val Asn Phe Thr 210 215 220

Arg Leu Ala Pro Val Pro Gln Arg Gly Tyr His Pro Pro Ser Ala Tyr 225 230 235 240

Tyr Ala Val Ser Gln Leu Arg Leu Gln Gly Ser Cys Phe Cys His Gly 245 250 255

His Ala Asp Arg Cys Ala Pro Lys Pro Gly Ala Ser Ala Gly Pro Ser 260 265 270

Thr Ala Val Gln Val His Asp Val Cys Val Cys Gln His Asn Thr Ala 275 280 285

Gly Pro Asn Cys Glu Arg Cys Ala Pro Phe Tyr Asn Asn Arg Pro Trp 290 295 300

Arg Pro Ala Glu Gly Gln Asp Ala His Glu Cys Gln Arg Cys Asp Cys 305 310 315 320

Asn Gly His Ser Glu Thr Cys His Phe Asp Pro Ala Val Phe Ala Ala 325 330 335

Ser Gln Gly Ala Tyr Gly Gly Val Cys Asp Asn Cys Arg Asp His Thr 340 345 350

Glu Gly Lys Asn Cys Glu Arg Cys Gln Leu His Tyr Phe Arg Asn Arg

Arg Pro Gly Ala Ser Ile Gln Glu Thr Cys Ile Ser Cys Glu Cys Asp 370 375 380

Pro Asp Gly Ala Val Pro Gly Ala Pro Cys Asp Pro Val Thr Gly Gln . 385 390 395 400

Cys Val Cys Lys Glu His Val Gln Gly Glu Arg Cys Asp Leu Cys Lys 405 410 415

Pro Gly Phe Thr Gly Leu Thr Tyr Ala Asn Pro Gln Gly Cys His Arg 420 425 430

Cys Asp Cys Asn Ile Leu Gly Ser Arg Arg Asp Met Pro Cys Asp Glu 435 440 445

Glu Ser Gly Arg Cys Leu Cys Leu Pro Asn Val Val Gly Pro Lys Cys 450 455 460

Asp Gln Cys Ala Pro Tyr His Trp Lys Leu Ala Ser Gly Gln Gly Cys 465 470 475 480

Glu Pro Cys Ala Cys Asp Pro His Asn Ser Leu Ser Pro Gln Cys Asn 485 490 495

Gln Phe Thr Gly Gln Cys Pro Cys Arg Glu Gly Phe Gly Gly Leu Met 500 505 510



- Cys Ser Ala Ala Ala Ile Arg Gln Cys Pro Asp Arg Thr Tyr Gly Asp 515 520 525
- Val Ala Thr Gly Cys Arg Ala Cys Asp Cys Asp Phe Arg Gly Thr Glu 530 535 540
- Gly Pro Gly Cys Asp Lys Ala Ser Gly Arg Cys Leu Cys Arg Pro Gly 545 550 560
- Leu Thr Gly Pro Arg Cys Asp Gln Cys Gln Arg Gly Tyr Cys Asn Arg 565 570 575
- Tyr Pro Val Cys Val Ala Cys His Pro Cys Phe Gln Thr Tyr Asp Ala 580 585 590
- Asp Leu Arg Glu Gln Ala Leu Arg Phe Gly Arg Leu Arg Asn Ala Thr
  595 600 605
- Ala Ser Leu Trp Ser Gly Pro Gly Leu Glu Asp Arg Gly Leu Ala Ser 610 615 620
- Arg Ile Leu Asp Ala Lys Ser Lys Ile Glu Gln Ile Arg Ala Val Leu 625 630 635 640
- Ser Ser Pro Ala Val Thr Glu Gln Glu Val Ala Gln Val Ala Ser Ala 645 650 655
- Ile Leu Ser Leu Arg Arg Thr Leu Gln Gly Leu Gln Leu Asp Leu Pro
  660 665 670
- Leu Glu Glu Glu Thr Leu Ser Leu Pro Arg Asp Leu Glu Ser Leu Asp 675 680 685
- Arg Ser Phe Asn Gly Leu Leu Thr Met Tyr Gln Arg Lys Arg Glu Gln 690 695 700
- Phe Glu Lys Ile Ser Ser Ala Asp Pro Ser Gly Ala Phe Arg Met Leu 705 710 715 720
- Ser Thr Ala Tyr Glu Gln Ser Ala Gln Ala Ala Gln Gln Val Ser Asp
  725 730 735
- Ser Ser Arg Leu Leu Asp Gln Leu Arg Asp Ser Arg Arg Glu Ala Glu
  740 745 750
- Arg Leu Val Arg Gln Ala Gly Gly Gly Gly Gly Thr Gly Ser Pro Lys
  755 760 765
- Leu Val Ala Leu Arg Leu Glu Met Ser Ser Leu Pro Asp Leu Thr Pro 770 775 780
- Thr Phe Asn Lys Leu Cys Gly Asn Ser Arg Gln Met Ala Cys Thr Pro 785 790 795 800
- Ile Ser Cys Pro Gly Glu Leu Cys Pro Gln Asp Asn Gly Thr Ala Cys 805 810
- Gly Ser Arg Cys Arg Gly Val Leu Pro Arg Ala Gly Gly Ala Phe Leu 820 825 830
- Met Ala Gly Gln Val Ala Glu Gln Leu Arg Gly Phe Asn Ala Gln Leu

835 840 845


- Gln Arg Thr Arg Gln Met Ile Arg Ala Ala Glu Glu Ser Ala Ser Gln 850 855 860
- Ile Gln Ser Ser Ala Gln Arg Leu Glu Thr Gln Val Ser Ala Ser Arg 865 870 875 880
- Ser Gln Met Glu Glu Asp Val Arg Arg Thr Arg Leu Leu Ile Gln Gln 885 890 895
- Val Arg Asp Phe Leu Thr Asp Pro Asp Thr Asp Ala Ala Thr Ile Gln 900 905 910
- Glu Val Ser Glu Ala Val Leu Ala Leu Trp Leu Pro Thr Asp Ser Ala 915 920 925
- Thr Val Leu Gln Lys Met Asn Glu Ile Gln Ala Ile Ala Ala Arg Leu 930 935 940
- Pro Asn Val Asp Leu Val Leu Ser Gln Thr Lys Gln Asp Ile Ala Arg 945 950 955 960
- Ala Arg Arg Leu Gln Ala Glu Ala Glu Ala Arg Ser Arg Ala His
- Ala Val Glu Gly Gln Val Glu Asp Val Val Gly Asn Leu Arg Gln Gly 980 985 990
- Thr Val Ala Leu Gln Glu Ala Gln Asp Thr Met Gln Gly Thr Ser Arg
  995 1000 1005
- Ser Leu Arg Leu Ile Gln Asp Arg Val Ala Glu Val Gln Gln Val Leu
  1010 1015 1020
- Arg Pro Ala Glu Lys Leu Val Thr Ser Met Thr Lys Gln Leu Gly Asp 1025 1030 1035 1040
- Phe Trp Thr Arg Met Glu Glu Leu Arg His Gln Ala Arg Gln Gln Gly 1045 1050 1055
- Ala Glu Ala Val Gln Ala Gln Gln Leu Ala Glu Gly Ala Ser Glu Gln 1060 1065 1070
- Ala Leu Ser Ala Gln Glu Gly Phe Glu Arg Ile Lys Gln Lys Tyr Ala 1075 1080 1085
- Glu Leu Lys Asp Arg Leu Gly Gln Ser Ser Met Leu Gly Glu Gln Gly 1090 1095 1100
- Ala Arg Ile Gln Ser Val Lys Thr Glu Ala Glu Glu Leu Phe Gly Glu 1105 1110 1115 1120
- Thr Met Glu Met Met Asp Arg Met Lys Asp Met Glu Leu Glu Leu Leu 1125 1130 1135
- Arg Gly Ser Gln Ala Ile Met Leu Arg Ser Ala Asp Leu Thr Gly Leu 1140 1145 1150
- Glu Lys Arg Val Glu Gln Ile Arg Asp His Ile Asn Gly Arg Val Leu 1155 1160 1165

Tyr Tyr Ala Thr Cys Lys 1170

		•			
<210> 23 <211> 3469 <212> DNA <213> Homo sa	apiens				
<220> <221> CDS <222> (1)(3	3465)				
<400> 23 caa caa gcc t Gln Gln Ala C	tgc tcc cgt Cys Ser Arg 5	ggg gcc tgc Gly Ala Cys	tat cca cct of Tyr Pro Pro V	gtt ggg gac o /al Gly Asp I 15	tg 48 Jeu
ctt gtt ggg a Leu Val Gly A	agg acc cgg Arg Thr Arg 20	ttt ctc cga Phe Leu Arg 25	gct tca tct a Ala Ser Ser 1	acc tgt gga o Thr Cys Gly I 30	etg 96 Jeu
acc aag cct of Thr Lys Pro 0	gag acc tac Glu Thr Tyr	tgc acc cag Cys Thr Gln 40	tat ggc gag t Tyr Gly Glu 1	ngg cag atg a Trp Gln Met I 45	aaa 144 Lys
tgc tgc aag t Cys Cys Lys ( 50	tgt gac tcc Cys Asp Ser	agg cag cct Arg Gln Pro 55	cac aac tac t His Asn Tyr 1	cac agt cac o	ga 192 Arg
gta gag aat g Val Glu Asn v 65	gtg gct tca Val Ala Ser 70	tcc tcc ggc Ser Ser Gly	ccc atg cgc t Pro Met Arg 7	igg tgg cag t Trp Trp Gln S	cc 240 Ser 80
cag aat gat o	gtg aac cct Val Asn Pro 85	gtc tct ctg Val Ser Leu	cag ctg gac of Gln Leu Asp 1	ctg gac agg a Leu Asp Arg <i>P</i> 95	aga 288 Arg
Phe Gln Leu	caa gaa gtc Gln Glu Val 100	atg atg gag Met Met Glu 105	ttc cag ggg (	ccc atg cct of Pro Met Pro 1 110	gcc 336 Ala
ggc atg ctg of Gly Met Leu	Ile Glu Arg	tcc tca gac Ser Ser Asp 120	ttc ggt aag a Phe Gly Lys	Thr Trp Arg \	gtg 384 Val
tac cag tac Tyr Gln Tyr	ctg gct gcc Leu Ala Ala	gac tgc acc Asp Cys Thr 135	tcc acc ttc ( Ser Thr Phe 1	cct cgg gtc o Pro Arg Val i	ege 432 Arg
cag ggt cgg Gln Gly Arg 145	cct cag agc Pro Gln Ser 150	tgg cag gat Trp Gln Asp	gtt cgg tgc ( Val Arg Cys ( 155	Gln Ser Leu	ect 480 Pro 160
cag agg cct Gln Arg Pro	aat gca cgc Asn Ala Arg 165	cta aat ggg Leu Asn Gly	ggg aag gtc Gly Lys Val 170	caa ctt aac o Gln Leu Asn 1 175	ctt 528 Leu
atg gat tta Met Asp Leu	gtg tct ggg Val Ser Gly	att cca gca Ile Pro Ala	act caa agt Thr Gln Ser	caa aaa att o Gln Lys Ile o	caa 576 Gln

180 185 190

			180					182					190			
													agg Arg			624
													tat Tyr			672
													cat His			720
cgc Arg	tgc Cys	gca Ala	ccc Pro	aag Lys 245	cct Pro	Gly ggg	gcc Ala	tct Ser	gca Ala 250	ggc Gly	ccc Pro	tcc Ser	acc Thr	gct Ala 255	gtg Val	768
													ggc Gly 270			816
													aga Arg			864
													aat Asn			912
													agc Ser			960
gca Ala	tat Tyr	gga Gly	ggt Gly	gtg Val 325	tgt Cys	gac Asp	aat Asn	tgc Cys	cgg Arg 330	gac Asp	cac His	acc Thr	gaa Glu	ggc Gly 335	aag Lys	1008
aac Asn	tgt Cys	gag Glu	cgg Arg 340	tgt Cys	cag Gln	ctg Leu	cac His	tat Tyr 345	ttc Phe	cgg Arg	aac Asn	cgg Arg	cgc Arg 350	ccg Pro	gga Gly	1056
gct Ala	tcc Ser	att Ile 355	cag Gln	gag Glu	acc Thr	tgc Cys	atc Ile 360	tcc Ser	tgc Cys	gag Glu	tgt Cys	gat Asp 365	ccg Pro	gat Asp	Gly aaa	1104
gca Ala	gtg Val 370	cca Pro	ggg ggg	gct Ala	ccc	tgt Cys 375	gac Asp	cca Pro	gtg Val	acc Thr	999 380	cag Gln	tg <b>t</b> Cys	gtg Val	tgc Cys	1152
aag Lys 385	gag Glu	cat His	gtg Val	cag Gln	gga Gly 390	gag Glu	cgc Arg	tgt Cys	gac Asp	cta Leu 395	tgc Cys	aag Lys	ccg Pro	ggc	ttc Phe 400	1200
act Thr	gga Gly	ctc Leu	acc Thr	tac Tyr 405	gcc Ala	aac Asn	ccg Pro	cag Gln	ggc Gly 410	tgc Cys	cac His	cgc Arg	tgt Cys	gac Asp 415	tgc Cys	1248
aac Asn	atc Ile	ctg Leu	999 Gly 420	tcc Ser	cgg Arg	agg Arg	gac Asp	atg Met 425	ccg Pro	tgt Cys	gac Asp	gag Glu	gag Glu 430	agt Ser	ggg Gly	1296





aat ggt c Asn Gly L 6	tc ctt a eu Leu ' 75	act atg Thr Met	Tyr G	ag agg ln Arg 80	aag Lys	agg Arg	gag Glu	cag Gln 685	ttt Phe	gaa Glu	aaa Lys	2064
ata agc a Ile Ser S 690	gt gct ( er Ala	gat cct Asp Pro	tca g Ser G 695	ga gcc ly Ala	ttc Phe	cgg Arg	atg Met 700	ctg Leu	agc Ser	aca Thr	gcc Ala	2112
tac gag c Tyr Glu G 705	ag tca (	gcc cag Ala Gln 710	gct g Ala A	ct cag la Gln	Gln	gtc Val 715	tcc Ser	gac Asp	agc Ser	tcg Ser	cgc Arg 720	2160
ctt ttg g Leu Leu A	sp Gln	ctc agg Leu Arg 725	gac a Asp S	gc cgg er Arg	aga Arg 730	gag Glu	gca Ala	gag Glu	agg Arg	ctg Leu 735	gtg Val	2208
cgg cag g Arg Gln A	cg gga la Gly 740	gga gga Gly Gly	gga g Gly G	gc acc ly Thr 745	ggc Gly	agc Ser	ccc Pro	aag Lys	ctt Leu 750	gtg Val	gcc Ala	2256
ctg agg c Leu Arg L 7	tg gag Leu Glu 155	atg tct Met Ser	Ser L	tg cct eu Pro 60	gac Asp	ctg Leu	aca Thr	ccc Pro 765	acc Thr	ttc Phe	aac Asn	2304
aag ctc t Lys Leu C 770	gt ggc ys Gly	aac tcc Asn Ser	agg c Arg G 775	ag atg ln Met	gct Ala	tgc Cys	acc Thr 780	cca Pro	ata Ile	tca Ser	tgc Cys	2352
cct ggt g Pro Gly G 785	lu Leu	Cys Pro 790	Gln A	sp Asn	Gly	Thr 795	Ala	Сув	Gly	Ser	Arg 800	2400
tgc agg g Cys Arg G	Sly Val	Leu Pro 805	Arg A	la Gly	Gly 810	Ala	Phe	Leu	Met	Ala 815	Gly	2448
cag gtg g Gln Val A	Ala Glu 820	Gln Leu	Arg G	ly Phe 825	Asn	Ala	Gln	Leu	Gln 830	Arg	Thr	2496
agg cag a Arg Gln N	atg att Met Ile 335	agg gca Arg Ala	Ala G	gag gaa Slu Glu 840	tct Ser	gcc Ala	tca Ser	cag Gln 845	att Ile	caa Gln	tcc Ser	2544
agt gcc ( Ser Ala ( 850	Gln Arg	Leu Glu	Thr G 855	ln Val	Ser	Ala	Ser 860	Arg	Ser	Gln	Met	2592
gag gaa g Glu Glu <i>l</i> 865	Asp Val	Arg Arg 870	Thr A	Arg Leu	Leu	Ile 875	Gln	Gln	Val	Arg	Asp 880	2640
ttc cta a	Thr Asp	Pro Asp 885	Thr A	Asp Ala	Ala 890	Thr	Ile	Gln	Glu	Val 895	Ser	2688
gag gcc g Glu Ala	Val Leu 900	Ala Leu	Trp I	Leu Pro 905	Thr	Asp	Ser	Ala	Thr 910	Val	Leu	2736
cag aag	atg aat	gag atc	cag	gcc att	gca	gcc	agg	ctc	ccc	aac	gtg	2784

				_									_			
Gln	Lys	Met 915	Asn	Glu	Ile	Gln	Ala 920	Ile	Ala	Ala	Arg	Leu 925	Pro	Asn	Val	
gac Asp	ttg Leu 930	gtg Val	ctg Leu	tcc Ser	cag Gln	acc Thr 935	aag Lys	cag Gln	gac Asp	att Ile	gcg Ala 940	cgt Arg	gcc Ala	cgc Arg	cgg Arg	2832
						gaa Glu										2880
						gtt Val										2928
						acc Thr										2976
ctt Leu	atc Ile	cag Gln 995	gac Asp	agg Arg	gtt Val	gct Ala	gag Glu .000	gtt Val	cag Gln	cag Gln	Val	ctg Leu .005	cgg Arg	cca Pro	gca Ala	3024
Glu	aag Lys 010	ctg Leu	gtg Val	aca Thr	Ser	atg Met 1015	acc Thr	aag Lys	cag Gln	Leu	ggt Gly .020	gac Asp	ttc Phe	tgg Trp	aca Thr	3072
	Met			Leu		cac His			Arg					Glu		3120
gtc Val	cag Gln	gcc Ala	Gln	cag Gln .045	ctt Leu	gcg Ala	gaa Glu	Gly	gcc Ala .050	agc Ser	gag Glu	cag Gln	Ala	ttg Leu .055	agt Ser	3168
		Glu				aga Arg	Ile					Ala				3216
gac Asp	Arg	ttg Leu .075	ggt Gly	cag Gln	agt Ser	tcc Ser 1	atg Met .080	ctg Leu	ggt Gly	gag Glu	Gln	ggt Gly 085	gcc Ala	cgg Arg	atc Ile	3264
Gln					Glu	gca Ala .095				Phe						3312
	Met			Met		gac Asp			Leu					Gly		3360
			Met			tca Ser		Asp					Glu			3408
		Gln				cac His	Ile					Leu				3456
acc Thr	_	_	tgat	:												3469

1155

<210> 24 <211> 1155 <212> PRT

<213> Homo sapiens

<400> 24

Gln Gln Ala Cys Ser Arg Gly Ala Cys Tyr Pro Pro Val Gly Asp Leu
1 5 10 15

Leu Val Gly Arg Thr Arg Phe Leu Arg Ala Ser Ser Thr Cys Gly Leu 20 25 30

Thr Lys Pro Glu Thr Tyr Cys Thr Gln Tyr Gly Glu Trp Gln Met Lys
35 40 45

Cys Cys Lys Cys Asp Ser Arg Gln Pro His Asn Tyr Tyr Ser His Arg
50 55 60

Val Glu Asn Val Ala Ser Ser Gly Pro Met Arg Trp Trp Gln Ser 65 70 75 80

Gln Asn Asp Val Asn Pro Val Ser Leu Gln Leu Asp Leu Asp Arg Arg 85 90 95

Phe Gln Leu Gln Glu Val Met Met Glu Phe Gln Gly Pro Met Pro Ala 100 105 110

Gly Met Leu Ile Glu Arg Ser Ser Asp Phe Gly Lys Thr Trp Arg Val 115 120 125

Tyr Gln Tyr Leu Ala Ala Asp Cys Thr Ser Thr Phe Pro Arg Val Arg 130 135 140

Gln Gly Arg Pro Gln Ser Trp Gln Asp Val Arg Cys Gln Ser Leu Pro 145 150 155 160

Gln Arg Pro Asn Ala Arg Leu Asn Gly Gly Lys Val Gln Leu Asn Leu
165 170 175

Met Asp Leu Val Ser Gly Ile Pro Ala Thr Gln Ser Gln Lys Ile Gln 180 185 190

Glu Val Gly Glu Ile Thr Asn Leu Arg Val Asn Phe Thr Arg Leu Ala 195 200 205

Pro Val Pro Gln Arg Gly Tyr His Pro Pro Ser Ala Tyr Tyr Ala Val 210 215 220

Ser Gln Leu Arg Leu Gln Gly Ser Cys Phe Cys His Gly His Ala Asp 225 230 235 240

Arg Cys Ala Pro Lys Pro Gly Ala Ser Ala Gly Pro Ser Thr Ala Val 245 250 255

Gln Val His Asp Val Cys Val Cys Gln His Asn Thr Ala Gly Pro Asn 260 265 270

Cys Glu Arg Cys Ala Pro Phe Tyr Asn Asn Arg Pro Trp Arg Pro Ala

WO 00/66731

275 280 285

Glu Gly Gln Asp Ala His Glu Cys Gln Arg Cys Asp Cys Asn Gly His 290 295 300

Ser Glu Thr Cys His Phe Asp Pro Ala Val Phe Ala Ala Ser Gln Gly 305 310 315 320

Ala Tyr Gly Gly Val Cys Asp Asn Cys Arg Asp His Thr Glu Gly Lys
325 330 335

Asn Cys Glu Arg Cys Gln Leu His Tyr Phe Arg Asn Arg Arg Pro Gly
340 345 350

Ala Ser Ile Gln Glu Thr Cys Ile Ser Cys Glu Cys Asp Pro Asp Gly 355 360 365

Ala Val Pro Gly Ala Pro Cys Asp Pro Val Thr Gly Gln Cys Val Cys 370 375 380

Lys Glu His Val Gln Gly Glu Arg Cys Asp Leu Cys Lys Pro Gly Phe 385 390 395 400

Thr Gly Leu Thr Tyr Ala Asn Pro Gln Gly Cys His Arg Cys Asp Cys 405 410 415

Asn Ile Leu Gly Ser Arg Arg Asp Met Pro Cys Asp Glu Glu Ser Gly 420 425 430

Arg Cys Leu Cys Leu Pro Asn Val Val Gly Pro Lys Cys Asp Gln Cys
435
440
445

Ala Pro Tyr His Trp Lys Leu Ala Ser Gly Gln Gly Cys Glu Pro Cys 450 460

Ala Cys Asp Pro His Asn Ser Leu Ser Pro Gln Cys Asn Gln Phe Thr 465 470 475 480

Gly Gln Cys Pro Cys Arg Glu Gly Phe Gly Gly Leu Met Cys Ser Ala 485 490 495

Ala Ala Ile Arg Gln Cys Pro Asp Arg Thr Tyr Gly Asp Val Ala Thr
500 505 510

Gly Cys Arg Ala Cys Asp Cys Asp Phe Arg Gly Thr Glu Gly Pro Gly 515 520 525

Cys Asp Lys Ala Ser Gly Arg Cys Leu Cys Arg Pro Gly Leu Thr Gly 530 540

Pro Arg Cys Asp Gln Cys Gln Arg Gly Tyr Cys Asn Arg Tyr Pro Val 545 550 555 560

Cys Val Ala Cys His Pro Cys Phe Gln Thr Tyr Asp Ala Asp Leu Arg 565 570 575

Glu Gln Ala Leu Arg Phe Gly Arg Leu Arg Asn Ala Thr Ala Ser Leu 580 585 590

Trp Ser Gly Pro Gly Leu Glu Asp Arg Gly Leu Ala Ser Arg Ile Leu 595 600 605



Asp Ala Lys Ser Lys Ile Glu Gln Ile Arg Ala Val Leu Ser Ser Pro 610 615 620

Ala Val Thr Glu Gln Glu Val Ala Gln Val Ala Ser Ala Ile Leu Ser 625 630 635 640

Leu Arg Arg Thr Leu Gln Gly Leu Gln Leu Asp Leu Pro Leu Glu Glu 655 655

Glu Thr Leu Ser Leu Pro Arg Asp Leu Glu Ser Leu Asp Arg Ser Phe
660 665 670

Asn Gly Leu Leu Thr Met Tyr Gln Arg Lys Arg Glu Gln Phe Glu Lys 675 680 685

Ile Ser Ser Ala Asp Pro Ser Gly Ala Phe Arg Met Leu Ser Thr Ala 690 695 700

Tyr Glu Gln Ser Ala Gln Ala Ala Gln Gln Val Ser Asp Ser Ser Arg
705 710 715 720

Leu Leu Asp Gln Leu Arg Asp Ser Arg Arg Glu Ala Glu Arg Leu Val 725 730 735

Arg Gln Ala Gly Gly Gly Gly Gly Thr Gly Ser Pro Lys Leu Val Ala 740 745 750

Leu Arg Leu Glu Met Ser Ser Leu Pro Asp Leu Thr Pro Thr Phe Asn 755 760 765

Lys Leu Cys Gly Asn Ser Arg Gln Met Ala Cys Thr Pro Ile Ser Cys 770 775 780

Pro Gly Glu Leu Cys Pro Gln Asp Asn Gly Thr Ala Cys Gly Ser Arg 785 790 795 800

Cys Arg Gly Val Leu Pro Arg Ala Gly Gly Ala Phe Leu Met Ala Gly 805 810 815

Gln Val Ala Glu Gln Leu Arg Gly Phe Asn Ala Gln Leu Gln Arg Thr 820 825 830

Arg Gln Met Ile Arg Ala Ala Glu Glu Ser Ala Ser Gln Ile Gln Ser 845

Ser Ala Gln Arg Leu Glu Thr Gln Val Ser Ala Ser Arg Ser Gln Met 850 855 860

Glu Glu Asp Val Arg Arg Thr Arg Leu Leu Ile Gln Gln Val Arg Asp 865 870 875 880

Phe Leu Thr Asp Pro Asp Thr Asp Ala Ala Thr Ile Gln Glu Val Ser 885 890 895

Glu Ala Val Leu Ala Leu Trp Leu Pro Thr Asp Ser Ala Thr Val Leu 900 905 910

Gln Lys Met Asn Glu Ile Gln Ala Ile Ala Ala Arg Leu Pro Asn Val 915 920 925 Asp Leu Val Leu Ser Gln Thr Lys Gln Asp Ile Ala Arg Ala Arg Arg 930 935 940

Leu Gln Ala Glu Ala Glu Glu Ala Arg Ser Arg Ala His Ala Val Glu 945 950 955 960

Gly Gln Val Glu Asp Val Val Gly Asn Leu Arg Gln Gly Thr Val Ala 965 970 975

Leu Gln Glu Ala Gln Asp Thr Met Gln Gly Thr Ser Arg Ser Leu Arg 980 985 990

Leu Ile Gln Asp Arg Val Ala Glu Val Gln Gln Val Leu Arg Pro Ala 995 1000 1005

Glu Lys Leu Val Thr Ser Met Thr Lys Gln Leu Gly Asp Phe Trp Thr 1010 1015 1020

Arg Met Glu Glu Leu Arg His Gln Ala Arg Gln Gln Gly Ala Glu Ala 1025 1030 1035 1040

Val Gln Ala Gln Gln Leu Ala Glu Gly Ala Ser Glu Gln Ala Leu Ser 1045 1050 1055

Ala Gln Glu Gly Phe Glu Arg Ile Lys Gln Lys Tyr Ala Glu Leu Lys
1060 1065 1070

Asp Arg Leu Gly Gln Ser Ser Met Leu Gly Glu Gln Gly Ala Arg Ile 1075 1080 1085

Gln Ser Val Lys Thr Glu Ala Glu Glu Leu Phe Gly Glu Thr Met Glu 1090 1095 1100

Met Met Asp Arg Met Lys Asp Met Glu Leu Glu Leu Arg Gly Ser 1105 1110 1115 1120

Gln Ala Ile Met Leu Arg Ser Ala Asp Leu Thr Gly Leu Glu Lys Arg 1125 1130 1135

Val Glu Gln Ile Arg Asp His Ile Asn Gly Arg Val Leu Tyr Tyr Ala 1140 1145 1150

Thr Cys Lys 1155

<210> 25

<211> 5200

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (118)..(3696)


<220>

<221> sig\_peptide

<222> (118) .. (180)

<400> 25

gaccacctga tcgaaggaaa aggaaggcac agcggagcgc agagtgagaa ccaccaaccg 00



WO 00/66731

225	230		235	240
<del>-</del>			ttt gtg gct cct g Phe Val Ala Pro A	
	sn Gln Gln Val		caa agc ctg tcc t Gln Ser Leu Ser F 270	
			tct gcc cat gat g Ser Ala His Asp V 285	
			ccc ttg atg cca c Pro Leu Met Pro I 300	
			tac aca ttc agg t Tyr Thr Phe Arg I 315	
		-	ctg agt tac ttt g Leu Ser Tyr Phe G 3	_
	eu Arg Asn Leu	_	cgc atc cga gct a Arg Ile Arg Ala T 350	
			gtg acc ctg att t Val Thr Leu Ile S 365	
_			gtt gaa cag tgt a Val Glu Gln Cys I 380	_
			gat tgt gct tct g Asp Cys Ala Ser G 395	_
			ggc acc tgt att c Gly Thr Cys Ile F 4	_
	ly Gly Gly Ala		gac aca gga gat t Asp Thr Gly Asp C 430	
	•		gct gac tgc cca a Ala Asp Cys Pro I 445	
			tgc aag cca tgt c Cys Lys Pro Cys F 460	
			gag acg gag gag g Glu Thr Glu Glu V 475	



tgc aa Cys As															1605
gct ga Ala As															1653
cct tg Pro Cy															1701
ggg aa Gly As 53	n Cys														1749
aca go Thr Al 545															1797
cca tt Pro Le															1845
ccc at Pro Me															1893
tgc aa Cys Ly															1941
tgt co Cys Pr 61	o Ala														1989
cag ca Gln Gl 625	g ctt n Leu	cag Gln	aga Arg	atg Met 630	gag Glu	gcc Ala	ctg Leu	att Ile	tca Ser 635	aag Lys	gct Ala	cag Gln	ggt Gly	ggt Gly 640	2037
gat gg Asp Gl	ga gta .y Val	gta Val	cct Pro 645	gat Asp	aca Thr	gag Glu	ctg Leu	gaa Glu 650	ggc Gly	agg Arg	atg Met	cag Gln	cag Gln 655	gct Ala	2085
gag ca Glu Gl	ng gcc In Ala	ctt Leu 660	cag Gln	gac Asp	att Ile	ctg Leu	aga Arg 665	gat Asp	gcc Ala	cag Gln	att Ile	tca Ser 670	gaa Glu	ggt Gly	2133
gct ag Ala Se	gc aga er Arg 675	Ser	ctt Leu	ggt Gly	ctc Leu	cag Gln 680	ttg Leu	gcc Ala	aag Lys	gtg Val	agg Arg 685	agc Ser	caa Gln	gag Glu	2181
aac aq Asn Se	gc tac er Tyr 90	cag Gln	agc Ser	cgc Arg	ctg Leu 695	gat Asp	gac Asp	ctc Leu	aag Lys	atg Met 700	act Thr	gtg Val	gaa Glu	aga Arg	2229
gtt cg Val Ai 705	gg gct rg Ala	ctg Leu	gga Gly	agt Ser 710	cag Gln	tac Tyr	cag Gln	aac Asn	cga Arg 715	gtt Val	cgg Arg	gat Asp	act Thr	cac His 720	2277



														gct Ala 735		2325
														cca Pro		2373
														agc Ser		2421
gtt Val	gag Glu 770	tca Ser	gcc Ala	agt Ser	aac Asn	atg Met 775	gag Glu	caa Gln	ctg Leu	aca Thr	agg Arg 780	gaa Glu	act Thr	gag Glu	gac Asp	2469
														gaa Glu		2517
gtc Val	gga Gly	agc Ser	gga Gly	agc Ser 805	ggt Gly	agc Ser	ccg Pro	gac Asp	ggt Gly 810	gct Ala	gtg Val	gtg Val	caa Gln	999 Gly 815	ctt Leu	2565
gtg Val	g <b>aa</b> Glu	aaa Lys	ttg Leu 820	gag Glu	aaa Lys	acc Thr	aag Lys	tcc Ser 825	ctg Leu	gcc Ala	cag Gln	cag Gln	ttg Leu 830	aca Thr	agg Arg	2613
Glu	Ala	Thr 835	Gln	Ala	Glu	Ile	Glu 840	Ala	Asp	Arg	Ser	Tyr 845	Gln	cac His	Ser	2661
ctc Leu	cgc Arg 850	ctc Leu	ctg Leu	gat Asp	tca Ser	gtg Val 855	tct Ser	ccg Pro	ctt Leu	cag Gln	gga Gly 860	gtc Val	agt Ser	gat Asp	cag Gln	2709
Ser 865	Phe	Gln	Val	Glu	Glu 870	Ala	Lys	Arg	Ile	Lys 875	Gln	Lys	Ala	gat Asp	Ser 880	2757
Leu	Ser	Ser	Leu	Val 885	Thr	Arg	His	Met	Asp 890	Glu	Phe	Lys	Arg	aca Thr 895	Gln	2805
aag Lys	aat Asn	ctg Leu	gga Gly 900	aac Asn	tgg Trp	aaa Lys	gaa Glu	gaa Glu 905	gca Ala	cag Gln	cag Gln	ctc Leu	tta Leu 910	cag Gln	aat Asn	2853
g <b>ga</b> Gly	aaa Lys	agt Ser 915	ggg Gly	aga Arg	gag Glu	aaa Lys	tca Ser 920	gat Asp	cag Gln	ctg Leu	ctt Leu	tcc Ser 925	cgt Arg	gcc Ala	aat Asn	2901
ctt Leu	gct Ala 930	aaa Lys	agc Ser	aga Arg	gca Ala	caa Gln 935	gaa Glu	gca Ala	ctg Leu	agt Ser	atg Met 940	ggc Gly	aat Asn	gcc Ala	act Thr	2949
ttt Phe 945	tat Tyr	gaa Glu	gtt Val	gag Glu	agc Ser 950	atc Ile	ctt Leu	aaa Lys	aac Asn	ctc Leu 955	aga Arg	gag Glu	ttt Phe	gac Asp	ctg Leu 960	2997
cag	gtg	gac	aac	aga	aaa	gca	gaa	gct	gaa	gaa	gcc	atg	aag	aga	ctc	3045

Gln Val Asp Asn Arg Lys Ala Glu Ala Glu Glu Ala Met Lys Arg 965 970 975	Leu
tee tae ate age cag aag gtt tea gat gee agt gae aag ace cag Ser Tyr Ile Ser Gln Lys Val Ser Asp Ala Ser Asp Lys Thr Gln 980 985 990	
gca gaa aga gcc ctg ggg agc gct gct gct gat gca cag agg gca Ala Glu Arg Ala Leu Gly Ser Ala Ala Ala Asp Ala Gln Arg Ala 995 1000 1005	
aat ggg gcc ggg gag gcc ctg gaa atc tcc agt gag att gaa cag Asn Gly Ala Gly Glu Ala Leu Glu Ile Ser Ser Glu Ile Glu Gln 1010 1015 1020	
att ggg agt ctg aac ttg gaa gcc aat gtg aca gca gat gga gcc Ile Gly Ser Leu Asn Leu Glu Ala Asn Val Thr Ala Asp Gly Ala 1025 1030 1035 1	
gcc atg gaa aag gga ctg gcc tct ctg aag agt gag atg agg gaa Ala Met Glu Lys Gly Leu Ala Ser Leu Lys Ser Glu Met Arg Glu 1045 1050 1055	
gaa gga gag ctg gaa agg aag gag ctg gag ttt gac acg aat atg Glu Gly Glu Leu Glu Arg Lys Glu Leu Glu Phe Asp Thr Asn Met 1060 1065 1070	
gca gta cag atg gtg att aca gaa gcc cag aag gtt gat acc aga Ala Val Gln Met Val Ile Thr Glu Ala Gln Lys Val Asp Thr Arg 1075 1080 1085	gcc 3381 Ala
aag aac gct ggg gtt aca atc caa gac aca ctc aac aca tta gac Lys Asn Ala Gly Val Thr Ile Gln Asp Thr Leu Asn Thr Leu Asp 1090 1095 1100	
ctc ctg cat ctg atg gac cag cct ctc agt gta gat gaa gag ggg Leu Leu His Leu Met Asp Gln Pro Leu Ser Val Asp Glu Glu Gly 1105 1110 1115 1	ctg 3477 Leu 120
gtc tta ctg gag cag aag ctt tcc cga gcc aag acc cag atc aac Val Leu Leu Glu Gln Lys Leu Ser Arg Ala Lys Thr Gln Ile Asn 1125 1130 1135	agc 3525 Ser
caa ctg cgg ccc atg atg tca gag ctg gaa gag agg gca cgt cag Gln Leu Arg Pro Met Met Ser Glu Leu Glu Glu Arg Ala Arg Gln 1140 1145 1150	cag 3573 Gln
agg ggc cac ctc cat ttg ctg gag aca agc ata gat ggg att ctg Arg Gly His Leu His Leu Leu Glu Thr Ser Ile Asp Gly Ile Leu 1155 1160 1165	gct 3621 Ala
gat gtg aag aac ttg gag aac att agg gac aac ctg ccc cca ggc Asp Val Lys Asn Leu Glu Asn Ile Arg Asp Asn Leu Pro Pro Gly 1170 1175 1180	tgc 3669 Cys
tac aat acc cag gct ctt gag caa cag tgaagctgcc ataaatattt Tyr Asn Thr Gln Ala Leu Glu Gln Gln 1185 1190	3716

ctcaactgag gttcttggga tacagatctc agggctcggg agccatgtca tgtgagtggg 3776



<210> 26

<211> 1193


<212> PRT

<213> Homo sapiens

<400> 26

Met Pro Ala Leu Trp Leu Gly Cys Cys Leu Cys Phe Ser Leu Leu Leu
1 5 10 15

Pro Ala Ala Arg Ala Thr Ser Arg Arg Glu Val Cys Asp Cys Asn Gly
20 25 30



Asn Gly Phe Arg Cys Leu Asn Cys Asn Asp Asn Thr Asp Gly Ile His 50 55 60

Cys G.A. Lys Cys Lys Asn Gly Phe Tyr Arg His Arg Glu Arg Asp Arg
65 70 75 80

Cys Leu Pro Cys Asn Cys Asn Ser Lys Gly Ser Leu Ser Ala Arg Cys 85 90 95

Asp Asn Ser Gly Arg Cys Ser Cys Lys Pro Gly Val Thr Gly Ala Arg
100 105 110

Cys Asp Arg Cys Leu Pro Gly Phe His Met Leu Thr Asp Ala Gly Cys 115 120 125

Thr Gln Asp Gln Arg Leu Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala 130 135 140

Gly Ile Ala Gly Pro Cys Asp Ala Gly Arg Cys Val Cys Lys Pro Ala 145 150 155 160

Val Thr Gly Glu Arg Cys Asp Arg Cys Arg Ser Gly Tyr Tyr Asn Leu 165 170 175

Asp Gly Gly Asn Pro Glu Gly Cys Thr Gln Cys Phe Cys Tyr Gly His 180 185 190

Ser Ala Ser Cys Arg Ser Ser Ala Glu Tyr Ser Val His Lys Ile Thr 195 200 205

Ser Thr Phe His Gln Asp Val Asp Gly Trp Lys Ala Val Gln Arg Asn 210 215 220

Gly Ser Pro Ala Lys Leu Gln Trp Ser Gln Arg His Gln Asp Val Phe 225 230 235 240

Ser Ser Ala Gln Arg Leu Asp Pro Val Tyr Phe Val Ala Pro Ala Lys
245 250 255

Phe Leu Gly Asn Gln Gln Val Ser Tyr Gly Gln Ser Leu Ser Phe Asp 260 265 270

Tyr Arg Val Asp Arg Gly Gly Arg His Pro Ser Ala His Asp Val Ile 275 280 285

Leu Glu Gly Ala Gly Leu Arg Ile Thr Ala Pro Leu Met Pro Leu Gly 290 295 300

Lys Thr Leu Pro Cys Gly Leu Thr Lys Thr Tyr Thr Phe Arg Leu Asn 305 310 315 320

Glu His Pro Ser Asn Asn Trp Ser Pro Gln Leu Ser Tyr Phe Glu Tyr 325 330 335

Arg Arg Leu Leu Arg Asn Leu Thr Ala Leu Arg Ile Arg Ala Thr Tyr 340 345 350

Gly Glu Tyr Ser Thr Gly Tyr Ile Asp Asn Val Thr Leu Ile Ser Ala

PCT/US00/11459

355

Arg Pro Val Ser Gly Ala Pro Ala Pro Trp Val Glu Gln Cys Ile Cys 370 380

360

Pro Val Gly Tyr Lys Gly Gln Phe Cys Gln Asp Cys Ala Ser Gly Tyr 385 390 395 400

Lys Arg Asp Ser Ala Arg Leu Gly Pro Phe Gly Thr Cys Ile Pro Cys
405 410 415

Asn Cys Gln Gly Gly Gly Ala Cys Asp Pro Asp Thr Gly Asp Cys Tyr 420 425 430

Ser Gly Asp Glu Asn Pro Asp Ile Glu Cys Ala Asp Cys Pro Ile Gly
435 440 445

Phe Tyr Asn Asp Pro His Asp Pro Arg Ser Cys Lys Pro Cys 450 455 460

His Asn Gly Phe Ser Cys Ser Val Ile Pro Glu Thr Glu Glu Val Val 465 470 475 480

Cys Asn Asn Cys Pro Pro Gly Val Thr Gly Ala Arg Cys Glu Leu Cys 485 490 495

Ala Asp Gly Tyr Phe Gly Asp Pro Phe Gly Glu His Gly Pro Val Arg 500 505 510

Pro Cys Gln Pro Cys Gln Cys Asn Ser Asn Val Asp Pro Ser Ala Ser 515 520 525

Gly Asn Cys Asp Arg Leu Thr Gly Arg Cys Leu Lys Cys Ile His Asn 530 535 540

Thr Ala Gly Ile Tyr Cys Asp Gln Cys Lys Ala Gly Tyr Phe Gly Asp 545 550 555

Pro Leu Ala Pro Asn Pro Ala Asp Lys Cys Arg Ala Cys Asn Cys Asn 575

Pro Met Gly Ser Glu Pro Val Gly Cys Arg Ser Asp Gly Thr Cys Val 580 585 590

Cys Lys Pro Gly Phe Gly Gly Pro Asn Cys Glu His Gly Ala Phe Ser 595 600 605


Cys Pro Ala Cys Tyr Asn Gln Val Lys Ile Gln Met Asp Gln Phe Met

Gln Gln Leu Gln Arg Met Glu Ala Leu Ile Ser Lys Ala Gln Gly Gly 625 630 635 640

Asp Gly Val Val Pro Asp Thr Glu Leu Glu Gly Arg Met Gln Gln Ala 645 650 655

Glu Gln Ala Leu Gln Asp Ile Leu Arg Asp Ala Gln Ile Ser Glu Gly
660 665 670

Ala Ser Arg Ser Leu Gly Leu Gln Leu Ala Lys Val Arg Ser Gln Glu 675 680 685





Asn Gly Ala Gly Glu Ala Leu Glu Ile Ser Ser Glu Ile Glu Gln Glu 1010 1015 1020

Ile Gly Ser Leu Asn Leu Glu Ala Asn Val Thr Ala Asp Gly Ala Leu 1025 1030 1035 1040

Ala Met Glu Lys Gly Leu Ala Ser Leu Lys Ser Glu Met Arg Glu Val 1045 1050 1055

Glu Gly Glu Leu Glu Arg Lys Glu Leu Glu Phe Asp Thr Asn Met Asp 1060 1065 1070

Ala Val Gln Met Val Ile Thr Glu Ala Gln Lys Val Asp Thr Arg Ala 1075 1080 1085

Lys Asn Ala Gly Val Thr Ile Gln Asp Thr Leu Asn Thr Leu Asp Gly 1090 1095 1100

Leu Leu His Leu Met Asp Gln Pro Leu Ser Val Asp Glu Glu Gly Leu 1105 1110 1115 1120

Val Leu Leu Glu Gln Lys Leu Ser Arg Ala Lys Thr Gln Ile Asn Ser 1125 1130 1135

Gln Leu Arg Pro Met Met Ser Glu Leu Glu Glu Arg Ala Arg Gln Gln
1140 1145 1150

Arg Gly His Leu His Leu Leu Glu Thr Ser Ile Asp Gly Ile Leu Ala 1155 1160 1165

Asp Val Lys Asn Leu Glu Asn Ile Arg Asp Asn Leu Pro Pro Gly Cys 1170 1175 1180

Tyr Asn Thr Gln Ala Leu Glu Gln Gln 1185 1190

<210> 27

<211> 5020

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1) .. (3516)

<400> 27

acc tcc agg agg gaa gtc tgt gat tgc aat ggg aag tcc agg cag tgt 48
Thr Ser Arg Arg Glu Val Cys Asp Cys Asn Gly Lys Ser Arg Gln Cys
1 5 10 15

atc ttt gat cgg gaa ctt cac aga caa act ggt aat gga ttc cgc tgc 96

Ile Phe Asp Arg Glu Leu His Arg Gln Thr Gly Asn Gly Phe Arg Cys

30

ctc aac tgc aat gac aac act gat ggc att cac tgc gag aag tgc aag 144 Leu Asn Cys Asn Asp Asn Thr Asp Gly Ile His Cys Glu Lys Cys Lys

aat ggc ttt tac cgg cac aga gaa agg gac cgc tgt ttg ccc tgc aat 192 Asn Gly Phe Tyr Arg His Arg Glu Arg Asp Arg Cys Leu Pro Cys Asn



50	55		60		
tgt aac tcc aaa Cys Asn Ser Lys 65					
tgc agc tgt aaa Cys Ser Cys Lys		Thr Gly A			
cca ggc ttc cac Pro Gly Phe His 100	Met Leu Thr				
ctg cta gac tcc Leu Leu Asp Ser 115			ro Ala Gly I		
tgt gac gcg ggc Cys Asp Ala Gly 130					
tgt gat agg tgt Cys Asp Arg Cys 145					
gag ggc tgt acc Glu Gly Cys Thr		Cys Tyr G			
agc tct gca gaa Ser Ser Ala Glu 180	Tyr Ser Val				
gat gtt gat ggc Asp Val Asp Gly 195			rg Asn Gly S		
ctc caa tgg tca Leu Gln Trp Ser 210					
cta gat cct gtc Leu Asp Pro Val 225	tat ttt gtg Tyr Phe Val 230	gct cct go Ala Pro Al	cc aaa ttt c la Lys Phe L 235	ett ggg aat Leu Gly Asn	caa 720 Gln 240
cag gtg agc tat Gln Val Ser Tyr	ggg caa agc Gly Gln Ser 245	Leu Ser Pl	tt gac tac c he Asp Tyr A 50	egt gtg gac Arg Val Asp 255	aga 768 Arg
gga ggc aga cac Gly Gly Arg His 260	Pro Ser Ala				
cta cgg atc aca Leu Arg Ile Thi 275			eu Gly Lys T		
ggg ctc acc aag Gly Leu Thr Lys 290		Phe Arg L			



	tgg Trp															960
aat Asn	ctc Leu	aca Thr	gcc Ala	ctc Leu 325	cgc Arg	atc Ile	cga Arg	gct Ala	aca Thr 330	tat Tyr	gga Gly	gaa Glu	tac Tyr	agt Ser 335	act Thr	1008
g <b>gg</b> Gly	tac Tyr	att Ile	gac Asp 340	aat Asn	gtg Val	acc Thr	ctg Leu	att Ile 345	tca Ser	gcc Ala	cgc Arg	cct Pro	gtc Val 350	tct Ser	gga Gly	1056
gcc Ala	cca Pro	gca Ala 355	ccc Pro	tgg Trp	gtt Val	gaa Glu	cag Gln 360	tgt Cys	ata Ile	tgt Cys	cct Pro	gtt Val 365	ggg Gly	tac Tyr	aag Lys	1104
9 <b>99</b> Gly	caa Gln 370	ttc Phe	tgc Cys	cag Gln	gat Asp	tgt Cys 375	gct Ala	tct Ser	ggc Gly	tac Tyr	aag Lys 380	aga Arg	gat Asp	tca Ser	gcg Ala	1152
aga Arg 385	ctg Leu	Gly ggg	cct Pro	ttt Phe	ggc Gly 390	acc Thr	tgt Cys	att Ile	cct Pro	tgt Cys 395	aac Asn	tgt Cys	caa Gln	Gly aaa	gga Gly 400	1200
GJA 333	gcc Ala	tgt Cys	gat Asp	cca Pro 405	gac Asp	aca Thr	g <b>ga</b> Gly	gat Asp	tgt Cys 410	tat Tyr	tca Ser	ggg Gly	gat Asp	gag Glu 415	aat Asn	1248
cct Pro	gac Asp	att Ile	gag Glu 420	tgt Cys	gct Ala	gac Asp	tgc Cys	cca Pro 425	att Ile	ggt Gly	ttc Phe	tac Tyr	aac Asn 430	gat Asp	ccg Pro	1296
cac His	gac Asp	ccc Pro 435	cgc Arg	agc Ser	tgc Cys	aag Lys	cca Pro 440	tgt Cys	ccc Pro	tgt Cys	cat His	aac Asn 445	ggg Gly	ttc Phe	agc Ser	1344
tgc Cys	tca Ser 450	gtg Val	att Ile	ccg Pro	g <b>a</b> g Glu	acg Thr 455	gag Glu	gag Glu	gtg Val	gtg Val	tgc Cys 460	aat Asn	aac Asn	tgc Cys	cct Pro	1392
ccc Pro 465	ggg Gly	gtc Val	acc Thr	ggt Gly	gcc Ala 470	cgc Arg	tgt Cys	gag Glu	ctc Leu	tgt Cys 475	gct Ala	gat Asp	ggc Gly	tac Tyr	ttt Phe 480	1440
g <b>gg</b> Gly	gac Asp	ccc Pro	ttt Phe	ggt Gly 485	gaa Glu	cat His	ggc Gly	cca Pro	gtg Val 490	agg Arg	cct Pro	tgt Cys	cag Gln	ccc Pro 495	tgt Cys	1488
caa Gln	tgc Cys	aac Asn	agc Ser 500	Asn	gtg Val	gac Asp	ccc Pro	agt Ser 505	gcc Ala	tct Ser	GJA aaa	aat Asn	tgt Cys 510	gac Asp	cgg Arg	1536
ctg Leu	aca Thr	ggc Gly 515	Arg	tgt Cys	ttg Leu	aag Lys	tgt Cys 520	atc Ile	cac His	aac Asn	aca Thr	gcc Ala 525	Gly	atc Ile	tac Tyr	1584
tgc Cys	gac Asp 530	Gln	tgc Cys	aaa Lys	gca Ala	ggc Gly 535	Tyr	ttc Phe	gly ggg	gac Asp	cca Pro 540	Leu	gct Ala	ccc Pro	aac Asn	1632



cca Pro 545	gca Ala	gac Asp	aag Lys	tgt Cys	cga Arg 550	gct Ala	tgc Cys	aac Asn	tgt Cys	aac Asn 555	ccc Pro	atg Met	ggc Gly	tca Ser	gag Glu 560	1680
cct Pro	gta Val	gg <b>a</b> Gly	tgt Cys	cga Arg 565	agt Ser	gat Asp	ggc Gly	acc Thr	tgt Cys 570	gtt Val	tgc Cys	aag Lys	cca Pro	gga Gly 575	ttt Phe	1728
ggt Gly	ggc Gly	ccc Pro	aac Asn 580	tgt Cys	gag Glu	cat His	gga Gly	gca Ala 585	ttc Phe	agc Ser	tgt Cys	cca Pro	gct Ala 590	tgc Cys	tat Tyr	1776
aat Asn	caa Gln	gtg Val 595	aag Lys	att Ile	cag Gln	atg Met	gat Asp 600	cag Gln	ttt Phe	atg Met	cag Gln	cag Gln 605	ctt Leu	cag Gln	aga Arg	1824
atg Met	gag Glu 610	gcc Ala	ctg Leu	att Ile	tca Ser	aag Lys 615	gct Ala	cag Gln	ggt Gly	ggt Gly	gat Asp 620	gga Gly	gta Val	gta Val	cct Pro	1872
gat Asp 625	aca Thr	gag Glu	ctg Leu	gaa Glu	ggc Gly 630	agg Arg	atg Met	cag Gln	cag Gln	gct Ala 635	gag Glu	cag Gln	gcc Ala	ctt Leu	cag Gln 640	1920
gac Asp	att Ile	ctg Leu	aga Arg	gat Asp 645	gcc Ala	cag Gln	att Ile	tca Ser	gaa Glu 650	ggt Gly	gct Ala	agc Ser	aga Arg	tcc Ser 655	ctt Leu	1968
ggt Gly	ctc Leu	cag Gln	ttg Leu 660	gcc Ala	aag Lys	gtg Val	agg Arg	agc Ser 665	caa Gln	gag Glu	aac Asn	agc Ser	tac Tyr 670	cag Gln	agc Ser	2016
cgc Arg	ctg Leu	gat Asp 675	gac Asp	ctc Leu	aag Lys	atg Met	act Thr 680	gtg Val	gaa Glu	aga Arg	gtt Val	cgg Arg 685	gct Ala	ctg Leu	g <b>ga</b> Gly	2064
agt Ser	cag Gln 690	tac Tyr	cag Gln	aac Asn	cga Arg	gtt Val 695	cgg	gat Asp	act Thr	cac His	agg Arg 700	ctc Leu	atc Ile	act Thr	cag Gln	2112
atg Met 705	cag Gln	ctg Leu	agc Ser	ctg Leu	gca Ala 710	gaa Glu	agt Ser	gaa Glu	gct Ala	tcc Ser 715	ttg Leu	gga Gly	aac Asn	act Thr	aac Asn 720	2160
att Ile	cct Pro	gcc Ala	tca Ser	gac Asp 725	cac His	tac Tyr	gtg Val	Gly 999	cca Pro 730	aat Asn	ggc	ttt Phe	aaa Lys	agt Ser 735	ctg Leu	2208
Ala	Gln	Glu	Ala 740	Thr	Arg	Leu	Ala	Glu 745	Ser	His	Val	gag Glu	<b>Ser</b> 750	Ala	Ser	2256
Asn	Met	Glu 755	Gln	Leu	Thr	Arg	Glu 760	Thr	Glu	Asp	Tyr	tcc Ser 765	Lys	Gln	Ala	2304
Leu	770	Leu	Val	Arg	Lys	Ala 775	Leu	His	Glu	Gly	780		Ser	Gly	Ser	2352
ggt	ago	ccg	gac	ggt	gct	gtg	gtg	caa	999	ctt	gtg	gaa	aaa	ttg	gag	2400

PCT/US00/11459

Gly 785	Ser	Pro	Asp	Gly	Ala 790	Val	Val	Gln	Gly	Leu 795	Val	Glu	Lys	Leu	Glu 800	
aaa Lys	acc Thr	aag Lys	tcc Ser	ctg Leu 805	gec Ala	cag Gln	cag Gln	ttg Leu	aca Thr 810	agg Arg	gag Glu	gcc Ala	act Thr	caa Gln 815	gcg Ala	2448
				gat Asp												2496
tca Ser	gtg Val	tct Ser 835	ccg Pro	ctt Leu	cag Gln	gga Gly	gtc Val 840	agt Ser	gat Asp	cag Gln	tcc Ser	ttt Phe 845	cag Gln	gtg Val	gaa Glu	2544
gaa Glu	gca Ala 850	aag Lys	agg Arg	atc Ile	aaa Lys	caa Gln 855	aaa Lys	gcg Ala	gat Asp	tca Ser	ctc Leu 860	tca Ser	agc Ser	ctg Leu	gta Val	2592
				gat Asp												2640
tgg Trp	aaa Lys	gaa Glu	g <b>aa</b> Glu	gca Ala 885	cag Gln	cag Gln	ctc Leu	tta Leu	cag Gln 890	aat Asn	gga Gly	aaa Lys	agt Ser	99 <b>9</b> Gly 895	aga Arg	268 <b>8</b>
gag Glu	aaa Lys	tca Ser	gat Asp 900	cag Gln	ctg Leu	ctt Leu	tcc Ser	cgt Arg 905	gcc Ala	aat Asn	ctt Leu	gct Ala	aaa Lys 910	agc Ser	aga Arg	2736
gca Ala	caa Gln	gaa Glu 915	gca Ala	ctg Leu	agt Ser	atg Met	ggc Gly 920	aat Asn	gcc Ala	act Thr	ttt Phe	tat Tyr 925	gaa Glu	gtt Val	gag Glu	2784
agc Ser	atc Ile 930	ctt Leu	aaa Lys	aac Asn	ctc Leu	aga Arg 935	gag Glu	ttt Phe	gac Asp	ctg Leu	cag Gln 940	gtg Val	gac Asp	aac Asn	aga Arg	2832
aaa Lys 945	gca Ala	gaa Glu	gct Ala	gaa Glu	gaa Glu 950	gcc Ala	atg Met	aag Lys	aga Arg	ctc Leu 955	tcc Ser	tac Tyr	atc Ile	agc Ser	cag Gln 960	2880
aag Lys	gtt Val	tca Ser	gat Asp	gcc Ala 965	agt Ser	gac Asp	aag Lys	acc Thr	cag Gln 970	caa Gln	gca Ala	gaa Glu	aga Arg	gcc Ala 975	ctg Leu	2928
ggg Gly	agc Ser	gct Ala	gct Ala 980	gct Ala	gat Asp	gca Ala	cag Gln	agg Arg 985	gca Ala	aag Lys	aat Asn	ggg Gly	gcc Ala 990	ggg Gly	gag Glu	2976
			960					,,,								
gcc Ala	ctg Leu	gaa Glu 995	atc	tcc Ser	agt Ser	Glu	att Ile 1000	gaa	cag Gln	gag Glu	Ile	999 Gly 1005	agt Ser	ctg Leu	aac Asn	3024
Ala ttg Leu	Leu gaa	Glu 995 gcc	atc Ile	tcc Ser gtg Val	Ser aca Thr	Glu	Ile 1000 gat	gaa Glu gga	Gln	Glu ttg Leu	Ile	Gly 1005 atg	Ser gaa	Leu	Asn	3024



1025 1030 1035 1040

1025	1030	1035	1040	
			gca gta cag atg gtg Ala Val Gln Met Val 1055	3168
	Gln Lys Val A		aag aac gct ggg gtt Lys Asn Ala Gly Val 1070	3216
	Thr Leu Asn 1		ctc ctg cat ctg atg Leu Leu His Leu Met 1085	3264
		Glu Glu Gly Leu	gtc tta ctg gag cag Val Leu Leu Glu Gln 100	3312
aag ctt tcc cga Lys Leu Ser Arg 1105	gcc aag acc o Ala Lys Thr o	cag atc aac agc ( Gln Ile Asn Ser ( 1115	caa ctg cgg ccc atg Gln Leu Arg Pro Met 1120	3360
atg tca gag ctg Met Ser Glu Leu	ggaa gag agg g Glu Glu Arg A 1125	gca cgt cag cag Ala Arg Gln Gln 1130	agg ggc cac ctc cat Arg Gly His Leu His 1135	3408
ttg ctg gag aca Leu Leu Glu Thr 1140	Ser Ile Asp	ggg att ctg gct of Gly Ile Leu Ala 1	gat gtg aag aac ttg Asp Val Lys Asn Leu 1150	3456
	J Asp Asn Leu I		tac aat acc cag gct Tyr Asn Thr Gln Ala 1165	3504
ctt gag caa cag Leu Glu Gln Gln 1170		taaatattt ctcaac	tgag gttcttggga	3556
tacagatete aggg	sctcggg agccate	gtca tgtgagtggg	tgggatgggg acatttgaac	3616
atgtttaatg ggta	itgctca ggtcaa	ctga cctgacccca	ttcctgatcc catggccagg	3676
tggttgtctt attg	caccat actcct	tgct teetgatget	gggcatgagg cagataggca	3736
ctggtgtgag aatg	jatcaag gatctg	gacc ccaaagatag	actggatgga aagacaaact	3796
gcacaggcag atgt	ttgcct cataat	agtc gtaagtggag	tcctggaatt tggacaagtg	3856
ctgttgggat atag	tcaact tattct	ttga gtaatgtgac	taaaggaaaa aactttgact	3916
ttgcccaggc atga	aattct tcctaa	tgtc agaacagagt	gcaacccagt cacactgtgg	3976
ccagtaaaat acta	ittgcct catatt	gtcc tctgcaagct	tcttgctgat cagagttcct	4036
cctacttaca acco	agggtg tgaaca	tgtt ctccattttc	aagctggaag aagtgagcag	4096
tgttggagtg agga	acctgta aggcag	gccc attcagagct	atggtgcttg ctggtgcctg	4156
ccaccttcaa gtto	tggacc tgggca	tgac atcctttctt	ttaatgatgc catggcaact	4216
tagagattgc att	ttatta aagcat	ttcc taccagcaaa	gcaaatgttg ggaaagtatt	4276

tacttttteg gtttcaaagt gatagaaaag tgtggcttgg gcattgaaag aggtaaaatt 4336
ctctagattt attagtccta attcaatcct acttttcgaa caccaaaaat gatgcgcatc 4396
aatgtatttt atcttattt ctcaatctcc tctctcttc ctccacccat aataagagaa 4456
tgttcctact cacacttcag ctgggtcaca tccatccctc cattcatcct tccatccat 4516
tttccatcca ttacctccat ccatccttcc aacatatatt tattgagtac ctactgtgtg 4576
ccaggggctg gtgggacagt ggtgacatag tctctgccct catagagttg attgtctagt 4636
gaggaagaca agcatttta aaaaataaat ttaaacttac aaactttgtt tgtcacaagt 4696
ggtgtttatt gcaataaccg cttggtttgc aacctctttg ctcaacagaa catatgttgc 4756
aagaccctcc catgggcac tctgtgcct ctacaactga ttgcaacaga ctgttgagtt 4816
tctttgcatt ccagcgtcac tctgtgcctt ctacaactga ttgcaacaga ctgttgagtt 4876
atgataacac cagtgggaat tgctggagga accagaggca cttccacctt ggctggaag 4936
actatggtgc tgccttgctt ctgtatttcc ttggattttc ctgaaagtgt ttttaaataa 4996
agaacaattg ttagatgcca aaaa

<210> 28

<211> 1172

<212> PRT

<213> Homo sapiens

<400> 28

Thr Ser Arg Arg Glu Val Cys Asp Cys Asn Gly Lys Ser Arg Gln Cys

1 10 15

Ile Phe Asp Arg Glu Leu His Arg Gln Thr Gly Asn Gly Phe Arg Cys
20 25 30

Leu Asn Cys Asn Asp Asn Thr Asp Gly Ile His Cys Glu Lys Cys Lys 35 40 45

Asn Gly Phe Tyr Arg His Arg Glu Arg Asp Arg Cys Leu Pro Cys Asn 50 55 60

Cys Asn Ser Lys Gly Ser Leu Ser Ala Arg Cys Asp Asn Ser Gly Arg 65 70 75 80

Cys Ser Cys Lys Pro Gly Val Thr Gly Ala Arg Cys Asp Arg Cys Leu 85 90 95

Pro Gly Phe His Met Leu Thr Asp Ala Gly Cys Thr Gln Asp Gln Arg 100 105 110

Leu Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala Gly Ile Ala Gly Pro 115 120 125

Cys Asp Ala Gly Arg Cys Val Cys Lys Pro Ala Val Thr Gly Glu Arg 130 135 140



- Cys Asp Arg Cys Arg Ser Gly Tyr Tyr Asn Leu Asp Gly Gly Asn Pro 145 150 155 160
- Glu Gly Cys Thr Gln Cys Phe Cys Tyr Gly His Ser Ala Ser Cys Arg 165 170 175
- Ser Ser Ala Glu Tyr Ser Val His Lys Ile Thr Ser Thr Phe His Gln 180 185 190
- Asp Val Asp Gly Trp Lys Ala Val Gln Arg Asn Gly Ser Pro Ala Lys 195 200 205
- Leu Gln Trp Ser Gln Arg His Gln Asp Val Phe Ser Ser Ala Gln Arg 210 215 220
- Leu Asp Pro Val Tyr Phe Val Ala Pro Ala Lys Phe Leu Gly Asn Gln 225 230 235 240
- Gln Val Ser Tyr Gly Gln Ser Leu Ser Phe Asp Tyr Arg Val Asp Arg 245 250 255
- Gly Gly Arg His Pro Ser Ala His Asp Val Ile Leu Glu Gly Ala Gly 260 265 270
- Leu Arg Ile Thr Ala Pro Leu Met Pro Leu Gly Lys Thr Leu Pro Cys 275 280 285
- Gly Leu Thr Lys Thr Tyr Thr Phe Arg Leu Asn Glu His Pro Ser Asn 290 295 300
- Asn Trp Ser Pro Gln Leu Ser Tyr Phe Glu Tyr Arg Arg Leu Leu Arg 305 310 315 320
- Asn Leu Thr Ala Leu Arg Ile Arg Ala Thr Tyr Gly Glu Tyr Ser Thr
- Gly Tyr Ile Asp Asn Val Thr Leu Ile Ser Ala Arg Pro Val Ser Gly 340 345 350
- Ala Pro Ala Pro Trp Val Glu Gln Cys Ile Cys Pro Val Gly Tyr Lys 355 360 365
- Gly Gln Phe Cys Gln Asp Cys Ala Ser Gly Tyr Lys Arg Asp Ser Ala 370 375 380
- Arg Leu Gly Pro Phe Gly Thr Cys Ile Pro Cys Asn Cys Gln Gly Gly 385 390 395
- Gly Ala Cys Asp Pro Asp Thr Gly Asp Cys Tyr Ser Gly Asp Glu Asn 405 410 415
- Pro Asp Ile Glu Cys Ala Asp Cys Pro Ile Gly Phe Tyr Asn Asp Pro 420 425 430
- His Asp Pro Arg Ser Cys Lys Pro Cys Pro Cys His Asn Gly Phe Ser
- Cys Ser Val Ile Pro Glu Thr Glu Glu Val Val Cys Asn Asn Cys Pro
  450 455 460
- Pro Gly Val Thr Gly Ala Arg Cys Glu Leu Cys Ala Asp Gly Tyr Phe

470 475 480 465 Gly Asp Pro Phe Gly Glu His Gly Pro Val Arg Pro Cys Gln Pro Cys 490 485 Gln Cys Asn Ser Asn Val Asp Pro Ser Ala Ser Gly Asn Cys Asp Arg 505 Leu Thr Gly Arg Cys Leu Lys Cys Ile His Asn Thr Ala Gly Ile Tyr 520 515 Cys Asp Gln Cys Lys Ala Gly Tyr Phe Gly Asp Pro Leu Ala Pro Asn Pro Ala Asp Lys Cys Arg Ala Cys Asn Cys Asn Pro Met Gly Ser Glu 555 550 Pro Val Gly Cys Arg Ser Asp Gly Thr Cys Val Cys Lys Pro Gly Phe Gly Gly Pro Asn Cys Glu His Gly Ala Phe Ser Cys Pro Ala Cys Tyr Asn Gln Val Lys Ile Gln Met Asp Gln Phe Met Gln Gln Leu Gln Arg Met Glu Ala Leu Ile Ser Lys Ala Gln Gly Gly Asp Gly Val Val Pro Asp Thr Glu Leu Glu Gly Arg Met Gln Gln Ala Glu Gln Ala Leu Gln Asp Ile Leu Arg Asp Ala Gln Ile Ser Glu Gly Ala Ser Arg Ser Leu Gly Leu Gln Leu Ala Lys Val Arg Ser Gln Glu Asn Ser Tyr Gln Ser Arg Leu Asp Asp Leu Lys Met Thr Val Glu Arg Val Arg Ala Leu Gly Ser Gln Tyr Gln Asn Arg Val Arg Asp Thr His Arg Leu Ile Thr Gln Met Gln Leu Ser Leu Ala Glu Ser Glu Ala Ser Leu Gly Asn Thr Asn Ile Pro Ala Ser Asp His Tyr Val Gly Pro Asn Gly Phe Lys Ser Leu Ala Gln Glu Ala Thr Arg Leu Ala Glu Ser His Val Glu Ser Ala Ser Asn Met Glu Gln Leu Thr Arg Glu Thr Glu Asp Tyr Ser Lys Gln Ala Leu Ser Leu Val Arg Lys Ala Leu His Glu Gly Val Gly Ser Gly Ser

795

Gly Ser Pro Asp Gly Ala Val Val Gln Gly Leu Val Glu Lys Leu Glu

790



- Lys Thr Lys Ser Leu Ala Gln Gln Leu Thr Arg Glu Ala Thr Gln Ala 805 810 815
- Glu Ile Glu Ala Asp Arg Ser Tyr Gln His Ser Leu Arg Leu Leu Asp 820 825 830
- Ser Val Ser Pro Leu Gln Gly Val Ser Asp Gln Ser Phe Gln Val Glu 835 840 845
- Glu Ala Lys Arg Ile Lys Gln Lys Ala Asp Ser Leu Ser Ser Leu Val 850 855 860
- Thr Arg His Met Asp Glu Phe Lys Arg Thr Gln Lys Asn Leu Gly Asn 865 870 875 880
- Trp Lys Glu Glu Ala Gln Gln Leu Leu Gln Asn Gly Lys Ser Gly Arg 885 890 895
- Glu Lys Ser Asp Gln Leu Leu Ser Arg Ala Asn Leu Ala Lys Ser Arg 900 905 910
- Ala Gln Glu Ala Leu Ser Met Gly Asn Ala Thr Phe Tyr Glu Val Glu 915 920 925
- Ser Ile Leu Lys Asn Leu Arg Glu Phe Asp Leu Gln Val Asp Asn Arg 930 935 940
- Lys Ala Glu Ala Glu Glu Ala Met Lys Arg Leu Ser Tyr Ile Ser Gln 945 950 955 960
- Lys Val Ser Asp Ala Ser Asp Lys Thr Gln Gln Ala Glu Arg Ala Leu 965 970 975
- Gly Ser Ala Ala Ala Asp Ala Gln Arg Ala Lys Asn Gly Ala Gly Glu 980 985 990
- Ala Leu Glu Ile Ser Ser Glu Ile Glu Glu Ile Gly Ser Leu Asn 995 1000 1005
- Leu Glu Ala Asn Val Thr Ala Asp Gly Ala Leu Ala Met Glu Lys Gly 1010 1015 1020
- Leu Ala Ser Leu Lys Ser Glu Met Arg Glu Val Glu Gly Glu Leu Glu 1025 1030 1035 1040
- Arg Lys Glu Leu Glu Phe Asp Thr Asn Met Asp Ala Val Gln Met Val 1045 1050 1055
- Ile Thr Glu Ala Gln Lys Val Asp Thr Arg Ala Lys Asn Ala Gly Val 1060 1065 1070
- Thr Ile Gln Asp Thr Leu Asn Thr Leu Asp Gly Leu Leu His Leu Met 1075 1080 1085
- Asp Gln Pro Leu Ser Val Asp Glu Glu Gly Leu Val Leu Leu Glu Gln 1090 1095 1100
- Lys Leu Ser Arg Ala Lys Thr Gln Ile Asn Ser Gln Leu Arg Pro Met 1105 1110 1115 1120



Met Ser Glu Leu Glu Glu Arg Ala Arg Gln Gln Arg Gly His Leu His 1125 1130 1135

Leu Leu Glu Thr Ser Ile Asp Gly Ile Leu Ala Asp Val Lys Asn Leu 1140 1145 1150

Glu Asn Ile Arg Asp Asn Leu Pro Pro Gly Cys Tyr Asn Thr Gln Ala 1155 1160 1165

Leu Glu Gln Gln 1170

<210> 29 <211> 3720 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (38)..(3616)

<220>
<221> sig\_peptide
<222> (38)..(100)

ggc tgc tgc ctc tgc ttc tcg ctc ctc ctg ccc gca gcc cgg gcc acc

Gly Cys Cys Leu Cys Phe Ser Leu Leu Leu Pro Ala Ala Arg Ala Thr

10 15 20

tcc agg agg gaa gtc tgt gat tgc aat ggg aag tcc agg cag tgt atc 151
Ser Arg Arg Glu Val Cys Asp Cys Asn Gly Lys Ser Arg Gln Cys Ile
25 30 35

ttt gat cgg gaa ctt cac aga caa act ggt aat gga ttc cgc tgc ctc 199
Phe Asp Arg Glu Leu His Arg Gln Thr Gly Asn Gly Phe Arg Cys Leu
40 45 50

aac tgc aat gac aac act gat ggc att cac tgc gag aag tgc aag aat 247 Asn Cys Asn Asp Asn Thr Asp Gly Ile His Cys Glu Lys Cys Lys Asn
55 70

ggc ttt tac cgg cac aga gaa agg gac cgc tgt ttg ccc tgc aat tgt 295 Gly Phe Tyr Arg His Arg Glu Arg Asp Arg Cys Leu Pro Cys Asn Cys 85

aac tcc aaa ggt tct ctt agt gct cga tgt gac aac tct gga cgg tgc 343 Asn Ser Lys Gly Ser Leu Ser Ala Arg Cys Asp Asn Ser Gly Arg Cys 90 95 100

agc tgt aaa cca ggt gtg aca gga gcc aga tgc gac cga tgt ctg cca 391 Ser Cys Lys Pro Gly Val Thr Gly Ala Arg Cys Asp Arg Cys Leu Pro 105 110 115

ggc ttc cac atg ctc acg gat gcg ggg tgc acc caa gac cag aga ctg 439 Gly Phe His Met Leu Thr Asp Ala Gly Cys Thr Gln Asp Gln Arg Leu

120 125 130 cta gac tcc aag tgt gac tgt gac cca gct ggc atc gca ggg ccc tgt 487 Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala Gly Ile Ala Gly Pro Cys gac dcd dcc cdc tgt gtc tg: aag cca gct gtt act gga gaa cgc tgt 535 Asp Ala Gly Arg Cys Val Cys Lys Pro Ala Val Thr Gly Glu Arg Cys gat ggg tgt cga tca ggt tac tat aat ctg gat ggg ggg aac cct gag 583 Asp Gly Cys Arg Ser Gly Tyr Tyr Asn Leu Asp Gly Gly Asn Pro Glu gge tgt acc cag tgt ttc tgc tat ggg cat tca gcc agc tgc cgc agc 631 Gly Cys Thr Gln Cys Phe Cys Tyr Gly His Ser Ala Ser Cys Arg Ser 190 tet gea gaa tae agt gte cat aag ate ace tet ace ttt cat caa gat 679 Ser Ala Glu Tyr Ser Val His Lys Ile Thr Ser Thr Phe His Gln Asp 205 gtt gat ggc tgg aag gct gtc caa cga aat ggg tct cct gca aag ctc 727 Val Asp Gly Trp Lys Ala Val Gln Arg Asn Gly Ser Pro Ala Lys Leu 225 215 220 775 caa tgg tca cag cgc cat caa gat gtg ttt agc tca gcc caa cga cta Gln Trp Ser Gln Arg His Gln Asp Val Phe Ser Ser Ala Gln Arg Leu 235 240 823 gac cct gtc tat ttt gtg gct cct gcc aaa ttt ctt ggg aat caa cag Asp Pro Val Tyr Phe Val Ala Pro Ala Lys Phe Leu Gly Asn Gln Gln 250 gtg agc tat ggg caa agc ctg tcc ttt gac tac cgt gtg gac aga gga 871 Val Ser Tyr Gly Gln Ser Leu Ser Phe Asp Tyr Arg Val Asp Arg Gly 270 ggc aga cac cca tct gcc cat gat gtg att ctg gaa ggt gct ggt cta 919 Gly Arg His Pro Ser Ala His Asp Val Ile Leu Glu Gly Ala Gly Leu 285 cgg atc aca gct ccc ttg atg cca ctt ggc aag aca ctg cct tgt ggg 967 Arg Ile Thr Ala Pro Leu Met Pro Leu Gly Lys Thr Leu Pro Cys Gly 305 295 1015 ctc acc aag act tac aca ttc agg tta aat gag cat cca agc aat aat Leu Thr Lys Thr Tyr Thr Phe Arg Leu Asn Glu His Pro Ser Asn Asn 320 tgg agc ccc cag ctg agt tac ttt gag tat cga agg tta ctg cgg aat 1063 Trp Ser Pro Gln Leu Ser Tyr Phe Glu Tyr Arg Arg Leu Leu Arg Asn ctc aca gcc ctc cgc atc cga gct aca tat gga gaa tac agt act ggg 1111 Leu Thr Ala Leu Arg Ile Arg Ala Thr Tyr Gly Glu Tyr Ser Thr Gly tac att gac aat gtg acc ctg att tca gcc cgc cct gtc tct gga gcc

370

Tyr Ile Asp Asn Val Thr Leu Ile Ser Ala Arg Pro Val Ser Gly Ala



				gtt Val												1207
				gat Asp 395												1255
				ggc Gly												1303
				gac Asp												1351
				gct Ala												1399
				tgc Cys												1447
				gag Glu 475												1495
				gcc Ala												1543
				gaa Glu												1591
				gtg Val												1639
aca Thr 535	ggc Gly	agg Arg	tgt Cys	ttg Leu	aag Lys 540	tgt Cys	atc Ile	cac His	aac Asn	aca Thr 545	gcc Ala	ggc Gly	atc Ile	tac Tyr	tgc Cys 550	1687
				gca Ala 555												1735
gca Ala	gac Asp	aag Lys	tgt Cys 570	cga Arg	gct Ala	tgc Cys	aac Asn	tgt Cys 575	aac Asn	ccc Pro	atg Met	ggc Gly	tca Ser 580	gag Glu	cct Pro	1783
gta Val	gga Gly	tgt Cys 585	cga Arg	agt Ser	gat Asp	ggc Gly	acc Thr 590	tgt Cys	gtt Val	tgc Cys	aag Lys	cca Pro 595	gga Gly	ttt Phe	ggt Gly	1831
ggc Gly	ccc Pro 600	Asn	tgt Cys	gag Glu	cat His	gga Gly 605	gca Ala	ttc Phe	agc Ser	tgt Cys	cca Pro 610	gct Ala	tgc Cys	tat Tyr	aat Asn	1879



caa Gln 615	gtg Val	aag Lys	att Ile	cag Gln	atg Met 620	gat Asp	cag Gln	ttt Phe	atg Met	cag Gln 625	cag Gln	ctt Leu	cag Gln	aga Arg	atg Met 630	1927
													gta Val			1975
aca Thr	gag Glu	ctg Leu	gaa Glu 650	ggc Gly	agg Arg	atg Met	cag Gln	cag Gln 655	gct Ala	gag Glu	cag Gln	gcc Ala	ctt Leu 660	cag Gln	gac Asp	2023
													tcc Ser			2071
													cag Gln			2119
ctg Leu 695	gat Asp	gac Asp	ctc Leu	aag Lys	atg Met 700	act Thr	gtg Val	gaa Glu	aga Arg	gtt Val 705	cgg Arg	gct Ala	ctg Leu	gga Gly	agt Ser 710	2167
c <b>ag</b> Gln	tac Tyr	cag Gln	aac Asn	cga Arg 715	gtt Val	cgg Arg	gat Asp	act Thr	cac His 720	agg Arg	ctc Leu	atc Ile	act Thr	cag Gln 725	atg Met	2215
cag Gln	ctg Leu	agc Ser	ctg Leu 730	gca Ala	g <b>aa</b> Glu	agt Ser	gaa Glu	gct Ala 735	tcc Ser	ttg Leu	gga Gly	aac Asn	act Thr 740	aac Asn	att Ile	2263
cct Pro	gcc Ala	tca Ser 745	gac Asp	cac His	tac Tyr	gtg Val	999 Gly 750	cca Pro	aat Asn	ggc Gly	ttt Phe	aaa Lys 755	agt Ser	ctg Leu	gct Ala	2311
cag Gln	gag Glu 760	gcc Ala	aca Thr	aga Arg	tta Leu	gca Ala 765	g <b>aa</b> Glu	agc Ser	cac His	gtt Val	gag Glu 770	tca Ser	gcc Ala	agt Ser	aac Asn	2359
atg Met 775	gag Glu	caa Gln	ctg Leu	aca Thr	agg Arg 780	gaa Glu	act Thr	gag Glu	gac Asp	tat Tyr 785	tcc Ser	aaa Lys	caa Gln	Ala	ctc Leu 790	2407
tc <b>a</b> Ser	ctg Leu	gtg Val	cgc Arg	aag Lys 795	gcc Ala	ctg Leu	cat His	gaa Glu	gga Gly 800	gtc Val	gga Gly	agc Ser	gga Gly	agc Ser 805	ggt Gly	2455
agc Ser	ccg Pro	gac Asp	ggt Gly 810	gct Ala	gtg Val	gtg Val	caa Gln	999 Gly 815	ctt Leu	gtg Val	gaa Glu	aaa Lys	ttg Leu 820	gag Glu	aaa Lys	2503
acc Thr	aag Lys	tcc Ser 825	ctg Leu	gcc Ala	cag Gln	cag Gln	ttg Leu 830	aca Thr	agg Arg	gag Glu	gcc Ala	act Thr 835	caa Gln	gcg Ala	gaa Glu	2551
att Ile	gaa Glu 840	Ala	gat Asp	agg Arg	tct Ser	tat Tyr 845	cag Gln	cac His	agt Ser	ctc Leu	cgc Arg 850	ctc Leu	ctg Leu	gat Asp	tca Ser	2599
gtg	tct	ccg	ctt	cag	gga	gtc	agt	gat	cag	tcc	ttt	cag	gtg	gaa	gaa	2647



Val Ser Pr 855	o Leu Gln	Gly Val Ser 860	Asp Gln	Ser Phe G 865	ln Val Glu	Glu 870
gca aag ag Ala Lys Ar	g atc aaa g Ile Lys 875	caa aaa gco Gln Lys Ala	gat tca Asp Ser 880	ctc tca a Leu Ser S	gc ctg gta er Leu Val 885	acc 2695 Thr
		ttc aag cgt Phe Lys Arg				
	u Ala Gln	cag ctc tta Gln Leu Leu 910	ı Gln Asn	Gly Lys S		
aaa tca ga Lys Ser As 920	t cag ctg p Gln Leu	ctt tcc cgt Leu Ser Arg 925	gcc aat Ala Asn	ctt gct a Leu Ala L 930	aa agc aga ys Ser Arg	gca 2839 Ala
caa gaa go Gln Glu Al 935	a ctg agt a Leu Ser	atg ggc aat Met Gly Asi 940	gcc act Ala Thr	ttt tat g Phe Tyr G 945	aa gtt gag lu Val Glu	agc 2887 Ser 950
atc ctt aa Ile Leu Ly	a aac ctc s Asn Leu 955	aga gag ttt Arg Glu Phe	gac ctg Asp Leu 960	cag gtg g Gln Val A	ac aac aga sp Asn Arg 965	aaa 2935 Lys
		gcc atg aag Ala Met Lys				
gtt tca ga Val Ser As 98	p Ala Ser	gac aag acc Asp Lys Thi	c Gln Gln	Ala Glu A	ga gcc ctg rg Ala Leu 95	ggg 3031 Gly
agc gct gc Ser Ala Al 1000	t gct gat a Ala Asp	gca cag agg Ala Gln Arg 1005	g gca aag g Ala Lys	aat ggg g Asn Gly A 1010	cc ggq gag la Gly Glu	gcc 3079 Ala
ctg gaa at Leu Glu Il 1015	e Ser Ser	gag att gaa Glu Ile Gli 1020	ı Gln Glu	att ggg a Ile Gly S 1025	er Leu Asn	ttg 3127 Leu 1030
gaa gcc aa Glu Ala As	nt gtg aca n Val Thr 1035	gca gat gga Ala Asp Gl	a gcc ttg y Ala Leu 1040	gcc atg g Ala Met G	aa aag gga lu Lys Gly 1045	ctg 3175 Leu
gcc tct ct Ala Ser Le	g aag agt u Lys Ser 1050	gag atg ag Glu Met Ar	g gaa gtg g Glu Val 1055	gaa gga g Glu Gly G	gag ctg gaa Slu Leu Glu 1060	agg 3223 Arg
aag gag ct Lys Glu Le 106	eu Glu Phe	gac acg aa Asp Thr As: 107	n Met Asp	Ala Val G	ag atg gtg In Met Val 175	att 3271 Ile
aca gaa go Thr Glu Al 1080	cc cag aag la Gln Lys	gtt gat ac Val Asp Th 1085	c aga gcc r Arg Ala	aag aac g Lys Asn A 1090	gct ggg gtt Ala Gly Val	aca 3319 Thr
atc caa ga Ile Gln A	ac aca ctc sp Thr Leu	aac aca tt Asn Thr Le	a gac ggc u Asp Gly	ctc ctg c	at ctg atg His Leu Met	gac 3367 Asp

Cys Asp Arg Cys Leu Pro Gly Phe His Met Leu Thr Asp Ala Gly Cys
115 120 125

Thr Gln Asp Gln Arg Leu Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala

155

130 135 140

Gly Ile Ala Gly Pro Cys Asp Ala Gly Arg Cys Val Cys Lys Pro Ala 145 150 155 160

Val Thr Gly Glu Arg Cys Asp Gly Cys Arg Ser Gly Tyr Tyr Asn Leu 165 170 175

Asp Gly Gly Asn Pro Glu Gly Cys Thr Gln Cys Phe Cys Tyr Gly His
180 185 190

Ser Ala Ser Cys Arg Ser Ser Ala Glu Tyr Ser Val His Lys Ile Thr 195 200 205

Ser Thr Phe His Gln Asp Val Asp Gly Trp Lys Ala Val Gln Arg Asn 210 215 220

Gly Ser Pro Ala Lys Leu Gln Trp Ser Gln Arg His Gln Asp Val Phe 225 230 235 240

Ser Ser Ala Gln Arg Leu Asp Pro Val Tyr Phe Val Ala Pro Ala Lys 245 250 255

Phe Leu Gly Asn Gln Gln Val Ser Tyr Gly Gln Ser Leu Ser Phe Asp 260 265 270

Tyr Arg Val Asp Arg Gly Gly Arg His Pro Ser Ala His Asp Val Ile 275 280 285

Leu Glu Gly Ala Gly Leu Arg Ile Thr Ala Pro Leu Met Pro Leu Gly 290 295 300

Lys Thr Leu Pro Cys Gly Leu Thr Lys Thr Tyr Thr Phe Arg Leu Asn 305 310 315 320

Glu His Pro Ser Asn Asn Trp Ser Pro Gln Leu Ser Tyr Phe Glu Tyr
325 330 335

Arg Arg Leu Leu Arg Asn Leu Thr Ala Leu Arg Ile Arg Ala Thr Tyr 340 345

Gly Glu Tyr Ser Thr Gly Tyr Ile Asp Asn Val Thr Leu Ile Ser Ala 355 360 365

Arg Pro Val Ser Gly Ala Pro Ala Pro Trp Val Glu Gln Cys Ile Cys 370 375 380


Pro Val Gly Tyr Lys Gly Gln Phe Cys Gln Asp Cys Ala Ser Gly Tyr 385 390 395 400

Lys Arg Asp Ser Ala Arg Leu Gly Pro Phe Gly Thr Cys Ile Pro Cys
405 410 415

Asn Cys Gln Gly Gly Gly Ala Cys Asp Pro Asp Thr Gly Asp Cys Tyr
420 425 430

Ser Gly Asp Glu Asn Pro Asp Ile Glu Cys Ala Asp Cys Pro Ile Gly
435 440 445

Phe Tyr Asn Asp Pro His Asp Pro Arg Ser Cys Lys Pro Cys Pro Cys 450 455 460





Tyr Ser Lys Gln Ala Leu Ser Leu Val Arg Lys Ala Leu His Glu Gly 785 790 795 800

Val Gly Ser Gly Ser Gly Ser Pro Asp Gly Ala Val Val Gln Gly Leu 805 810 815

Val Glu Lys Leu Gl: Lys Thr Lys Ser Leu Ala Gln Gln Leu Thr Arg 820 825 830

Glu Ala Thr Gln Ala Glu Ile Glu Ala Asp Arg Ser Tyr Gln His Ser 835 840 845

Leu Arg Leu Leu Asp Ser Val Ser Pro Leu Gln Gly Val Ser Asp Gln 850 860

Ser Phe Gln Val Glu Glu Ala Lys Arg Ile Lys Gln Lys Ala Asp Ser 865 870 875 880

Leu Ser Ser Leu Val Thr Arg His Met Asp Glu Phe Lys Arg Thr Gln 885 890 895

Lys Asn Leu Gly Asn Trp Lys Glu Glu Ala Gln Gln Leu Leu Gln Asn 900 905 910

Gly Lys Ser Gly Arg Glu Lys Ser Asp Gln Leu Leu Ser Arg Ala Asn 915 920 925

Leu Ala Lys Ser Arg Ala Gln Glu Ala Leu Ser Met Gly Asn Ala Thr 930 935 940

Phe Tyr Glu Val Glu Ser Ile Leu Lys Asn Leu Arg Glu Phe Asp Leu 945 950 955 960

Gln Val Asp Asn Arg Lys Ala Glu Ala Glu Glu Ala Met Lys Arg Leu 965 970 975

Ser Tyr Ile Ser Gln Lys Val Ser Asp Ala Ser Asp Lys Thr Gln Gln 980 985 990

Ala Glu Arg Ala Leu Gly Ser Ala Ala Ala Asp Ala Gln Arg Ala Lys 995 1000 1005

Asn Gly Ala Gly Glu Ala Leu Glu Ile Ser Ser Glu Ile Glu Gln Glu 1010 1015 1020

Ile Gly Ser Leu Asn Leu Glu Ala Asn Val Thr Ala Asp Gly Ala Leu 025 1030 1035 1040

Ala Met Glu Lys Gly Leu Ala Ser Leu Lys Ser Glu Met Arg Glu Val 1045 1050 1055

Glu Gly Glu Leu Glu Arg Lys Glu Leu Glu Phe Asp Thr Asn Met Asp 1060 1065 1070

Ala Val Gln Met Val Ile Thr Glu Ala Gln Lys Val Asp Thr Arg Ala

Lys Asn Ala Gly Val Thr Ile Gln Asp Thr Leu Asn Thr Leu Asp Gly 1090 1095 1100

L u Leu His Leu Met Asp Gln Pro Leu Ser Val Asp Glu Gly Leu

) PCT/US00/11459

105 1110 1115 1120

Val Leu Leu Glu Gln Lys Leu Ser Arg Ala Lys Thr Gln Ile Asn Ser 1125 1130 1135

Gln Leu Arg Pro Met Met Ser Glu Leu Glu Glu Arg Ala Arg Gln Gln
1140 1145 1150

Arg Gly His Leu His Leu Leu Glu Thr Ser Ile Asp Gly Ile Leu Ala 1155 1160 1165

Asp Val Lys Asn Leu Glu Asn Ile Arg Asp Asn Leu Pro Pro Gly Cys 1170 1175 1180

Tyr Asn Thr Gln Ala Leu Glu Gln Gln 185 1190

<210> 31

<211> 3620

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1) .. (3516)

<400> 31

acc tcc agg agg gaa gtc tgt gat tgc aat ggg aag tcc agg cag tgt 48
Thr Ser Arg Arg Glu Val Cys Asp Cys Asn Gly Lys Ser Arg Gln Cys
1 5 10 15

atc ttt gat cgg gaa ctt cac aga caa act ggt aat gga ttc cgc tgc 96
Ile Phe Asp Arg Glu Leu His Arg Gln Thr Gly Asn Gly Phe Arg Cys
20 25 30

ctc aac tgc aat gac aac act gat ggc att cac tgc gag aag tgc aag 144 Leu Asn Cys Asn Asp Asn Thr Asp Gly Ile His Cys Glu Lys Cys Lys 35 40 45

aat ggc ttt tac cgg cac aga gaa agg gac cgc tgt ttg ccc tgc aat 192 Asn Gly Phe Tyr Arg His Arg Glu Arg Asp Arg Cys Leu Pro Cys Asn 50 55 60

tgt aac tcc aaa ggt tct ctt agt gct cga tgt gac aac tct gga cgg 240 Cys Asn Ser Lys Gly Ser Leu Ser Ala Arg Cys Asp Asn Ser Gly Arg 65 70 75 80

tgc agc tgt aaa cca ggt gtg aca gga gcc aga tgc gac cga tgt ctg 288 Cys Ser Cys Lys Pro Gly Val Thr Gly Ala Arg Cys Asp Arg Cys Leu

cca ggc ttc cac atg ctc acg gat gcg ggg tgc acc caa gac cag aga 336
Pro Gly Phe His Met Leu Thr Asp Ala Gly Cys Thr Gln Asp Gln Arg
100 105 110

ctg cta gac tcc aag tgt gac tgt gac cca gct ggc atc gca ggg ccc 384 Leu Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala Gly Ile Ala Gly Pro

tgt gac gcg ggc cgc tgt gtc tgc aag cca gct gtt act gga gaa cgc 433



Cys	Asp 130	Ala	Gly	Arg	Сув	Val 135	Cys	Lys	Pro	Ala	Val 140	Thr	Gly	Glu	Arg	
					tca Ser 150											480
					tgt Cys											528
					agt Ser											576
					aag Lys											624
					cgc Arg											672
					ttt Phe 230											720
cag Gln	gtg Val	agc Ser	tat Tyr	999 Gly 245	caa Gln	agc Ser	ctg Leu	tcc Ser	ttt Phe 250	gac Asp	tac Tyr	cgt Arg	gtg Val	gac Asp 255	aga Arg	768
					tct Ser											816
cta Leu	cgg Arg	atc Ile 275	aca Thr	gct Ala	ccc Pro	ttg Leu	atg Met 280	cca Pro	ctt Leu	ggc Gly	aag Lys	aca Thr 285	ctg Leu	cct Pro	tgt Cys	864
gly ggg	ctc Leu 290	acc Thr	aag Lys	act Thr	tac Tyr	aca Thr 295	ttc Phe	agg Arg	tta Leu	aat Asn	gag Glu 300	cat His	cca Pro	agc Ser	aat Asn	912
aat Asn 305	tgg Trp	agc Ser	ccc Pro	cag Gln	ctg Leu 310	agt Ser	tac Tyr	ttt Phe	gag Glu	tat Tyr 315	cga Arg	agg Arg	tta Leu	ctg Leu	cgg Arg 320	960
aat Asn	ctc Leu	aca Thr	gcc Ala	ctc Leu 325	cgc Arg	atc Ile	cga Arg	gct Ala	aca Thr 330	tat Tyr	gga Gly	gaa Glu	tac Tyr	agt Ser 335	act Thr	1008
gg <b>g</b> Gly	tac Tyr	att Ile	gac Asp 340	aat Asn	gtg Val	acc Thr	ctg Leu	att Ile 345	tca Ser	gcc Ala	cgc Arg	cct Pro	gtc Val 350	tct Ser	gga Gly	1056
gcc Ala	cca Pro	gca Ala 355	ccc Pro	tgg Trp	gtt Val	gaa Glu	cag Gln 360	tgt Cys	ata Ile	tgt Cys	cct Pro	gtt Val 365	ggg Gly	tac Tyr	aag Lys	1104
ggg Gly	caa Gln	ttc Phe	tgc Cys	cag Gln	gat Asp	tgt Cys	gct Ala	tct Ser	ggc Gly	tac Tyr	aag Lys	aga Arg	gat Asp	tca Ser	gcg Ala	1152

_	_	
	1	
	- )	
_	_	

370	375		380	
			tgt aac tgt ca Cys Asn Cys Gl 395	
			tat tca ggg ga Tyr Ser Gly As	
Pro Asp Ile G			ggt ttc tac aa Gly Phe Tyr As 43	n Asp Pro
			tgt cat aac gg Cys His Asn Gl 445	
			gtg tgc aat aa Val Cys Asn As 460	_
			tgt gct gat gg Cys Ala Asp Gl 475	
			agg cct tgt ca Arg Pro Cys Gl	
Gln Cys Asn A			tct ggg aat tg Ser Gly Asn Cy 51	s Asp Arg
			aac aca gcc gg Asn Thr Ala Gl 525	
		Tyr Phe Gly	gac cca ttg gc Asp Pro Leu Al 540	
			aac ccc atg gg Asn Pro Met Gl 555	
cct gta gga t Pro Val Gly C	gt cga agt gat ys Arg Ser Asp 565	ggc acc tgt Gly Thr Cys 570	gtt tgc aag cc Val Cys Lys Pr	a gga ttt 1728 o Gly Phe 575
Gly Gly Pro A			agc tgt cca gc Ser Cys Pro Al 59	a Cys Tyr
			atg cag cag ct Met Gln Gln Le 605	
		Ala Gln Gly	ggt gat gga gt Gly Asp Gly Va 620	



gat Asp 625	aca Thr	gag Glu	ctg Leu	gaa Glu	ggc Gly 630	agg Arg	atg Met	cag Gln	cag Gln	gct Ala 635	gag Glu	cag Gln	gcc Ala	ctt Leu	cag Gln 640	1920
gac Asp	att Ile	ctg Leu	aga Arg	gat Asp 645	gcc Ala	cag Gln	att Ile	tca Ser	gaa Glu 650	ggt Gly	gct Ala	agc Ser	aga Arg	tcc Ser 655	ctt Leu	1968
ggt Gly	ctc Leu	cag Gln	ttg Leu 660	gcc Ala	aag Lys	gtg Val	agg Arg	agc Ser 665	caa Gln	gag Glu	aac Asn	agc Ser	tac Tyr 670	cag Gln	agc Ser	2016
cgc Arg	ctg Leu	gat Asp 675	gac Asp	ctc Leu	aag Lys	atg Met	act Thr 680	gtg Val	gaa Glu	aga Arg	gtt Val	cgg Arg 685	gct Ala	ctg Leu	gga Gly	2064
agt Ser	cag Gln 690	tac Tyr	cag Gln	aac Asn	cga Arg	gtt Val 695	cgg Arg	gat Asp	act Thr	cac His	agg Arg 700	ctc Leu	atc Ile	act Thr	cag Gln	2112
atg Met 705	cag Gln	ctg Leu	agc Ser	ctg Leu	gca Ala 710	gaa Glu	agt Ser	gaa Glu	gct Ala	tcc Ser 715	ttg Leu	gga Gly	aac Asn	act Thr	aac Asn 720	2160
att Ile	cct Pro	gcc Ala	tca Ser	gac Asp 725	cac His	tac Tyr	gtg Val	ggg Gly	cca Pro 730	aat Asn	ggc Gly	ttt Phe	aaa Lys	agt Ser 735	ctg Leu	2208
gct Ala	cag Gln	gag Glu	gcc Ala 740	aca Thr	aga Arg	tta Leu	gca Ala	gaa Glu 745	agc Ser	cac His	gtt Val	gag Glu	tca Ser 750	gcc Ala	agt Ser	2256
aac Asn	atg Met	gag Glu 755	caa Gln	ctg Leu	aca Thr	agg Arg	gaa Glu 760	act Thr	gag Glu	gac Asp	tat Tyr	tcc Ser 765	aaa Lys	caa Gln	gcc Ala	2304
ctc Leu	tca Ser 770	ctg Leu	gtg Val	cgc Arg	aag Lys	gcc Ala 775	ctg Leu	cat His	gaa Glu	gga Gly	gtc Val 780	gga Gly	agc Ser	gga Gly	agc Ser	2352
ggt Gly 785	Ser	ccg Pro	gac Asp	ggt Gly	gct Ala 790	gtg Val	gtg Val	caa Gln	ggg Gly	ctt Leu 795	gtg Val	gaa Glu	aaa Lys	ttg Leu	gag Glu 800	2400
Lys	Thr	Lys	Ser	Leu 805	Ala	Gln	cag Gln	Leu	Thr 810	Arg	Glu	Ala	Thr	Gln 815	Ala	2448
Glu	Ile	Glu	Ala 820	qsA	Arg	Ser	tat Tyr	Gln 825	His	Ser	Leu	Arg	<b>Leu</b> 830	Leu	Asp	2496
Ser	· Val	Ser 835	Pro	Leu	Gln	Gly	gtc Val 840	Ser	Asp	Gln	Ser	Phe 845	Gln	Val	Glu	2544
g <b>aa</b> Glu	gca Ala 850	Lys	agg Arg	ato Ille	aaa Lys	Gln 855	aaa Lys	gcg Ala	gat Asp	tca Ser	Ctc Leu 860	Ser	agc Ser	ctg Leu	gta Val	2592

WO 00/667-41

		cat His														2640
		gaa Glu														2688
gag Glu	aaa Lys	tca Ser	gat Asp 900	cag Gln	ctg Leu	ctt Leu	tcc Ser	cgt Arg 905	gcc Ala	aat Asn	ctt Leu	gct Ala	aaa Lys 910	agc Ser	aga Arg	2736
gca Ala	caa Gln	gaa Glu 915	gca Ala	ctg Leu	agt Ser	atg Met	ggc Gly 920	aat Asn	gcc Ala	act Thr	ttt Phe	tat Tyr 925	gaa Glu	gtt Val	gag Glu	2784
agc Ser	atc Ile 930	ctt Leu	aaa Lys	aac Asn	ctc Leu	aga Arg 935	gag Glu	ttt Phe	gac Asp	ctg Leu	cag Gln 940	gtg Val	gac Asp	aac Asn	aga Arg	2832
aaa Lys 945	gca Ala	gaa Glu	gct Ala	gaa Glu	gaa Glu 950	gcc Ala	atg Met	aag Lys	aga Arg	ctc Leu 955	tcc Ser	tac Tyr	atc Ile	agc Ser	cag Gln 960	2880
aag Lys	gtt Val	tca Ser	gat Asp	gcc Ala 965	agt Ser	gac Asp	aag Lys	acc Thr	cag Gln 970	caa Gln	gca Ala	gaa Glu	aga Arg	gcc Ala 975	ctg Leu	2928
9 <b>99</b> Gly	agc Ser	gct Ala	gct Ala 980	gct Ala	gat Asp	gca Ala	cag Gln	agg Arg 985	gca Ala	aag Lys	aat Asn	ggg Gly	gcc Ala 990	gly ggg	gag Glu	2976
gcc Ala	ctg Leu	gaa Glu 995	atc Ile	tcc Ser	agt Ser	Glu	att Ile 1000	gaa Glu	cag Gln	gag Glu	Ile	999 Gly 1005	agt Ser	ctg Leu	aac Asn	3024
Leu	gaa Glu 1010	gcc Ala	aat Asn	gtg Val	Thr	gca Ala 1015	gat Asp	gga Gly	gcc Ala	Leu	gcc Ala 1020	atg Met	gaa Glu	aag Lys	gga Gly	3072
ctg Leu 102	Ala	tct Ser	ctg Leu	Lys	agt Ser 1030	gag Glu	atg Met	agg Arg	Glu	gtg Val 1035	gaa Glu	gga Gly	gag Glu	Leu	gaa Glu 1040	3120
agg Arg	aag Lys	gag Glu	Leu	gag Glu 1045	ttt Phe	gac Asp	acg Thr	Asn	atg Met 1050	gat Asp	gca Ala	gta Val	Gln	atg Met 1055	gtg Val	3168
Ile	Thr		Ala 1060	Gln	Lys	Val	Asp	Thr 1065	Arg	Ala	Lys	Asn	Ala 1070	Gly	Val	3216
Thr	Ile	caa Gln 1075	Asp	Thr	Leu	Asn	Thr 1080	Leu	Asp	Gly	Leu	Leu 1085	His	Leu	Met	3264
Asp	Gln 1090		Leu	Ser	Val	Asp 1095	Glu	Glu	Gly	Leu	Val 1100	Leu	Leu	Glu	Gln	3312
aag	ctt	tcc	cga	gcc	aag	acc	cag	atc	aac	agc	caa	ctg	cgg	CCC	atg	3360

atg tca gag ctg gaa gag gca cgt cag cag agg ggc cac ctc cat 3408

Met Ser Glu Leu Glu Glu Arg Ala Arg Gln Gln Arg Gly His Leu His
1125 1120 1135

ttg ctg gag aca agc ata gat ggg att ctg gct gat gtg aag aac ttg 3456 Leu Leu Glu Thr Ser Ile Asp Gly Ile Leu Ala Asp Val Lys Asn Leu 1140 1145 1150

gag aac att agg gac aac ctg ccc cca ggc tgc tac aat acc cag gct 3504 Glu Asn Ile Arg Asp Asn Leu Pro Pro Gly Cys Tyr Asn Thr Gln Ala 1155 1160 1165

ctt gag caa cag tgaagctgcc ataaatattt ctcaactgag gttcttggga 3556 Leu Glu Gln Gln 1170

tacagatoto agggotoggg agocatgtoa tgtgagtggg tgggatgggg acatttgaac 3616 atgt

<210> 32 <211> 1172

<212> PRT

<213> Homo sapiens

<400> 32

Thr Ser Arg Arg Glu Val Cys Asp Cys Asn Gly Lys Ser Arg Gln Cys

1 10 15

Ile Phe Asp Arg Glu Leu His Arg Gln Thr Gly Asn Gly Phe Arg Cys
20 25 30

Leu Asn Cys Asn Asp Asn Thr Asp Gly Ile His Cys Glu Lys Cys Lys
35 40 45

Asn Gly Phe Tyr Arg His Arg Glu Arg Asp Arg Cys Leu Pro Cys Asn 50 55 60

Cys Asn Ser Lys Gly Ser Leu Ser Ala Arg Cys Asp Asn Ser Gly Arg 65 70 75 80

Cys Ser Cys Lys Pro Gly Val Thr Gly Ala Arg Cys Asp Arg Cys Leu 85 90 95

Pro Gly Phe His Met Leu Thr Asp Ala Gly Cys Thr Gln Asp Gln Arg 100 105 110

Leu Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala Gly Ile Ala Gly Pro 115 120 125

Cys Asp Ala Gly Arg Cys Val Cys Lys Pro Ala Val Thr Gly Glu Arg 130 135 140

Cys Asp Gly Cys Arg Ser Gly Tyr Tyr Asn Leu Asp Gly Gly Asn Pro 145 150 155 160

Glu Gly Cys Thr Gln Cys Phe Cys Tyr Gly His Ser Ala Ser Cys Arg

175

170

Ser Ser Ala Glu Tyr Ser Val His Lys Ile Thr Ser Thr Phe His Gln 180 185 190

Asp Val Asp Gly Trp Lys Ala Val Gln Arg Asn Gly Ser Pro Ala Lys 195 200 205

Leu Gln Trp Ser Gln Arg His Gln Asp Val Phe Ser Ser Ala Gln Arg 210 215 220

Leu Asp Pro Val Tyr Phe Val Ala Pro Ala Lys Phe Leu Gly Asn Gln 225 230 235 240

Gln Val Ser Tyr Gly Gln Ser Leu Ser Phe Asp Tyr Arg Val Asp Arg 245 250 255

Gly Gly Arg His Pro Ser Ala His Asp Val Ile Leu Glu Gly Ala Gly 260 265 270

Leu Arg Ile Thr Ala Pro Leu Met Pro Leu Gly Lys Thr Leu Pro Cys 275 280 285

Gly Leu Thr Lys Thr Tyr Thr Phe Arg Leu Asn Glu His Pro Ser Asn 290 295 300

Asn Trp Ser Pro Gln Leu Ser Tyr Phe Glu Tyr Arg Arg Leu Leu Arg 305 310 315 320

Asn Leu Thr Ala Leu Arg Ile Arg Ala Thr Tyr Gly Glu Tyr Ser Thr 325 330 335

Gly Tyr Ile Asp Asn Val Thr Leu Ile Ser Ala Arg Pro Val Ser Gly 340 345 350

Ala Pro Ala Pro Trp Val Glu Gln Cys Ile Cys Pro Val Gly Tyr Lys 355 360 365

Gly Gln Phe Cys Gln Asp Cys Ala Ser Gly Tyr Lys Arg Asp Ser Ala 370 375 380

Arg Leu Gly Pro Phe Gly Thr Cys Ile Pro Cys Asn Cys Gln Gly Gly 385 390 395 400

Gly Ala Cys Asp Pro Asp Thr Gly Asp Cys Tyr Ser Gly Asp Glu Asn 405 410 415

Pro Asp Ile Glu Cys Ala Asp Cys Pro Ile Gly Phe Tyr Asn Asp Pro 420 425 430

His Asp Pro Arg Ser Cys Lys Pro Cys Pro Cys His Asn Gly Phe Ser 435 440 445

Cys Ser Val Met Pro Glu Thr Glu Glu Val Val Cys Asn Asn Cys Pro 450 460

Pro Gly Val Thr Gly Ala Arg Cys Glu Leu Cys Ala Asp Gly Tyr Phe 465 470 475 480

Gly Asp Pro Phe Gly Glu His Gly Pro Val Arg Pro Cys Gln Pro Cys 485 490 495



Gln	Суз	Asn	Asn 500	Asn	Val	Asp	Pro	Ser 505	Ala	Ser	Gly	Asn	Сув 510	Asp	Arg
Leu	Thr	Gly 515	Arg	Суз	Leu	Lys	Cys 520	Ile	His	Asn	Thr	Ala 525	Gly	Ile	Tyr
Суѕ	Asp 530	Gln	Cys	Lys	Ala	Gly 535	Tyr	Phe	Gly	Asp	Pro 540	Leu	Ala	Pro	Asn
Pro 545	Ala	Asp	Lys	Cys	Arg 550	Ala	Cys	Asn	Cys	Asn 555	Pro	Met	Gly	Ser	Glu 560
Pro	Val	Gly	Суз	Arg 565	Ser	Asp	Gly	Thr	Cys 570	Val	Cys	Lys	Pro	Gly 575	Phe
Gly	Gly	Pro	Asn 580	Cys	Glu	His	Gly	Ala 585	Phe	Ser	Cys	Pro	Ala 590	Сув	Tyr
Asn	Gln	Val 595	Lys	Ile	Gln	Met	Asp 600	Gln	Phe	Met	Gln	Gln 605	Leu	Gln	Arg
Met	Glu 610	Ala	Leu	Ile	Ser	Lys 615	Ala	Gln	Gly	Gly	Asp 620	Gly	Val	Val	Pro
Asp 625	Thr	Glu	Leu	Glu	Gly 630	Arg	Met	Gln	Gln	Ala 635	Glu	Gln	Ala	Leu	Gln 640
Asp	Ile	Leu	Arg	Asp 645	Ala	Gln	Ile	Ser	Glu 650	Gly	Ala	Ser	Arg	Ser 655	Leu
Gly	Leu	Gln	Leu 660	Ala	Lys	Val	Arg	Ser 665	Gln	Glu	Asn	Ser	Tyr 670	Gln	Ser
Arg	Leu	Asp 675	Asp	Leu	Lys	Met	Thr 680	Val	Glu	Arg	Val	Arg 685	Ala	Leu	Gly
Ser	Gln 690	Tyr	Gln	Asn	Arg	Val 695	Arg	Asp	Thr	His	Arg 700	Leu	Ile	Thr	Gln
<b>Me</b> t 705		Leu	Ser		Ala 710		Ser	Glu	Ala	Ser 715		Gly	Asn	Thr	Asn 720
Ile	Pro	Ala	Ser	Asp 725	His	Tyr	Val	Gly	Pro 730	Asn	Gly	Phe	Lys	Ser 735	Leu
Ala	Gln	Glu	Ala 740	Thr	Arg	Leu	Ala	Glu 745	Ser	His	Val	Glu	Ser 750	Ala	Ser
Asn	Met	Glu 755	Gln	Leu	Thr	Arg	Glu 760	Thr	Glu	Asp	Tyr	Ser 765	Lys	Gln	Ala
Leu	Ser 770	Leu	Val	Arg	Lys	Ala 775	Leu	His	Glu	Gly	Val 780	Gly	Ser	Gly	Ser
Gly 785		Pro	Asp	Gly	Ala 790	Val	Val	Gln	Gly	Leu 795	Val	Glu	Lys	Leu	Glu 800

Lys Thr Lys Ser Leu Ala Gln Gln Leu Thr Arg Glu Ala Thr Gln Ala 805 810 815



- Glu Ile Glu Ala Asp Arg Ser Tyr Gln His Ser Leu Arg Leu Leu Asp 820 825 830
- Ser Val Ser Pro Leu Gln Gly Val Ser Asp Gln Ser Phe Gln Val Glu 835 840 845
- Glu Ala Lys Arg Ile Lys Gln Lys Ala Asp Ser Leu Ser Ser Leu Val 850 855 860
- Thr Arg His Met Asp Glu Phe Lys Arg Thr Gln Lys Asn Leu Gly Asn 865 870 875 880
- Trp Lys Glu Glu Ala Gln Gln Leu Leu Gln Asn Gly Lys Ser Gly Arg 885 890 895
- Glu Lys Ser Asp Gln Leu Leu Ser Arg Ala Asn Leu Ala Lys Ser Arg 900 905 910
- Ala Gln Glu Ala Leu Ser Met Gly Asn Ala Thr Phe Tyr Glu Val Glu
  915 920 925
- Ser Ile Leu Lys Asn Leu Arg Glu Phe Asp Leu Gln Val Asp Asn Arg 930 935 940
- Lys Ala Glu Ala Glu Glu Ala Met Lys Arg Leu Ser Tyr Ile Ser Gln 945 950 955 960
- Lys Val Ser Asp Ala Ser Asp Lys Thr Gln Gln Ala Glu Arg Ala Leu 965 970 975
- Gly Ser Ala Ala Ala Asp Ala Gln Arg Ala Lys Asn Gly Ala Gly Glu 980 985 990
- Ala Leu Glu Ile Ser Ser Glu Ile Glu Glu Glu Ile Gly Ser Leu Asn 995 1000 1005
- Leu Glu Ala Asn Val Thr Ala Asp Gly Ala Leu Ala Met Glu Lys Gly 1010 1015 1020
- Leu Ala Ser Leu Lys Ser Glu Met Arg Glu Val Glu Gly Glu Leu Glu 1025 1030 1040
- Arg Lys Glu Leu Glu Phe Asp Thr Asn Met Asp Ala Val Gln Met Val 1045 1050 1055
- Ile Thr Glu Ala Gln Lys Val Asp Thr Arg Ala Lys Asn Ala Gly Val 1060 1065 1070
- Thr Ile Gln Asp Thr Leu Asn Thr Leu Asp Gly Leu Leu His Leu Met 1075 1080 1085
- Asp Gln Pro Leu Ser Val Asp Glu Glu Gly Leu Val Leu Leu Glu Gln 1090 1095 1100
- Lys Leu Ser Arg Ala Lys Thr Gln Ile Asn Ser Gln Leu Arg Pro Met 1105 1110 1115 1120
- Met Ser Glu Leu Glu Glu Arg Ala Arg Gln Gln Arg Gly His Leu His 1125 1130 1135
- Leu Leu Glu Thr Ser Ile Asp Gly Ile Leu Ala Asp Val Lys Asn Leu

1140 1145 1150

Glu Asn Ile Arg Asp Asn Leu Pro Pro Gly Cys Tyr Asn Thr Gln Ala 1155 1160 1165

Leu Glu Gln Gln 1170

<210> 33

<211> 5159

<212> DNA

<213> Mus musculus

<220>

<221> CDS

<222> (40)..(3615)

<220>

<221> sig peptide

<222> (40)..(102)

<400> 33

teggeaegag ggeaecegea gegggeagge egeeeggee atg eet geg ete tgg 54

Met Pro Ala Leu Trp

1

acc tcc agg agg gaa gtc tgt gat tgc aat ggg aag tcc agg caa tgt 150
Thr Ser Arg Arg Glu Val Cys Asp Cys Asn Gly Lys Ser Arg Gln Cys
25 30 35

gtc ttt gat cag gag ctc cat cga caa gca ggc agc ggg ttc cgt tgc 198
Val Phe Asp Gln Glu Leu His Arg Gln Ala Gly Ser Gly Phe Arg Cys
40 45 50

ctc aac tgc aat gac aat aca gcg ggg gtt cac tgc gag cgg tcg agg 246 Leu Asn Cys Asn Asp Asn Thr Ala Gly Val His Cys Glu Arg Ser Arg 55 60 65

gag ggg ttt tac cag cat cag agc aag agc cgc tgc cta ccc tgc aac 294 Glu Gly Phe Tyr Gln His Gln Ser Lys Ser Arg Cys Leu Pro Cys Asn 70 80 85

tgc cac tca aag ggt tcc ctc agt gct gga tgt gac aac tct gga caa 342 Cys His Ser Lys Gly Ser Leu Ser Ala Gly Cys Asp Asn Ser Gly Gln 90 95 100

tgc agg tgt aag cca ggt gtg aca gga caa aga tgt gac cag tgt cag 390 Cys Arg Cys Lys Pro Gly Val Thr Gly Gln Arg Cys Asp Gln Cys Gln 105 110

cca ggc ttc cat atg ctc acc gat gct gga tgc acc cga gac cag ggg
Pro Gly Phe His Met Leu Thr Asp Ala Gly Cys Thr Arg Asp Gln Gly
120
125
130

caa cta gat tcc aag tgt gac tgt gac cca gct ggc atc tct gga ccc 486 Gln Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala Gly Ile Ser Gly Pro


WO 00/66731			PCT/US00/1145
135	140	145	
		a cca gcc gtc act gga rs Pro Ala Val Thr Gly 160	
		r His Leu Asp Arg Ala 175	
	-	r ggg cat tca gcc agc r Gly His Ser Ala Ser 0 195	_
		a atc act tca act ttc rs Ile Thr Ser Thr Phe 210	
gat gtg gat ggt tgg Asp Val Asp Gly Trp 215	aag gcg gtt ca Lys Ala Val Gl 220	ng aga aac ggg gca cct nn Arg Asn Gly Ala Pro 225	gca aaa 726 Ala Lys
		p Val Phe Ser Ser Ala 240	
		t gcc aaa ttc ctc ggt o Ala Lys Phe Leu Gly 255	
		er ttt gac tac cgc gtg er Phe Asp Tyr Arg Val 0 275	
gga ggt aga cag ccg Gly Gly Arg Gln Pro 280	tct gcc tac ga Ser Ala Tyr As 285	t gtg atc ctg gaa ggt p Val Ile Leu Glu Gly 290	gct ggt 918 Ala Gly
		t cca ggc aag aca ctt a Pro Gly Lys Thr Leu 305	
ggg atc aca aag act Gly Ile Thr Lys Thr 310	tac aca ttc ag Tyr Thr Phe Ar 315	ga ctg aat gaa cat cca cg Leu Asn Glu His Pro 320	agc agt 1014 Ser Ser 325
		c gaa tat cga agg tta ne Glu Tyr Arg Arg Leu 335	
		ga gct acg tac gga gaa rg Ala Thr Tyr Gly Glu 50 355	
		eg gtt tca gcc cgc cct eu Val Ser Ala Arg Pro 370	
gga gcc cca gcc cct Gly Ala Pro Ala Pro 375	tgg gtt gaa cg Trp Val Glu An 380	gt tgt gta tgc ctg ctg cg Cys Val Cys Leu Leu 385	ggg tac 1206 Gly Tyr

1830

1878

580

595



aac cca gca gac aag tgt cga gct tgc aac tgc agc ccc atg ggt gcg

Asn Pro Ala Asp Lys Cys Arg Ala Cys Asn Cys Ser Pro Met Gly Ala

gag cct gga gag tgt cga ggt gat ggc agc tgt gtt tgc aag cca ggc

Glu Pro Gly Glu Cys Arg Gly Asp Gly Ser Cys Val Cys Lys Pro Gly

ttt ggc gcc ttc aac tgt gat cac gca gcc cta acc agt tgt cct gct

Phe Gly Ala Phe Asn Cys Asp His Ala Ala Leu Thr Ser Cys Pro Ala

tgc tac aat caa gtg aag att cag atg gac cag ttt acc cag cag ctc Cys Tyr Asn Gln Val Lys Ile Gln Met Asp Gln Phe Thr Gln Gln Leu


605

620

570

585

600



				gcc Ala												1974
				gtg Val 650												2022
				att Ile												2070
				gtc Val												2118
				ctg Leu												2166
gcc Ala 710	ctg L <b>e</b> u	ggc Gly	agt Ser	cag Gln	cat His 715	cag Gln	aac Asn	aga Arg	gtt Val	cag Gln 720	gat Asp	acg Thr	agc Ser	aga Arg	ctc Leu 725	2214
atc Ile	tct Ser	cag Gln	atg Met	cgc Arg 730	ctg Leu	agt Ser	ctg Leu	gca Ala	gga Gly 735	agc Ser	gaa Glu	gct Ala	ctc Leu	ttg Leu 740	g <b>aa</b> Glu	2262
aac Asn	act Thr	aat Asn	atc Ile 745	cat His	tct Ser	tct Ser	gag Glu	cac His 750	tac Tyr	gtg Val	Gly 9 <b>9</b> 9	ccg Pro	aat Asn 755	gat Asp	ttt Phe	2310
aaa Lys	agt Ser	ctg Leu 760	gct Ala	cag Gln	gag Glu	gct Ala	aca Thr 765	aga Arg	aag Lys	gca Ala	gac Asp	agc Ser 770	cac His	gct Ala	g <b>a</b> g Glu	2358
tca Ser	gct Ala 775	aac Asn	gca Ala	atg Met	aag Lys	caa Gln 780	cta Leu	gca Ala	agg Arg	gaa Glu	act Thr 785	gag Glu	gac Asp	tac Tyr	tcc Ser	2406
Lys 790	Gln	Ala	Leu	tca Ser	Leu 795	Ala	Arg	Lys	Leu	Leu 800	Ser	Gly	Gly	Gly	Gly 805	2454
Ser	Gly	Ser	Trp	gac Asp 810	Ser	Ser	Val	Val	Gln 815	Gly	Leu	Met	Gly	Lys 820	Leu	2502
Glu	Lys	Thr	Lys 825	tcc Ser	Leu	Ser	Gln	Gln 830	Leu	Ser	Leu	Glu	Gly 835	Thr	Gln	2550
Ala	Asp	Ile 840	Glu	gct Ala	Asp	Arg	Ser 845	Tyr	Gln	His	Ser	<b>Leu</b> 850	Arg	Leu	Leu	2598
gat Asp	tct Ser 855	gcc Ala	tct Ser	cag Gln	ctt Leu	cag Gln 860	gga Gly	gtc Val	agt Ser	gat Asp	ctg Leu 865	tcc Ser	ttt Phe	cag Gln	gtg Val	2646
				atc												2694

PCT/US00/11459

WO 00/66731

Glu 870	Ala	Lys	Arg	Ile	Arg 875	Gln	Lys	Ala	Asp	Ser 880	Leu	Ser	Asn	Leu	Val 885	
		caa Gln														2742
		aaa Lys														2790
		tca Ser 920														2838
gcc Ala	caa Gln 935	gaa Glu	gcg Ala	cta Leu	agt Ser	atg Met 940	ggc Gly	aat Asn	gcc Ala	act Thr	ttt Phe 945	tat Tyr	gaa Glu	gtt Val	gag Glu	2886
aac Asn 950	atc Ile	ctg Leu	aag Lys	aac Asn	ctc Leu 955	cga Arg	gag Glu	ttt Phe	gat Asp	ctg Leu 960	cag Gln	gtt Val	gaa Glu	gac Asp	aga Arg 965	2934
aaa Lys	gca Ala	gag Glu	gct Ala	gaa Glu 970	gag Glu	gcc Ala	atg Met	aag Lys	aga Arg 975	ctc Leu	tcc Ser	tct Ser	att Ile	agc Ser 980	cag Gln	2982
aag Lys	gtt Val	gcg Ala	gat Asp 985	gcc Ala	agt Ser	gac Asp	aag Lys	acc Thr 990	cag Gln	caa Gln	gca Ala	gaa Glu	acg Thr 995	gcc Ala	ctg Leu	3030
ggg Gly	Ser	gcc Ala 1000	act Thr	gcc Ala	gac Asp	Thr	caa Gln 1005	cgg Arg	gca Ala	aag Lys	Asn	gca Ala 1010	gct Ala	agg Arg	gag Glu	3078
Āla	ctg Leu 1015	gag Glu	atc Ile	agc Ser	Ser	gag Glu 1020	ata Ile	gag Glu	ctg Leu	Glu	ata Ile 1025	ggg Gly	agt Ser	ctg Leu	aac Asn	3126
ttg Leu 103	Glu	gct Ala	aat Asn	Val	aca Thr 1035	gca Ala	gat Asp	ggg Gly	Ala	ttg Leu 1040	gcc Ala	atg Met	gag Glu	Lys	999 Gly 1045	3174
act Thr	gcc Ala	act Thr	Leu	aag Lys 1050	agc Ser	gag Glu	atg Met	Arg	gag Glu 1055	atg Met	att Ile	gag Glu	Leu	gcc Ala 1060	aga Arg	3222
aag Lys	gag Glu	ctg Leu	gag Glu 1065	ttt Phe	gac Asp	acg Thr	Asp	aag Lys 1070	gac Asp	acg Thr	gtg Val	Gln	ctg Leu 1075	gtg Val	att Ile	3270
act Thr	Glu	gcc Ala 1080	cag Gln	caa Gln	gct Ala	Asp	gcc Ala 1085	aga Arg	gcc Ala	acg Thr	Ser	gcc Ala 1090	gga Gly	gtt Val	acc Thr	3318
Ile	caa Gln 1095	gac Asp	acr Xaa	ctc Leu	Asn	aca Thr 1100	ttg Leu	gac Asp	ggc	Ile	cta Leu 1105	cac His	ctc Leu	ata Ile	gac Asp	3366
cag Gln	cct	ggc Gly	agt Ser	gtg Val	gat Asp	gaa Glu	g <b>aa</b> Glu	ggg Gly	atg Met	atg Met	cta Leu	tta Leu	gaa Glu	caa Gln	Gly 999	3414

WO 00/66731	$\bigcirc$		PCT/US00/11459
1110	1115	1120	1125

ctt ttc caa gcc aag acc cag atc aac agt cga ctt cgg ccc ttg atg 3462 Leu Phe Gln Ala Lys Thr Gln Ile Asn Ser Arg Leu Arg Pro Leu Met 1130 1135 1140

tct gac ctg gag gag agg gtg cgt cgg cag agg aac cac ctc cat ctg 3510 Ser Asp Leu Glu Glu Arg Val Arg Arg Gln Arg Asn His Leu His Leu 1145 1150 1155

ctg gag act agc ata gat gga att ctt gct gat gtg aag aac ctg gag 3558 Leu Glu Thr Ser Ile Asp Gly Ile Leu Ala Asp Val Lys Asn Leu Glu 1160 1165 1170

aac att cga gac aac ctg ccc cca ggc tgc tac aat acc caa gct ctt 3606 Asn Ile Arg Asp Asn Leu Pro Pro Gly Cys Tyr Asn Thr Gln Ala Leu 1175 1180 1185

gag caa cag tgaagttgtc atagagattt gtccactgtt gtgaaaggac 3655 Glu Gln Gln 1190

acagacetea ggggteagga gecatetegt gtggatggge tgtgeteagg etatetgaae 3715 acatttaatg ggtttgttca ggtccaattc catccctgag accatgggct gtggatgtct 3775 tcctgtacca atataatact gtttgtactt cctgatgctg gcagtgaggc agatagcatt 3835 gagtatgaga ttgatcaagg agggacaaat cgtgcgctca gaacagtgac aaactgaatt 3895 ctgggcagtg aggcagatag cattgagtat gagattgatc aaggacctgg accccaaaga 3955 tagactggat ggaaagacaa actgcacagg cagatgtttg cctcataata gtcgtaagtg 4015 gagtootgga atttggtoag aacagtgaaa aactggaatt otgggatata gaaagatoot 4075 gctgctatgt caggacaaag tgagatctaa tcccgctgcg gccagcaaag tactcttgct 4135 tcacccacta gacgtttttt gtccaccaca tttcctccag tgcccaccca atacatgagt 4195 atgtecteca etteatgetg agtgeagaga geagtgatgg tatagatetg gaaatetgge 4255 ccatgtggag cagtggtgcc cgcctgcacc cctaaccttc atgctctcgg cctgagtgtg 4315 acageettte teetaatggt gegaacaact tagaggetgt attititat gaaageatet 4375 tttaccagcc aagcaatcat tgggaaagta tttctttgag tttcaaagtg atataagaaa 4435 tgtgtctggc actaaaggaa gtggagttat ctaaaagata tattcatcat aatccaatct 4495 teetttggaa acactaaaac teatatacat etgtgtattg tatettattt tetettete 4555 ctctctcttt cctccaccca taataagaga atgttcctac tcacacttca gctgggtcac 4615 atccatcct ccattcatcc ttccatccat ctttccatcc attacctcca tccagccttc 4675 taacatatat ttattgcgtc actactgtgt gccaggggtg agtggaacag tatggacagt 4735 ctctactctc atggagttga gtgtctagtg agagaacaac attagaataa gtaaatggaa 4795 actoccatgo ottgttoato toatgtgata tttattgoag toaccoacco tttggtttga 4855



<210> 34

<211> 1192

<212> PRT

<213> Mus musculus

<400> 34

Met Pro Ala Leu Trp Leu Ser Cys Cys Leu Gly Val Ala Leu Leu Leu 1 5 10 15

Pro Ala Ser Gln Ala Thr Ser Arg Arg Glu Val Cys Asp Cys Asn Gly
20 25 30

Lys Ser Arg Gln Cys Val Phe Asp Gln Glu Leu His Arg Gln Ala Gly
35 40 45

Ser Gly Phe Arg Cys Leu Asn Cys Asn Asp Asn Thr Ala Gly Val His
50 55 60

Cys Glu Arg Ser Arg Glu Gly Phe Tyr Gln His Gln Ser Lys Ser Arg 65 70 75 80

Cys Leu Pro Cys Asn Cys His Ser Lys Gly Ser Leu Ser Ala Gly Cys 85 90 95

Asp Asn Ser Gly Gln Cys Arg Cys Lys Pro Gly Val Thr Gly Gln Arg 100 105 110

Cys Asp Gln Cys Gln Pro Gly Phe His Met Leu Thr Asp Ala Gly Cys 115 120 125

Thr Arg Asp Gln Gly Gln Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala 130 135 140

Gly Ile Ser Gly Pro Cys Asp Ser Gly Arg Cys Val Cys Lys Pro Ala 145 150 155 160

Val Thr Gly Glu Arg Cys Asp Arg Cys Arg Pro Arg Asp Tyr His Leu 165 170 175


Asp Arg Ala Asn Pro Glu Gly Cys Thr Gln Cys Phe Cys Tyr Gly His 180 185 190

Ser Ala Ser Cys His Ala Ser Ala Asp Phe Ser Val His Lys Ile Thr 195 200 205

Ser Thr Phe Ser Gln Asp Val Asp Gly Trp Lys Ala Val Gln Arg Asn 210 215 220



Gly 225	Ala	Pro	Ala	Lys	Leu 230	His	Trp	Ser	Gln	Arg 235	His	Arg	Asp	Val	Phe 240
Ser	Ser	Ala	Arg	Arg 245	Ser	Asp	Pro	Val	Tyr 250	Phe	Val	Ala	Pro	Ala 255	Lys
Phe	Leu	Gly	Asn 260	Gln	Gln	Val	Ser	Tyr 265	Gly	Gln	Ser	Leu	Ser 270	Phe	Asp
туr	Arg	Val 275	Asp	Arg	Gly	Gly	Arg 280	Gln	Pro	Ser	Ala	Tyr 285	Asp	Val	Ile
Leu	Glu 290	Gly	Ala	Gly	Leu	Gln 295	Ile	Arg	Ala	Pro	Leu 300	Met	Ala	Pro	Gly
Lys 305	Thr	Leu	Pro	Суз	Gly 310	Ile	Thr	Lys	Thr	Tyr 315	Thr	Phe	Arg	Leu	Asn 320
Glu	His	Pro	Ser	Ser 325	His	Trp	Ser	Pro	Gln 330	Leu	Ser	Tyr	Phe	Glu 335	Tyr
Arg	Arg	Leu	Leu 340	Arg	Asn	Leu	Thr	Ala 345	Leu	Leu	Met	Ile	Arg 350	Ala	Thr
Tyr	Gly	Glu 355	Tyr	Ser	Thr	Gly	Tyr 360	Ile	Asp	Asn	Val	Thr 365	Leu	Val	Ser
Ala	Arg 370	Pro	Val	Leu	Gly	Ala 375	Pro	Ala	Pro	Trp	Val 380	Glu	Arg	Cys	Val
Cys 385	Leu	Leu	Gly	Tyr	Lys 390	Gly	Gln	Phe	Cys	Gln 395	Glu	Сув	Ala	Ser	Gly 400
Tyr	Lys	Arg	Asp	Ser 405	Ala	Arg	Leu	Gly	Ala 410	Phe	Gly	Ala	Cys	Val 415	Pro
Сув	Asn	Cys	Gln 420	Gly	Glu	Gly	Ala	Cys 425	Asp	Pro	Asp	Thr	Gly 430	Asp	Сув
Tyr	Ser	Gly 435	Asp	Glu	Asn	Pro	Asp 440	Ile	Glu	Cys	Ala	Asp 445	Сув	Pro	Ile
Gly	Phe 450	Tyr	Asn	Asp	Pro	His 455	Asp	Pro	Arg	Ser	Cys 460	Lys	Pro	Cys	Pro
Cys 465	His	Asn	Gly	Phe	Ser 470	Cys	Ser	Val	Met	Pro 475	Glu	Thr	Glu	Glu	Val 480
Val	Сув	Asn	Asn	Cys 485	Pro	Pro	Gly	Val	Thr 490	Gly	Ala	Arg	Сув	Glu 495	Leu
Сув	Ala	Asp	Gly 500		Phe	Gly	Asp	Pro 505	Phe	Gly	Glu	His	Gly 510	Pro	Val
Arg	Pro	Сув 515		Arg	Cys	Gln	Cys 520		Asn	Asn	Val	Asp 525	Pro	Asn	Ala
Ser	Gly 530		Cys	Asp	Gln	Leu 535		Gly	Arg	Cys	Leu 540	Lys	Сув	Ile	Tyr



Leu Ser Phe Gln Val Glu Ala Lys Arg Ile Arg Gln Lys Ala Asp Ser

PCT/US00/11459

865 870 875 880

Leu Ser Asn Leu Val Thr Arg Gln Thr Asp Ala Phe Thr Arg Val Arg 885 890 895

Asn Asn Leu Gly Asn Trp Glu Lys Glu Thr Arg Gln Leu Leu Gln Thr 900 905 910

Gly Lys Asp Arg Arg Gln Thr Ser Asp Gln Leu Leu Ser Arg Ala Asn 915 920 925

Leu Ala Lys Asn Arg Ala Gln Glu Ala Leu Ser Met Gly Asn Ala Thr 930 940

Phe Tyr Glu Val Glu Asn Ile Leu Lys Asn Leu Arg Glu Phe Asp Leu 945 950 955 960

Gln Val Glu Asp Arg Lys Ala Glu Ala Glu Glu Ala Met Lys Arg Leu 965 970 975

Ser Ser Ile Ser Gln Lys Val Ala Asp Ala Ser Asp Lys Thr Gln Gln 980 985 990

Ala Glu Thr Ala Leu Gly Ser Ala Thr Ala Asp Thr Gln Arg Ala Lys 995 1000 1005

Asn Ala Ala Arg Glu Ala Leu Glu Ile Ser Ser Glu Ile Glu Leu Glu 1010 1015 1020

Ile Gly Ser Leu Asn Leu Glu Ala Asn Val Thr Ala Asp Gly Ala Leu 025 1030 1035 1040

Ala Met Glu Lys Gly Thr Ala Thr Leu Lys Ser Glu Met Arg Glu Met 1045 1050 1055

Ile Glu Leu Ala Arg Lys Glu Leu Glu Phe Asp Thr Asp Lys Asp Thr
1060 1065 1070

Val Gln Leu Val Ile Thr Glu Ala Gln Gln Ala Asp Ala Arg Ala Thr 1075 1080 1085

Ser Ala Gly Val Thr Ile Gln Asp Xaa Leu Asn Thr Leu Asp Gly Ile 1090 1095 1100

Leu His Leu Ile Asp Gln Pro Gly Ser Val Asp Glu Glu Gly Met Met 105 1110 1115

Leu Leu Glu Gln Gly Leu Phe Gln Ala Lys Thr Gln Ile Asn Ser Arg 1125 1130 1135

Leu Arg Pro Leu Met Ser Asp Leu Glu Glu Arg Val Arg Arg Gln Arg 1140 1145 1150

Asn His Leu His Leu Leu Glu Thr Ser Ile Asp Gly Ile Leu Ala Asp 1155 1160 1165

Val Lys Asn Leu Glu Asn Ile Arg Asp Asn Leu Pro Pro Gly Cys Tyr 1170 1175 1180

Asn Thr Gln Ala Leu Glu Gln Gln 185 1190

<210> 35 <211> 5057 <212> DNA <213> Mus musculus											
<220> <221> CDS <222> (1)(3513)											
<pre>&lt;400&gt; 35 acc tcc agg agg gaa gtc tgt gat tgc a Thr Ser Arg Arg Glu Val Cys Asp Cys A</pre>											
gtc ttt gat cag gag ctc cat cga caa g Val Phe Asp Gln Glu Leu His Arg Gln A 20 25											
ctc aac tgc aat gac aat aca gcg ggg g Leu Asn Cys Asn Asp Asn Thr Ala Gly V 35 40											
gag ggg ttt tac cag cat cag agc aag a Glu Gly Phe Tyr Gln His Gln Ser Lys S 50 55											
tgc cac tca aag ggt tcc ctc agt gct g Cys His Ser Lys Gly Ser Leu Ser Ala G 65 70											
tgc agg tgt aag cca ggt gtg aca gga c Cys Arg Cys Lys Pro Gly Val Thr Gly G 85											
cca ggc ttc cat atg ctc acc gat gct g Pro Gly Phe His Met Leu Thr Asp Ala G 100 105											
caa cta gat tcc aag tgt gac tgt gac c Gln Leu Asp Ser Lys Cys Asp Cys Asp P 115 120											
tgt gat tct ggc cga tgt gtc tgc aaa c Cys Asp Ser Gly Arg Cys Val Cys Lys P 130 135											
tgt gat agg tgc cga cca cgt gac tat c Cys Asp Arg Cys Arg Pro Arg Asp Tyr H 145											
gag ggc tgt acc cag tgt ttc tgc tat g Glu Gly Cys Thr Gln Cys Phe Cys Tyr G 165											
gcc tct gcc gac ttc agt gtc cac aaa a Ala Ser Ala Asp Phe Ser Val His Lys I 180 185											
gat gtg gat ggt tgg aag gcg gtt cag a	ga aac ggg gca cct gca aaa 624										



Asp	Val	Asp 195	Gly	Trp	Lys	Ala	Val 200	Gln	Arg	Asn	Gly	Ala 205	Pro	Ala	Lys	
											agt Ser 220					672
											ttc Phe					720
											tac Tyr					768
gga Gly	ggt Gly	aga Arg	cag Gln 260	ccg Pro	tct Ser	gcc Ala	tac Tyr	gat Asp 265	gtg Val	atc Ile	ctg Leu	gaa Glu	ggt Gly 270	gct Ala	ggt Gly	816
											aag Lys					864
											gaa Glu 300					912
											cga Arg					960
											tac Tyr					1008
aca Thr	ggg Gly	tac Tyr	att Ile 340	gat Asp	aac Asn	gtg Val	acc Thr	ctg Leu 345	gtt Val	tca Ser	gcc Ala	cgc Arg	cct Pro 350	gtc Val	ctt Leu	1056
gga Gly	gcc Ala	cca Pro 355	gcc Ala	cct Pro	tgg Trp	gtt Val	gaa Glu 360	cgt Arg	tgt Cys	gta Val	tgc Cys	ctg Leu 365	ctg Leu	Gly 9 <b>9</b> 9	tac Tyr	1104
											tac Tyr 380					1152
											tgt Cys					1200
gag Glu	ggg Gly	gcc Ala	tgt Cys	gat Asp 405	cca Pro	gac Asp	acg Thr	gga Gly	gat Asp 410	tgc Cys	tac Tyr	tcg Ser	Gly 999	gac Asp 415	gag Glu	1248
aat Asn	cct Pro	gac Asp	att Il 420	gag Glu	tgt Cys	gct Ala	gac Asp	tgt Cys 425	ccc Pro	atc Ile	ggt Gly	ttc Phe	tac Tyr 430	aat Asn	gac Asp	1296
											tgt Cys					1344



435 440 445 ago tgt toa gtg atg cot gag aca gag gtg gtg tgt aac aac tgt Ser Cys Ser Val Met Pro Glu Thr Glu Glu Val Val Cys Asn Asn Cys 455 450 icc cet ggg gtc aca ggt gcc ege tgt gag etc tgt get gat gge tte 1440 Pro Pro Gly Val Thr Gly Ala Arg Cys Glu Leu Cys Ala Asp Gly Phe 1488 ttt ggg gat ccc ttt ggg gaa cat ggc cca gtg agg cct tgt caa cgc Phe Gly Asp Pro Phe Gly Glu His Gly Pro Val Arg Pro Cys Gln Arg tgc caa tgc aac aac atg gac ccc aat gcc tct ggg aac tgt gac 1536 Cys Gln Cys Asn Asn Asn Val Asp Pro Asn Ala Ser Gly Asn Cys Asp 505 cag ttg aca ggc aga tgc ttg aaa tgt atc tac aac acg gcc ggt gtc 1584 Gln Leu Thr Gly Arg Cys Leu Lys Cys Ile Tyr Asn Thr Ala Gly Val tac tgt gac cag tgc aaa gca ggt tac ttt gga gac cca ttg gct ccc 1632 Tyr Cys Asp Gln Cys Lys Ala Gly Tyr Phe Gly Asp Pro Leu Ala Pro 535 530 aac cca gca gac aag tgt cga gct tgc aac tgc agc ccc atg ggt gcg Asn Pro Ala Asp Lys Cys Arg Ala Cys Asn Cys Ser Pro Met Gly Ala 555 545 550 gag cct gga gag tgt cga ggt gat ggc agc tgt gtt tgc aag cca ggc 1728 Glu Pro Gly Glu Cys Arg Gly Asp Gly Ser Cys Val Cys Lys Pro Gly 565 ttt ggc gcc ttc aac tgt gat cac gca gcc cta acc agt tgt cct gct 1776 Phe Gly Ala Phe Asn Cys Asp His Ala Ala Leu Thr Ser Cys Pro Ala 585 580 tgc tac aat caa gtg aag att cag atg gac cag ttt acc cag cag ctc 1824 Cys Tyr Asn Gln Val Lys Ile Gln Met Asp Gln Phe Thr Gln Gln Leu 595 600 cag age ctg gag gee ctg gtt tea aag get cag ggt ggt ggt ggt 1872 Gln Ser Leu Glu Ala Leu Val Ser Lys Ala Gln Gly Gly Gly Gly Gly 615 1920 ggt aca gtc cca gtg cag ctg gaa ggc agg atc gag cag gct gag cag Gly Thr Val Pro Val Gln Leu Glu Gly Arg Ile Glu Gln Ala Glu Gln 630 gcc ctt cag gac att ctg gga gaa gct cag att tca gaa ggg gca atg Ala Leu Gln Asp Ile Leu Gly Glu Ala Gln Ile Ser Glu Gly Ala Met 650 645 aga gcc gtt gct gtc cgg ctg gcc aag gca agg agc caa gag aac gac 2016 Arg Ala Val Ala Val Arg Leu Ala Lys Ala Arg Ser Gln Glu Asn Asp

685

665

tac aag acc cgc ctg gat gac ctc aag atg act gca gaa agg atc cgg Tyr Lys Thr Arg Leu Asp Asp Leu Lys Met Thr Ala Glu Arg Ile Arg

680

660

675



_	_		_	_		_		-	_	-	_	_	agc Ser	_		2112
													ctc Leu			2160
												_	aat Asn	-		2208
													cac His 750			2256
													gac Asp			2304
		_			_	_	_			_	_		gga Gly			2352
													gga Gly			2400
g <b>ag</b> Glu	aaa Lys	acc Thr	aag Lys	tcc Ser 805	ctg Leu	agc Ser	cag Gln	cag Gln	ctg Leu 810	tca Ser	ttg Leu	gag Glu	ggc Gly	acc Thr 815	caa Gln	2448
-	-		-	-	_		_		-				cgc Arg 830			2496
													ttt Phe			2544
_	_			_			_		_	_	_	_	aac Asn	_		2592
													ctg Leu			2640
													gat Asp			2688
cag Gln	act Thr	tca Ser	gat Asp 900	cag Gln	ctg Leu	ctt Leu	tcc Ser	cgt Arg 905	gcc Ala	aac Asn	ctt Leu	gct Ala	aaa Lys 910	aac Asn	aga Arg	2736
gcc Ala	caa Gln	gaa Glu 915	gcg Ala	cta Leu	agt Ser	atg Met	ggc Gly 920	aat Asn	gcc Ala	act Thr	ttt Phe	tat Tyr 925	g <b>aa</b> Glu	gtt Val	gag Glu	2784



			ctg cag gtt gaa g Leu Gln Val Glu A 940	
aaa gca gag gct Lys Ala Glu Ala 945	gaa gag gcc Glu Glu Ala 950	atg aag aga Met Lys Arg	ctc tcc tct att a Leu Ser Ser Ile S 955	gc cag 2880 er Gln 960
Lys Val Ala Asp	gcc agt gac Ala Ser Asp 965	aag acc cag Lys Thr Gln 970	caa gca gaa acg g Gln Ala Glu Thr A 9	cc ctg 2928 lla Leu 75
ggg agc gcc act Gly Ser Ala Thr 980	gcc gac acc Ala Asp Thr	caa cgg gca Gln Arg Ala 985	aag aac gca gct a Lys Asn Ala Ala A 990	gg gag 2976 org Glu
gcc ctg gag atc Ala Leu Glu Ile 995	Ser Ser Glu	ata gag ctg Ile Glu Leu 000	gag ata ggg agt c Glu Ile Gly Ser L 1005	etg aac 3024 eu Asn
ttg gaa gct aat Leu Glu Ala Asn 1010	gtg aca gca Val Thr Ala 1015	gat ggg gcc Asp Gly Ala	ttg gcc atg gag a Leu Ala Met Glu L 1020	aa ggg 3072 ys Gly
act gcc act ctg Thr Ala Thr Leu 1025	aag agc gag Lys Ser Glu 1030	Met Arg Glu	atg att gag ctg g Met Ile Glu Leu A .035	gcc aga 3120 Ma Arg 1040
Lys Glu Leu Glu	ttt gac acg Phe Asp Thr .045	gat aag gac Asp Lys Asp 1050	acg gtg cag ctg g Thr Val Gln Leu V 10	tg att 3168 Val Ile 155
act gaa gcc cag Thr Glu Ala Gln 1060	caa gct gat Gln Ala Asp	gcc aga gcc Ala Arg Ala 1065	acg agt gcc gga g Thr Ser Ala Gly V 1070	gtt acc 3216 Val Thr
atc caa gac acr Ile Gln Asp Xaa 1075	Leu Asn Thr	ttg gac ggc Leu Asp Gly .080	atc cta cac ctc a Ile Leu His Leu I 1085	ta gac 3264 Cle Asp
cag cct ggc agt Gln Pro Gly Ser 1090	gtg gat gaa Val Asp Glu 1095	gaa ggg atg Glu Gly Met	atg cta tta gaa c Met Leu Leu Glu G 1100	caa ggg 3312 Sln Gly
ctt ttc caa gcc Leu Phe Gln Ala 1105	aag acc cag Lys Thr Gln 1110	Ile Asn Ser	cga ctt cgg ccc t Arg Leu Arg Pro I 1115	tg atg 3360 Leu Met 1120
Ser Asp Leu Glu	gag agg gtg Glu Arg Val 1125	cgt cgg cag Arg Arg Gln 1130	agg aac cac ctc o Arg Asn His Leu H	cat ctg 3408 His Leu 135
ctg gag act agc Leu Glu Thr Ser 1140	ata gat gga Ile Asp Gly	att ctt gct Ile Leu Ala 1145	gat gtg aag aac o Asp Val Lys Asn I 1150	etg gag 3456 Leu Glu
aac att cga gac Asn Ile Arg Asp 1155	Asn Leu Pro	cca ggc tgc Pro Gly Cys 1160	tac aat acc caa o Tyr Asn Thr Gln R 1165	gct ctt 3504 Ala Leu
gag caa cag tgaa	agttgtc ataga	agattt gtcca	ctgtt gtgaaaggac	3553

Glu Gln Gln 1170

acagacetea ggggteagga gecatetegt gtggatggge tgtgeteagg etatetgaae 3613 acatttaatg ggtttgttca ggtccaattc catccctgag accatgggct gtggatgtct 3673 tectgtacca atataatact gtttgtactt eetgatgetg geagtgagge agatageatt 3733 gagtatgaga ttgatcaagg agggacaaat cgtgcgctca gaacagtgac aaactgaatt 3793 ctgggcagtg aggcagatag cattgagtat gagattgatc aaggacctgg accccaaaga 3853 tagactggat ggaaagacaa actgcacagg cagatgtttg cctcataata gtcgtaagtg 3913 gagtoctgga atttggtcag aacagtgaaa aactggaatt ctgggatata gaaagatoot 3973 getgetatgt caggacaaag tgagatetaa teeegetgeg gecageaaag taetettget 4033 tcacccacta gacgtttttt gtccaccaca tttcctccag tgcccaccca atacatgagt 4093 atgtcctcca cttcatgctg agtgcagaga gcagtgatgg tatagatctg gaaatctggc 4153 ccatgtggag cagtggtgcc cgcctgcacc cctaaccttc atgctctcgg cctgagtgtg 4213 acageettte teetaatggt gegaacaaet tagaggetgt attttttat gaaageatet 4273 tttaccagcc aagcaatcat tgggaaagta tttctttgag tttcaaagtg atataagaaa 4333 tgtgtctggc actaaaggaa gtggagttat ctaaaagata tattcatcat aatccaatct 4393 teetttggaa acactaaaac teatatacat etgtgtattg tatettattt tetetttete 4453 ctctctcttt cctccaccca taataagaga atgttcctac tcacacttca gctgggtcac 4513 atccatccct ccattcatcc ttccatccat ctttccatcc attacctcca tccagccttc 4573 taacatatat ttattgcgtc actactgtgt gccaggggtg agtggaacag tatggacagt 4633 ctctactctc atggagttga gtgtctagtg agagaacaac attagaataa gtaaatggaa 4693 acteceatge ettgtteate teatgtgata tttattgeag teacceacce tttggtttga 4753 aacctctttt cttaataatg tgttgcaaga cattcccatg agggtacttg agttagagca 4813 aagttgagat cgctctgagt tgtacacatt tctctatgtt ccagccgtct ctccacccct 4873 tecacacaga etgtgeacag actggtgeat cagggeaata ceagtgggaa ttgetgaagg 4933 aaccagaggc attgggacct cagtttggaa gactactgta ctgtctcacc tctgtacttc 4993 cttgtctttt catggatgtg ttattaaata aagaacgagt gttagatgct aaaaaaaaa 5053 5057 aaaa

<sup>&</sup>lt;210> 36

<sup>&</sup>lt;211> 1171

<sup>&</sup>lt;212> PRT

<sup>&</sup>lt;213> Mus musculus



Val Phe Asp Gln Glu Leu His Arg Gln Ala Gly Ser Gly Phe Arg Cys 20 25 30

Leu Asn Cys Asn Asp Asn Thr Ala Gly Val His Cys Glu Arg Ser Arg 35 40 45

Glu Gly Phe Tyr Gln His Gln Ser Lys Ser Arg Cys Leu Pro Cys Asn 50 55 60

Cys His Ser Lys Gly Ser Leu Ser Ala Gly Cys Asp Asn Ser Gly Gln 65 70 75 80

Cys Arg Cys Lys Pro Gly Val Thr Gly Gln Arg Cys Asp Gln Cys Gln 85 90 95

Pro Gly Phe His Met Leu Thr Asp Ala Gly Cys Thr Arg Asp Gln Gly 100 105 110

Gln Leu Asp Ser Lys Cys Asp Cys Asp Pro Ala Gly Ile Ser Gly Pro 115 120 125

Cys Asp Ser Gly Arg Cys Val Cys Lys Pro Ala Val Thr Gly Glu Arg 130 135 140

Cys Asp Arg Cys Arg Pro Arg Asp Tyr His Leu Asp Arg Ala Asn Pro 145 150 155 160

Glu Gly Cys Thr Gln Cys Phe Cys Tyr Gly His Ser Ala Ser Cys His

Ala Ser Ala Asp Phe Ser Val His Lys Ile Thr Ser Thr Phe Ser Gln 180 185 190

Asp Val Asp Gly Trp Lys Ala Val Gln Arg Asn Gly Ala Pro Ala Lys 195 200 205

Leu His Trp Ser Gln Arg His Arg Asp Val Phe Ser Ser Ala Arg Arg 210 215 220

Ser Asp Pro Val Tyr Phe Val Ala Pro Ala Lys Phe Leu Gly Asn Gln 225 230 235 240

Gln Val Ser Tyr Gly Gln Ser Leu Ser Phe Asp Tyr Arg Val Asp Arg
245 250 255

Gly Gly Arg Gln Pro Ser Ala Tyr Asp Val Ile Leu Glu Gly Ala Gly 260 265 270

Leu Gln Ile Arg Ala Pro Leu Met Ala Pro Gly Lys Thr Leu Pro Cys 275 280 285

Gly Ile Thr Lys Thr Tyr Thr Phe Arg Leu Asn Glu His Pro Ser Ser 290 295 300

His Trp Ser Pro Gln Leu Ser Tyr Phe Glu Tyr Arg Arg Leu Leu Arg 305 310 315 320



Asn Leu Thr Ala Leu Leu Met Ile Arg Ala Thr Tyr Gly Glu Tyr Ser 325 330 335

Thr Gly Tyr Ile Asp Asn Val Thr Leu Val Ser Ala Arg Pro Val Leu 340 345 350

Gly Ala Pro Ala Pro Trp Val Glu Arg Cys Val Cys Leu Leu Gly Tyr 355 360 365

Lys Gly Gln Phe Cys Gln Glu Cys Ala Ser Gly Tyr Lys Arg Asp Ser 370 380

Ala Arg Leu Gly Ala Phe Gly Ala Cys Val Pro Cys Asn Cys Gln Gly 385 390 395

Glu Gly Ala Cys Asp Pro Asp Thr Gly Asp Cys Tyr Ser Gly Asp Glu
405 410 415

Asn Pro Asp Ile Glu Cys Ala Asp Cys Pro Ile Gly Phe Tyr Asn Asp 420 425 430

Pro His Asp Pro Arg Ser Cys Lys Pro Cys Pro Cys His Asn Gly Phe 435 440 445

Ser Cys Ser Val Met Pro Glu Thr Glu Glu Val Val Cys Asn Asn Cys 450 455 460

Pro Pro Gly Val Thr Gly Ala Arg Cys Glu Leu Cys Ala Asp Gly Phe
465 470 475 480

Phe Gly Asp Pro Phe Gly Glu His Gly Pro Val Arg Pro Cys Gln Arg 485 490 495

Cys Gln Cys Asn Asn Asn Val Asp Pro Asn Ala Ser Gly Asn Cys Asp 500 505 510

Gln Leu Thr Gly Arg Cys Leu Lys Cys Ile Tyr Asn Thr Ala Gly Val 515 520 525

Tyr Cys Asp Gln Cys Lys Ala Gly Tyr Phe Gly Asp Pro Leu Ala Pro 530 535 540

Asn Pro Ala Asp Lys Cys Arg Ala Cys Asn Cys Ser Pro Met Gly Ala 545 550 555 560

Glu Pro Gly Glu Cys Arg Gly Asp Gly Ser Cys Val Cys Lys Pro Gly 565 570 575

Phe Gly Ala Phe Asn Cys Asp His Ala Ala Leu Thr Ser Cys Pro Ala 580 585 590

Cys Tyr Asn Gln Val Lys Ile Gln Met Asp Gln Phe Thr Gln Gln Leu 595 600 605

Gln Ser Leu Glu Ala Leu Val Ser Lys Ala Gln Gly Gly Gly Gly 610 615 620

Gly Thr Val Pro Val Gln Leu Glu Gly Arg Ile Glu Gln Ala Glu Gln 625 635 640

Ala Leu Gln Asp Ile Leu Gly Glu Ala Gln Ile Ser Glu Gly Ala Met

655

650

Arg Ala Val Ala Val Arg Leu Ala Lys Ala Arg Ser Gln Glu Asn Asp
660 670

Tyr Lys Thr Arg Leu Asp Asp Leu Lys Met Thr Ala Glu Arg Ile Arg 675 680 685

Ala Leu Gly Ser Gln His Gln Asn Arg Val Gln Asp Thr Ser Arg Leu 690 695 700

Ile Ser Gln Met Arg Leu Ser Leu Ala Gly Ser Glu Ala Leu Leu Glu 705 710 715 720

Asn Thr Asn Ile His Ser Ser Glu His Tyr Val Gly Pro Asn Asp Phe
725 730 735

Lys Ser Leu Ala Glu Ala Thr Arg Lys Ala Asp Ser His Ala Glu
740 745 750

Ser Ala Asn Ala Met Lys Gln Leu Ala Arg Glu Thr Glu Asp Tyr Ser 755 760 765

Lys Gln Ala Leu Ser Leu Ala Arg Lys Leu Leu Ser Gly Gly Gly 770 775 780

Ser Gly Ser Trp Asp Ser Ser Val Val Gln Gly Leu Met Gly Lys Leu 785 790 795 800

Glu Lys Thr Lys Ser Leu Ser Gln Gln Leu Ser Leu Glu Gly Thr Gln 805 810 815

Ala Asp Ile Glu Ala Asp Arg Ser Tyr Gln His Ser Leu Arg Leu Leu 820 825 830

Asp Ser Ala Ser Gln Leu Gln Gly Val Ser Asp Leu Ser Phe Gln Val 835 840 845

Glu Ala Lys Arg Ile Arg Gln Lys Ala Asp Ser Leu Ser Asn Leu Val 850 855 860

Thr Arg Gln Thr Asp Ala Phe Thr Arg Val Arg Asn Asn Leu Gly Asn 865 870 875 880

Trp Glu Lys Glu Thr Arg Gln Leu Leu Gln Thr Gly Lys Asp Arg Arg 895


Gln Thr Ser Asp Gln Leu Leu Ser Arg Ala Asn Leu Ala Lys Asn Arg 900 905 910

Ala Gln Glu Ala Leu Ser Met Gly Asn Ala Thr Phe Tyr Glu Val Glu 915 920 925

Asn Ile Leu Lys Asn Leu Arg Glu Phe Asp Leu Gln Val Glu Asp Arg 930 935 940

Lys Ala Glu Ala Glu Glu Ala Met Lys Arg Leu Ser Ser Ile Ser Gln 945 950 955 960

Lys Val Ala Asp Ala Ser Asp Lys Thr Gln Gln Ala Glu Thr Ala Leu 965 970 975



Ala Leu Glu Ile Ser Ser Glu Ile Glu Leu Glu Ile Gly Ser Leu Asn 995 1000 1005

Leu Glu Ala Asn Val Thr Ala Asp Gly Ala Leu Ala Met Glu Lys Gly 1010 1015 1020

Thr Ala Thr Leu Lys Ser Glu Met Arg Glu Met Ile Glu Leu Ala Arg 1025 1030 1035 1040

Lys Glu Leu Glu Phe Asp Thr Asp Lys Asp Thr Val Gln Leu Val Ile 1045 1050 1055

Thr Glu Ala Gln Gln Ala Asp Ala Arg Ala Thr Ser Ala Gly Val Thr
1060 1065 1070

Ile Gln Asp Xaa Leu Asn Thr Leu Asp Gly Ile Leu His Leu Ile Asp 1075 1080 1085

Gln Pro Gly Ser Val Asp Glu Glu Gly Met Met Leu Leu Glu Gln Gly 1090 1095 1100

Leu Phe Gln Ala Lys Thr Gln Ile Asn Ser Arg Leu Arg Pro Leu Met 1105 1110 1115 1120

Ser Asp Leu Glu Glu Arg Val Arg Arg Gln Arg Asn His Leu His Leu 1125 1130 1135

Leu Glu Thr Ser Ile Asp Gly Ile Leu Ala Asp Val Lys Asn Leu Glu 1140 1145 1150

Asn Ile Arg Asp Asn Leu Pro Pro Gly Cys Tyr Asn Thr Gln Ala Leu 1155 1160 1165

Glu Gln Gln 1170